

Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 7466671

Procuring Entity CARLOS HILADO MEMORIAL STATE COLLEGE

Title Procurement of Mifare RFID and Color Ribbon Kit for Printing of ID's of the Four (4) Campuses

Area of Delivery Negros Occidental

| Solicitation Number: | CHMSC 21-018-0210-G | Status | Pending |
|--|--|-----------------------|---------------------|
| Trade Agreement: | Implementing Rules and Regulations | | |
| Procurement Mode: | Public Bidding | Associated Components | 6 |
| Classification: | Goods | | |
| Category: | Information Technology Parts & Accessories & Perip | Bid Supplements | 0 |
| Approved Budget for the Contract: | PHP 1,290,000.00 | | |
| Delivery Period: | 30 Day/s | Document Request List | 0 |
| Client Agency: | | | |
| MARKET STATE OF STATE | | Date Published | 11/02/2021 |
| Contact Person: | Ma. Lorena Fernandez Jugos | | |
| | Administrative Assistant II Mabini Street, Brgy Zone 1 Talisay City Negros Occidental | Last Updated / Time | 10/02/2021 16:56 PM |
| | Philippines 6115 63-34-7128404 63-34-7128404 chmsc_bacsec@yahoo.com | Closing Date / Time | 03/03/2021 12:30 PM |

Description

CARLOS HILADO MEMORIAL STATE COLLEGE BIDS AND AWARDS COMMITTEE Talisay City, Negros Occidental Telefax Nos. (034) 712-8404

INVITATION TO BID FOR THE PROCUREMENT OF MIFARE RFID AND COLOR RIBBON KIT FOR PRINTING OF ID'S OF THE FOUR (4) CAMPUSES CHMSC 21-018-0210-G

1. The Carlos Hilado Memorial State College, through the Corporate Budget for the Contract of 2021 approved by the governing Board, intends to apply the sum of ONE MILLION TWO HUNDRED NINETY THOUSAND PESOS & 00/100 (Php 1,290,000.00) ONLY, being the Approved Budget for the Contract (ABC) to payments under the contract for the PROCUREMENT OF MIFARE RFID AND COLOR RIBBON KIT FOR PRINTING OF ID'S OF THE FOUR (4) CAMPUSES. Bids received in excess of the ABC shall be automatically rejected at bid opening.

ITEM NO. 1 MIFARE RFID 750,000.00 ITEM NO. 2 COLOR RIBBON KIT 540,000.00 Php 1,290,000.00

2. The Carlos Hilado Memorial State College now invites bids for the above Procurement Project. Delivery of the Goods is required by Thirty (30) calendar days upon receipt of Notice to Proceed. Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

3. Bidding will be conducted through open competitive bidding procedures using the non-discretionary pass/fail criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

4. Prospective bidders may obtain further information from CARLOS HILADO MEMORIAL STATE COLLEGE and inspect the Bidding Documents at the address given below during 8:00 A.M. to 5:00 P.M.

The BAC Secretariat Brgy. Zone I, Mabini St., Talisay City, Negros Occidental

5. A complete set of Bidding Documents may be acquired by interested Bidders on February 11 – March 3, 2021 (12:00NN) from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (Php 5,000.00) Only. The Procuring Entity shall allow the bidder to present its proof of payment for the fees.

LOT/ NO. ITEMS APPROVED BUDGET FOR THE CONTRACT (ABC) PER LOT BIDDING DOCUMENTS FEE 1 MIFARE RFID Php 750,000.00 Php 1,000.00 2 COLOR RIBBON KIT Php 540,000.00 Php 1,000.00

- 6. The CHMSC will hold a Pre-Bid conference on 1:00 P.M., February 18, 2021 at Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental, and or through video conferencing or webcasting via Zoom Meeting with ID No. 797 389 7583, Meeting Password 021821, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental, (ii) online or electronic submission at bac.sec@chmsc.edu.ph or (iii) both on or before 12:30 P.M., March 3, 2021. Late bids shall not be accepted.

Bids may be submitted through electronic mail to bac.sec@chmsc.edu.ph provided that the bidding documents are compressed into two (2) separate archived folders (zip or rar format) and which each folder shall be labelled as "First Envelope_Name of Company_Project Reference Number" and "Second Envelope_Name of Company_Project Reference Number" and each is uniquely password-protected;

Bidders must submit the printed copies (Original, Copy 1 and Copy 2) of their bidding documents within 3 calendar days from bid opening.

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on 1:00 P.M., March 3, 2021, at the Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental through Zoom Meeting ID No. 797 389 7583, Meeting Password 030321. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The Carlos Hilado Memorial State College reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

MISS LIGAYA E. FUENTES
Head, BAC Secretariat
Carlos Hilado Memorial State College
Brgy. Zone 1, Mabini St.,
Talisay City, Negros Occidental
Email Add.: bac.sec@chmsc.edu.ph
Telefax No. (034) 712-8404
Website: chmsc.edu.ph

12. You may visit the following websites:

For downloading of Bidding Documents: chmsc.edu.ph

For online bid submission: bac.sec@chmsc.edu.ph

EDWIN H. BUGNA, Ph.D.TM. BAC Chairperson

Line Items

| Item No. | Name | Description | Quantity | MON | Budget (PHP) |
|----------|-------------|-------------------------------|----------|-------|--------------|
| 1 | Mifare RFID | G76-M1-PVCB MIFARE Classic 1k | 15,000 | Piece | 750,000.00 |

| | | Frequency: 13.56 MHz Size: 85.6 mm x 53.98 mm | | | |
|---|------------------|---|----|-----------|------------|
| 2 | Color Ribbon Kit | Ribbon YMCKT, Optimized for use with Data Card CD101/CD801 Series Card Printers | 60 | Cartridge | 540,000.00 |

Pre-bid Conference

Date

Time

Venue

18/02/2021

1:00:00 PM

Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental Zoom Meeting with ID No. 797 389 7583, Meeting Password 021821



EMOR

Talisay City, Negros Occidental Telefax Nos. (034) 712-8404

INVITATION TO BID

FOR THE PROCUREMENT OF MIFARE RFID AND COLOR RIBBON KIT FOR PRINTING OF ID'S OF THE FOUR (4) CAMPUSES CHMSC 21-018-0210-G

1. The Carlos Hilado Memorial State College, through the Corporate Budget for the Contract of 2021 approved by the governing Board, intends to apply the sum of ONE MILLION TWO HUNDRED NINETY THOUSAND PESOS & 00/100 (Php 1,290,000.00) ONLY, being the Approved Budget for the Contract (ABC) to payments under the contract for the PROCUREMENT OF MIFARE RFID AND COLOR RIBBON KIT FOR PRINTING OF ID'S OF THE FOUR (4) CAMPUSES. Bids received in excess of the ABC shall be automatically rejected at bid opening.

 ITEM NO. 1
 MIFARE RFID
 750,000.00

 ITEM NO. 2
 COLOR RIBBON KIT
 540,000.00

 Php 1,290,000.00

- 2. The Carlos Hilado Memorial State College now invites bids for the above Procurement Project. Delivery of the Goods is required by Thirty (30) calendar days upon receipt of Notice to Proceed. Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- Bidding will be conducted through open competitive bidding procedures using the non-discretionary pass/fail criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

 Prospective bidders may obtain further information from CARLOS HILADO MEMORIAL STATE COLLEGE and inspect the Bidding Documents at the address given below during 8:00 A.M. to 5:00 P.M.

> The BAC Secretariat Brgy. Zone I, Mabini St., Talisay City, Negros Occidental

5. A complete set of Bidding Documents may be acquired by interested Bidders on February 11 – March 3, 2021 (12:00NN) from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (Php 5,000.00) Only. The Procuring Entity shall allow the bidder to present its proof of payment for the fees.

| LOT/ NO. | ITEMS | APPROVED BUDGET FOR THE CONTRACT (ABC) PER LOT | BIDDING DOCUMENTS FEE | |
|-------------|------------------|--|--------------------------|--|
| 1 | MIFARE RFID | Php 750,000.00 | Php 1,000.00 | |
| 2 | COLOR RIBBON KIT | Php 540,000.00 | Php 1,000.00 | |

6. The CHMSC will hold a Pre-Bid conference on 1:00 P.M., February 18, 2021 at Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental, and or through video conferencing or webcasting via Zoom Meeting with ID No. 797 389 7583, Meeting Password 021821, which shall be open to prospective bidders.



1. Scope of Bid

The Procuring Entity, CARLOS HILADO MEMORIAL STATE COLLEGE wishes to receive Bids for the **PROCUREMENT OF MIFARE RFID AND COLOR RIBBON KIT FOR PRINTING OF ID'S OF THE FOUR (4) CAMPUSES** with identification number CHMSC 21-018-0210-G.

The Procurement Project (referred to herein as "Project") is composed of **Two (2) Items**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of ONE MILLION TWO HUNDRED NINETY THOUSAND PESOS & 00/100 (Php1,290,000.00).
- 2.2. The source of funding is:

NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

The Procuring Entity has prescribed that:

Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on February 18, 2021, 1:00 P.M. at the Bidding Room, 2/F Supply & Property Management Bldg., CHMSC Talisay Campus and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within two (2) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

11.5. Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the **IB**. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes of determining eligibility and whether or not such financial proposal is within the ABC.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII** (Technical Specifications).

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **July 1, 2021**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance security declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid. The Bidder shall

submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

| ITB Clause | | #24-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1 | | |
|---------------|--|--|--|--|
| 5.3 | a. PROCUREMENT OF MIFARE RFID AT FOR PRINTING OF ID'S OF THE FOU | ND COLOR RIBBON KIT | | |
| | b. completed within two (2) years prior to the and receipt of bids. | deadline for the submission | | |
| 7.1 | Subcontracting is not allowed. | | | |
| 12 | The price of the Goods shall be quoted DDP or the applicable International Commercial Terms (INCOTERMS) for this Project. | | | |
| 14.1 | The bid security shall be in the form of a Bid Security following forms and amounts: a. The amount of not less than 25,800.00 (2%) cash, cashier's/manager's check, bank dra letter of credit; or b. The amount of not less than 64,500.00 (5%) Surety Bond. | of ABC, if bid security is in aft/guarantee or irrevocable | | |
| 19.3 | ITEM NO. 1 MIFARE RFID ITEM NO. 2 COLOR RIBBON KIT | 750,000.00 540,000.00 PHP 1,290,000.00 | | |
| 20.2 | Latest income and business tax returns filed and paid Filing and Payment System (eFPS). | d through the BIR Electronic | | |
| 21.2 | No further instructions. | | | |

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

[Include the following clauses if Framework Agreement will be used:]

- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. [Include if Framework Agreement will be used:] In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.}

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project {[Include if Framework Agreement will be used:] or Framework Agreement} specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VII (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

ii ule Suppuer lis a jomi vehane, un palmers conte tomi vehane snan vel joni ivi altu and

Section V. Special Conditions of Contract

Special Conditions of Contract

| GCC Clause | Special Conditions of Contract |
|---------------|--|
| 1 | |
| | Delivery and Documents – |
| | For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDF and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERM published by the International Chamber of Commerce, Paris. The Deliver terms of this Contract shall be as follows: |
| | [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered Carlos Hilado Memorial State College, Talisa City, Negros Occidental. In accordance with INCOTERMS." |
| | [For Goods supplied from within the Philippines, state:] "The delivery term applicable to this Contract are delivered at Carlos Hilado Memorial Stat College, Talisay City, Negros Occidental Risk and title will pass from th Supplier to the Procuring Entity upon receipt and final acceptance of the Good at their final destination." |
| | Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). |
| | For purposes of this Clause the Procuring Entity's Representative at the Project Site is Mr. Philip C. Estacion, Supply Officer. |
| | Incidental Services – |
| | The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: |
| | a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;b. furnishing of tools required for assembly and/or maintenance of the |
| | supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; |
| | d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and |

Bid Data Sheet

| ITB | |
|--------|--|
| Clause | |
| 5.3 | For this purpose, contracts similar to the Project shall be: a. PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC CONTROLLER TRAINER FOR THE ESTABLISHMENT OF ELECTRONICS LABORATORY - ALIJIS CAMPUS b. completed within two (2) years prior to the deadline for the submission and receipt of bids. |
| 7.1 | Subcontracting is not allowed. |
| 12 | The price of the Goods shall be quoted DDP or the applicable International Commercial Terms (INCOTERMS) for this Project. |
| 14.1 | The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than 28,404.20 (2%) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than 71,010.50 (5%) of ABC, if bid security is in Surety Bond. |
| 19.3 | ITEM NO. 1 PLC MODULE TRAINING SYSTEM 763,400.00 ITEM NO. 2 PROGRAMMABLE LOGIC CONTROLLER TRAINER 656,810.00 PHP 1,420,210.00 |
| 20.2 | Latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS). |
| 21.2 | No further instructions. |

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

[Include the following clauses if Framework Agreement will be used:]

- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. [Include if Framework Agreement will be used:] In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.}

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project {[Include if Framework Agreement will be used:] or Framework Agreement} specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VII (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the source of circumstees of the bounding contractual in preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

| GCC Clause | |
|---------------|--|
| 1 | |
| | Delivery and Documents – |
| | For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: |
| | [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered Carlos Hilado Memorial State College, Talisay City, Negros Occidental. In accordance with INCOTERMS." |
| | [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered at Carlos Hilado Memorial State College, Talisay City, Negros Occidental Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." |
| | Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). |
| | For purposes of this Clause the Procuring Entity's Representative at the Project Site is Mr. Philip C. Estacion, Supply Officer. |
| | Incidental Services – |
| | The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: |
| | a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and |

e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of one (1) year.

Spare parts or components shall be supplied as promptly as possible, but in any case, within fifteen (15) days of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. Intellectual Property Rights -The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. 2.2 The terms of payment shall be as follows: The terms of payment: 30 days 4 The inspections and tests that will be conducted are: Inspection as to the Quality, Quantity, and Specifications of the items delivered.

Talisay City, Negros Occidental Telefax No.: (034) 712-8404

Project Reference No:

CHMSC 21-017-0210-G

Name of the Project:

PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC

CONTROLLER TRAINER

Location of the Project: ALIJIS CAMPUS

page 1 of 7

BILL OF QUANTITIES

| Item No. | Qty | Unit | ARTICLES and DESCRIPTION | Unit Price | Total Price |
|-------------|-----|------|---|------------|-----------------|
| 1 | 1 | unit | PLC Module Training System | | |
| | | | with core i7 Laptop | | |
| | | | Programmable Logic Controller Unit | | |
| | | | PLC unit with input & output controller. | | Manager Manager |
| | | | •This control system able to store program, repetitive operation, | | |
| | | | fixed cycle operation and interrupt operation | | |
| | | | Traffic Light System Simulation | | |
| | | | A module consists of T-junction traffic which used to monitoring | | |
| | | | the 4 ways traffic. | | |
| | | | Light indicator will show the status of traffic light. | | |
| | | | Star Delta Control System Simulation | | |
| | | | A Module to shift the connection mode of motor such as star | | |
| | | | circuit connection or delta circuit connection. | | |
| | | | Water Filling System Simulation | | |
| | | | Proximity sensor for sensing bottle positions. | | |
| | | | Liquid filling operation. | | |
| | | | Conveyor system with motor for movement of bottles. | | |
| | | | Silo System Simulation | | |
| | | | A module to store the liquid in a tank and will be removed out when required. | | |
| | | | The light indicator will show the liquid level in the tank. | | |
| | | | Mixing System Simulation | | |
| | | | A module controls the liquid filling into the tank. | | |
| | | | The light indicator will show the liquid level in the tank. | | |
| | | | Vertical Frame | | |
| | | | High Level: Din Standard A4 with two shelves | | |
| | | | Material: Aluminum | | |
| | | | Side Frame: T shape | | |
| | | | Size: 3-Layer 1450mm Length | | |

Talisay City, Negros Occidental Telefax No.: (034) 712-8404

Project Reference No:

CHMSC 21-017-0210-G

Name of the Project:

PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC

CONTROLLER TRAINER

Location of the Project: ALIJIS CAMPUS

page 2 of 7

BILL OF QUANTITIES

| Item No. | Qty | Unit | ARTICLES and DESCRIPTION | Unit Price | Total Price |
|-------------|-----|------|---|------------|--------------------|
| | | | Safety Connecting Lead | Z | |
| | | | 4mm connecting leads | | |
| | | | Experiment Manual | | |
| | | | Manuals : | | |
| | | | (1) All manuals are written in English | | |
| | | | (2) Model Answer | | |
| | | | (3) Teaching Manuals | | |
| | | | General Terms : | | |
| | | | (1) Accessories will be provided where applicable. | | |
| | | | (2) Manual & Training will be provided where applicable. | | |
| | | | (3) Design & specifications are subject to change without notice. | | |
| | | | (4) We reserve the right to discontinue the manufacturing of any | | |
| | | | product. | | |
| | | | This control system able to store program, repetitive operation | | |
| | | | Sub-ABC = Php 763,400.00 | | |
| 2 | 1 | unit | Programmable Logic Controller Trainer | + | |
| | | | with core i7 Laptop | | |
| | | | Main technical Parameters: | | |
| | | | • Power supply: Single-phase five-wire AC 220 V ± 7% 60 Hz; | | |
| | | | Dimension: 1500x750x1460mm (approximately) | | |
| | | | Total capacity: ≤ 1KW | | |
| | | | Safety Protections: grounded, lead protection, safety in | | |
| | | | accordance with related GB standards; insulated cables and wires. | | |
| | | | SIMS MODULES: | | |
| | | | Automatic feeder static module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 9 LED | | |
| | | | 2 Toggle Switch | | |

Talisay City, Negros Occidental Telefax No.: (034) 712-8404

Project Reference No:

CHMSC 21-017-0210-G

Name of the Project:

PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC

CONTROLLER TRAINER

Location of the Project: ALIJIS CAMPUS

page 3 of 7

BILL OF QUANTITIES

| Item No. | Qty | Unit | ARTICLES and DESCRIPTION | Unit Price | Total Price |
|-------------|-----|------|--|------------|--------------------|
| | | | 11 Terminals; 2 input, 7 output | | |
| | | | Enclosure Material: PVC board with 5mm thickness and | | |
| | | | 2 carrying handles | | |
| | | | Water level automatic control static module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 6LED | | |
| | | | 4 Toggle Switch | | |
| | | | 8 Terminal; 4 input, 2 output | | |
| | | | Enclosure Material: PVC board with | | |
| | | | 5mm thickness and 2 carrying handles | | |
| | | | Automatic and manual control of traffic lights static module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 12 LED | | |
| | | | 3 Toggle Switch | | |
| | | | 11 Terminal; 3 Input, 6 output | | |
| | | | Enclosure Material: PVC board with 5mm thickness and | | |
| | | | 2 carrying handles | | |
| | | | Automatic washing machine static module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 8 LED | | |
| | | | 5 Push Bottons | | |
| | | | 13 Terminals; 5 Input 6 Output | | |
| | | | Enclosure Material: PVC board with 5mm thickness and | | |
| | | | 2 carrying handles | | |
| | | | Motor control static module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 4 LED | | |
| | | | 2 Toggle Switch | | |
| | | | 9 Terminals; 3 Input, 4 Output | | |
| | | | 3 Safety Fuse | | |

Talisay City, Negros Occidental Telefax No.: (034) 712-8404

Project Reference No:

CHMSC 21-017-0210-G

Name of the Project:

PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC

CONTROLLER TRAINER

Location of the Project: ALIJIS CAMPUS

page 4 of 7

BILL OF QUANTITIES

| Item No. | Qty | Unit | ARTICLES and DESCRIPTION | Unit Price | Total Price |
|-------------|--------|----------|--|------------|--------------------|
| | | | Enclosure Material: PVC board with 5mm thickness and | | |
| | | | 2 carrying handles | | |
| | | | Automatic blending of liquids static module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 11 LED | | |
| | | | 3 Toggle Switch | | |
| | | | 6 Terminals | | |
| | | | Enclosure Material: PVC board with 5mm thickness and | | |
| | | | 2 carrying handles | | |
| | | | Static Stepper motor control module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 2 Toggle Switch | | |
| | | | 1 Momentary switch | | |
| | | | 4 detent Switch | | |
| | | | 13 Terminals; 7 Input, 4 Output | | |
| | | | Enclosure Material: PVC board with 5mm thickness and | | |
| | | | 2 carrying handles | | |
| | | | Automatic forming machine static module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 10 LED | | |
| | | | 6 Toggle Switch | | |
| | | | 12 terminals; 6 Input, 4 output | | |
| | ALC: N | | Enclosure Material: PVC board with 5mm thickness | | |
| | | | and 2 carrying handles | | |
| | | | Automatic steel roller static module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 10 LED | | |
| | | The same | 2 Toggle Switch | | |
| - | | | 11 terminal; 2 input, 4 output | | |
| | | | Enclosure Material: PVC board with 5mm thickness and | | |
| | | | 2 carrying handles | | |

Talisay City, Negros Occidental Telefax No.: (034) 712-8404

Project Reference No:

CHMSC 21-017-0210-G

Name of the Project:

PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC

CONTROLLER TRAINER

Location of the Project: ALIJIS CAMPUS

page 5 of 7

BILL OF QUANTITIES

| Item No. | Qty | Unit | ARTICLES and DESCRIPTION | Unit Price | Total Price |
|-------------|-------|------|--|------------|--------------------|
| | | | Mails allocation static module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 12 LED | | |
| | Fels. | | 1 Toggle Switch | | |
| | | | 11 Terminal; 2 input, 7 output | | |
| | | | Enclosure Material: PVC board with 5mm thickness and | | |
| | | | 2 carrying handles | | |
| | | | Control of tower lights static module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 9 LED | | |
| | | | 7 Segment | | |
| | | | 18 Terminal; 17 output | | |
| | | | Enclosure Material: PVC board with 5mm thickness and | | |
| | | | 2 carrying handles | | |
| | | | Four-layer elevator dynamic module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 14 LED | | |
| | | | 32 Terminal; 14 Input, 16 output | | |
| | | | Enclosure Material: PVC board with 5mm thickness and | | |
| | | | 2 carrying handles | | |
| | | | Electric plating production line dynamic module | | |
| | | | Dimension (mm): 300x285x60 | | |
| | | | 18 Terminal; 12 input, 14 output | | |
| | | | Enclosure Material: PVC board with 5mm thickness | | |
| | | | and 2 carrying handles | | |
| | | | OTHER MATERIALS AND COMPONENTS: | | |
| | | | Training bench (1 set) | | |
| | | | Aluminum alloy training bench: | | |
| | | | 1300 mm x 750 mm x 1700 mm | | |

Talisay City, Negros Occidental Telefax No.: (034) 712-8404

Project Reference No:

CHMSC 21-017-0210-G

Name of the Project:

PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC

CONTROLLER TRAINER

Location of the Project: ALIJIS CAMPUS

page 6 of 7

BILL OF QUANTITIES

| Item No. | Qty | Unit | ARTICLES and DESCRIPTION | Unit Price | Total Price |
|-------------|--------|------|---|------------|--------------------|
| | | | Power supply control panel (1 set) | | |
| | | | Power supply indicator | | |
| | | | Control unit | | |
| | | | Timer and alarm recorder indicator | | |
| | | | Selector switch, buzzer, and relay unit | | |
| | | | Voltage meter: 0 – 30V | | |
| | | | Ammeter: 0 – 30 mA | | |
| | | | DC power supply unit: | | |
| | | | Adjustable output 0 - ±10 V | | |
| | | | DC current: | | |
| De la | | | Adjustable output: 4 – 20 mA | | |
| | | | Seven-segment display unit | | |
| | | | Inverter module (1 set) | | |
| | CEL | | Size: 298mm x 285mm x 110mm | | |
| | 1.54 | | Three-phase asynchronous motor | | |
| | | | (1 set) | | |
| | | | Three-phase: 380V/180W | | |
| | - File | | Rotary speed: 1400 r/min | | |
| | | | RS232C/RS422 communication | | |
| | | | cable (1 piece) | | |
| | | | Length: 2000 mm, for connecting | | |
| | | | PLC to computer | | |
| | | | RS232C/RS232C communication | | |
| | | | cable (1 piece) | | |
| | | | Length: 2000 mm, for connecting | | |
| | | | interface module to computer | | |
| | | | International power supply cable (2 pieces) | | |
| | | | Safety plug line (1 set) | | |
| | | | 1000 mm - 10 pieces | | |
| | | | 600 mm – 40 pieces | | |

Talisay City, Negros Occidental Telefax No.: (034) 712-8404

Project Reference No:

CHMSC 21-017-0210-G

Name of the Project:

PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC

CONTROLLER TRAINER

Location of the Project: ALIJIS CAMPUS

page 7 of 7

BILL OF QUANTITIES

| Item No. | Qty | Unit | ARTICLES and DESCRIPTION | Unit Price | Total Price |
|-------------|-----|------|--|------------|-------------|
| | | | Programming software for all PLCs | | |
| | | | Module rack (2 sets)— for housekeeping of PLC and | | |
| | | | application/simulation modules | | |
| | | | 2120 mm x 1900 mm | | |
| | | | Can store 30 PLC and simulation modules | | |
| | | | Training guide | | |
| | | | AFTER SALES SERVICE: | | |
| | | | 1. Free trainers' training at supplier's training center before the | | |
| | | | delivery of the equipment or at Carlos Hilado Memorial State | | |
| | | | College upon delivery and installation | | |
| | | | 2. Free semi annual training with certification, on request | | |
| | | | 3. Free product inspection, on request | | |
| | | | 4. Free consultation / seminar, on request | | |
| | | | 5. Free product demonstration on selected item, on request | | |
| | | | Warranty : one year on parts; 2 years on service | | |
| | | | Sub-ABC = Php 656,810.00 | | |
| | | | -x-x-x-x-x-x-x-x-x-x-x-nothing follows-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x | | |
| | | | | | * A \$ 1 |

Section VI. Schedules of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| em # | Description | Quantity | Total | Delivered, Weeks/Months |
|---------------|---|-----------|--|----------------------------|
| 1 | PLC Module Training System | 1 | 1 | |
| | with core i7 Laptop | | 7 | |
| | | 1 3 3 7 3 | | |
| | Programmable Logic Controller Unit | | | |
| | PLC unit with input & output controller. | | W. C. | |
| | •This control system able to store program, repetitive operation, | | | |
| | fixed cycle operation and interrupt operation | | | |
| - | nixed cycle operation and interrupt operation | | | |
| - | Traffic Light Cyctom Cimulation | - | | |
| | Traffic Light System Simulation | | | |
| - | A module consists of T-junction traffic which used to monitoring | | | - |
| - | the 4 ways traffic. | | - | |
| - | Light indicator will show the status of traffic light. | | | |
| - | Stay Dalta Cantral System Cimylation | | | |
| | Star Delta Control System Simulation | | | |
| | A Module to shift the connection mode of motor such as star | | | |
| - | circuit connection or delta circuit connection. | | | |
| - | Water Filling System Cimulation | | | |
| | Water Filling System Simulation | | | |
| | Proximity sensor for sensing bottle positions. | | | |
| | Liquid filling operation. | | | |
| _ | Conveyor system with motor for movement of bottles. | | | 1 |
| | | | | |
| | Silo System Simulation | | | |
| | A module to store the liquid in a tank and will be removed out when required. | | | |
| | The light indicator will show the liquid level in the tank. | | | |
| | | | | |
| | Mixing System Simulation | | | |
| | A module controls the liquid filling into the tank. | | | |
| | The light indicator will show the liquid level in the tank. | | | |
| | | | | |
| | Vertical Frame | | | |
| | High Level: Din Standard A4 with two shelves | | | |
| П | Material: Aluminum | | | |
| | Side Frame: T shape | | | |
| | Size: 3-Layer 1450mm Length | | | |
| | Safety Connecting Lead | | | |
| $\overline{}$ | 4mm connecting leads | | | |
| | | | | |
| | Experiment Manual | | | |
| $\overline{}$ | Manuals : | | The state of the s | |
| _ | (1) All manuals are written in English | | | |
| | (2) Model Answer | | | |
| | (3) Teaching Manuals | | | |
| | (5) Teaching Handais | | | |
| | General Terms : | | | |
| | (1) Accessories will be provided where applicable. | | | |
| | (2) Manual & Training will be provided where applicable. | | | |
| $\overline{}$ | | | | |
| - | (3) Design & specifications are subject to change without notice. | | | |
| - | (4) We reserve the right to discontinue the manufacturing of any | | | |
| - | product. | | - | |
| | This control system able to store program, repetitive operation | | | |
| | | | | |
| | Sub-ABC = Php 763,400.00 | | | |
| 2 | Programmable Logic Controller Trainer | 1 | 1 | |
| | with core i7 Laptop | | | |
| _ | | | | |

| Main technical Parameters: | | | - |
|--|-------|------------|---------------------|
| Power supply: Single-phase five-wire AC 220 V ± 7% 60 Hz; | | | |
| Dimension: 1500x750x1460mm (approximately) | | | |
| Total capacity: ≤ 1KW | | | |
| Safety Protections: grounded, lead protection, safety in | | | West and the second |
| accordance with related GB standards; insulated cables and wires. | | | |
| accordance with related Ob standards, insulated cubics and invest | | | |
| CTANULATION MODILIES. | | | |
| SIMULATION MODULES: | | | |
| Automatic feeder static module | | | |
| Dimension (mm): 300x285x60 | | | |
| 9 LED | | | |
| 2 Toggle Switch | | | |
| 11 Terminals; 2 input, 7 output | | | |
| Enclosure Material: PVC board with 5mm thickness and | | | |
| 2 carrying handles | | | |
| 2 currying numbers | | | To the second |
| Water level automatic control static module | | | |
| | | | |
| Dimension (mm): 300x285x60 | | | |
| 6LED | | | |
| 4 Toggle Switch | | - | |
| 8 Terminal; 4 input, 2 output | | | |
| Enclosure Material: PVC board with | | | |
| 5mm thickness and 2 carrying handles | | | |
| | | | |
| Automatic and manual control of traffic lights static module | | | |
| Dimension (mm): 300x285x60 | | | |
| 12 LED | | | |
| 3 Toggle Switch | | | |
| 11 Terminal; 3 Input, 6 output | | | |
| Enclosure Material: PVC board with 5mm thickness and | | | |
| | | | |
| 2 carrying handles | | | |
| | | | |
| Automatic washing machine static module | | | |
| Dimension (mm): 300x285x60 | | | |
| 8 LED | | | |
| 5 Push Bottons | | | |
| 13 Terminals; 5 Input 6 Output | | | |
| Enclosure Material: PVC board with 5mm thickness and | | Tarana Par | |
| 2 carrying handles | | | |
| | | | |
| Motor control static module | | | |
| | | | |
| | | | |
| Dimension (mm): 300x285x60 | | | |
| 4 LED | | | |
| 4 LED 2 Toggle Switch | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals Enclosure Material: PVC board with 5mm thickness and | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals Enclosure Material: PVC board with 5mm thickness and 2 carrying handles | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Static Stepper motor control module | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Static Stepper motor control module Dimension (mm): 300x285x60 | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Static Stepper motor control module Dimension (mm): 300x285x60 2 Toggle Switch | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Static Stepper motor control module Dimension (mm): 300x285x60 2 Toggle Switch 1 Momentary switch | TH- | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Static Stepper motor control module Dimension (mm): 300x285x60 2 Toggle Switch | TH. | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Static Stepper motor control module Dimension (mm): 300x285x60 2 Toggle Switch 1 Momentary switch 4 detent Switch 13 Terminals; 7 Input, 4 Output | | | |
| 4 LED 2 Toggle Switch 9 Terminals; 3 Input, 4 Output 3 Safety Fuse Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Automatic blending of liquids static module Dimension (mm): 300x285x60 11 LED 3 Toggle Switch 6 Terminals Enclosure Material: PVC board with 5mm thickness and 2 carrying handles Static Stepper motor control module Dimension (mm): 300x285x60 2 Toggle Switch 1 Momentary switch 4 detent Switch | - TH- | | |

| | natic forming machine static module | | | |
|-----------------|---|---|---------------|--|
| | sion (mm): 300x285x60 | | and the same | |
| 10 LED | | | | |
| 6 Togg | gle Switch | | | |
| | minals; 6 Input, 4 output | | | |
| | sure Material: PVC board with 5mm thickness | | | |
| | carrying handles | | | |
| | | | | |
| Autor | matic steel roller static module | | | |
| | | | | |
| | sion (mm): 300x285x60 | | | |
| 10 LEI | | | | |
| | gle Switch | | | |
| 11 ter | minal; 2 input, 4 output | | | |
| | sure Material: PVC board with 5mm thickness and | | | |
| 2 carr | ying handles | | | |
| | | | | |
| Mails | allocation static module | | | |
| Dimen | nsion (mm): 300x285x60 | | | |
| 12 LEI | | | | |
| | gle Switch | | | |
| | rminal; 2 input, 7 output | | | |
| | sure Material: PVC board with 5mm thickness and | | T. T. T. | |
| | | | | |
| 2 Carr | ying handles | | | |
| C | val of tower lights static module | | | |
| | rol of tower lights static module | | | |
| | nsion (mm): 300x285x60 | | | |
| 9 LED | | | | |
| 7 Seg | | | | |
| | rminal; 17 output | | | |
| Enclos | sure Material: PVC board with 5mm thickness and | | | |
| 2 carr | ying handles | | | |
| | | | | |
| Four- | layer elevator dynamic module | | SHI VI | |
| | nsion (mm): 300x285x60 | | | |
| 14 LE | | | | |
| _ | rminal; 14 Input, 16 output | | | |
| 52 Te | sure Material: PVC board with 5mm thickness and | | | |
| - | | | | |
| Z Carr | ying handles | | | |
| | to the standard washing | _ | - | |
| | ric plating production line dynamic module | | | |
| | nsion (mm): 300x285x60 | | | |
| 18 Te | rminal; 12 input, 14 output | | | |
| Enclo | sure Material: PVC board with 5mm thickness | | | |
| and 2 | carrying handles | | | La company de la |
| | | | | |
| ОТН | ER MATERIALS AND COMPONENTS: | | | |
| _ | ing bench (1 set) | | | |
| | num alloy training bench: | | | |
| | mm x 750 mm x 1700 mm | | | |
| 1300 | HIIII A 7 JO HIIII A 47 OO HIIII | | | |
| a Dou | ver cupply control panel (1 set) | | | |
| | ver supply control panel (1 set) | | | |
| | r supply indicator | | | |
| | ol unit | | - | |
| D-355.9(1)49(1) | and alarm recorder indicator | | | |
| | tor switch, buzzer, and relay unit | | | |
| | ge meter: 0 – 30V | | | |
| | eter: 0 – 30 mA | | | |
| DC po | ower supply unit: | | | |
| | stable output 0 - ±10 V | | MA TO SERVICE | |
| | urrent: | | | |
| | stable output: 4 – 20 mA | | | |
| | n-segment display unit | | | |
| ISOUGH | r segment display unit | | | 1 |
| Sever | | | | - |
| | wanter medula (1 cot) | | | |
| • In | verter module (1 set) 298mm x 285mm x 110mm | | | |

| (1 set) | | | |
|--|---------------|-------------|---|
| Three-phase: 380V/180W | | | |
| Rotary speed: 1400 r/min | | | |
| DCCCCC(DC422 | | | |
| RS232C/RS422 communication | - | | |
| cable (1 piece) | | | |
| Length: 2000 mm, for connecting | | | |
| PLC to computer | | | |
| | | | |
| RS232C/RS232C communication | | | |
| cable (1 piece) | | | |
| Length: 2000 mm, for connecting | | | |
| nterface module to computer | | | |
| | | | |
| International power supply cable (2 pieces) | | | |
| | | | |
| Safety plug line (1 set) | | | |
| 1000 mm - 10 pieces | | | |
| 600 mm – 40 pieces | | | |
| | | | |
| Programming software for all PLCs | | | |
| | | | |
| Module rack (2 sets) – for housekeeping of PLC and | | | |
| application/simulation modules | | | |
| 2120 mm x 1900 mm | | | |
| Can store 30 PLC and simulation modules | | | |
| | | | |
| Training guide | | | |
| | | | |
| AFTER SALES SERVICE: | | | |
| Free trainers' training at supplier's training center before the | | | |
| delivery of the equipment or at Carlos Hilado Memorial State | | | |
| College upon delivery and installation | | | |
| 2. Free semi annual training with certification, on request | | | |
| 3. Free product inspection, on request | | | |
| 4. Free consultation / seminar, on request | | | |
| 5. Free product demonstration on selected item, on request | | | |
| | | | |
| Warranty : one year on parts; 2 years on service | | | |
| | | | |
| Sub-ABC = Php 656,810.00 | | | |
| -x-x-x-x-x-x-x-x-x-x-x-nothing follows-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x | | | |
| | | | |
| | | | |
| TOTAL ABC = Php 1,420,210.00 | 1 | | |
| | | | |
| | | | |
| PR # 21-035-0203 02-03-2021/A.J. Benedicto | | | |
| Income 020-164-21-01 01-28-2021 | | | |
| | | | |
| | | | |
| Note: All items should be delivered within One Hundred Tw | renty (120) c | alendar day | S |
| upon receipt of notice to proceed. | | | |

Section VII. Technical Specifications

| tem | Specification | Statement of Compliance |
|-----|--|---|
| | | Bidders must state here either |
| | | "Comply" or "Not Comply" against |
| | | each of the individual parameters of |
| | | each Specification stating the |
| | | corresponding performance parameter |
| | | of the equipment offered. Statements |
| | | of "Comply" or "Not Comply" must be |
| | | supported by evidence in a Bidders Bid |
| | | and cross-referenced to that evidence. |
| | | Evidence shall be in the form of |
| | | |
| | | manufacturer's un-amended sales |
| | | literature, unconditional statements |
| 1 | | of specification and compliance issued |
| | | by the manufacturer, samples, |
| | | independent test data etc., as |
| | | appropriate. A statement that is not |
| | | supported by evidence or is subse- |
| | | quently found to be contradicted by the |
| | | evidence presented will render the Bid |
| | | under evaluation liable for rejection. |
| | | A statement either in the Bidders |
| | | |
| | | statement of compliance or the |
| | | supporting evidence that is found to be |
| | | false either during Bid evaluation, post- |
| | | qualification or the execution of the |
| | | Contract may be regarded as fraudulen |
| | | and render the Bidder or supplier liable |
| | | for prosecution subject to the provisions |
| | | of ITB Clause 3.1(a.2) and/or GCC |
| | | Clause 2.1(a.2). |
| 1 | PLC Module Training System | |
| | with core i7 Laptop | |
| | Programmable Logic Controller Unit | |
| | PLC unit with input & output controller. | |
| | •This control system able to store program, repetitive operation, | |
| _ | fixed cycle operation and interrupt operation | |
| | inxed cycle operation and interrupt operation | |
| | Traffic Light System Simulation | |
| | A module consists of T-junction traffic which used to monitoring | |
| | the 4 ways traffic. | |
| | Light indicator will show the status of traffic light. | |
| | Star Delta Control System Simulation | |
| | A Module to shift the connection mode of motor such as star | |
| | circuit connection or delta circuit connection. | |
| | Water Filling System Simulation | |
| | Water Filling System Simulation | |
| | le Provimity concor for concing hottle pocitions | |
| | Proximity sensor for sensing bottle positions. Liquid filling operation. | |
| | Liquid filling operation. | |
| | | |
| | Liquid filling operation. Conveyor system with motor for movement of bottles. Silo System Simulation | |
| | Liquid filling operation. Conveyor system with motor for movement of bottles. Silo System Simulation A module to store the liquid in a tank and will be removed out when required. | |
| | Liquid filling operation. Conveyor system with motor for movement of bottles. Silo System Simulation | |
| | Liquid filling operation. Conveyor system with motor for movement of bottles. Silo System Simulation A module to store the liquid in a tank and will be removed out when required. The light indicator will show the liquid level in the tank. | |
| | Liquid filling operation. Conveyor system with motor for movement of bottles. Silo System Simulation A module to store the liquid in a tank and will be removed out when required. | |

| | We that Forms | |
|---|---|--|
| | Vertical Frame | |
| | High Level: Din Standard A4 with two shelves | |
| | Material: Aluminum | |
| | Side Frame: T shape | |
| | Size: 3-Layer 1450mm Length | |
| | Safety Connecting Lead | |
| | 4mm connecting leads | |
| | | |
| | Experiment Manual | |
| - | Manuals : | |
| | | |
| | (1) All manuals are written in English | |
| | (2) Model Answer | |
| | (3) Teaching Manuals | |
| | | |
| | General Terms : | |
| | (1) Accessories will be provided where applicable. | |
| | (2) Manual & Training will be provided where applicable. | |
| | (3) Design & specifications are subject to change without notice. | |
| _ | (4) We reserve the right to discontinue the manufacturing of any | |
| _ | | |
| | product. | |
| | | |
| | This control system able to store program, repetitive operation | |
| | | |
| | Sub-ABC = Php 763,400.00 | |
| | | |
| 2 | Programmable Logic Controller Trainer | |
| | with core i7 Laptop | |
| _ | With core in Laptop | |
| | | |
| | Main technical Parameters: | |
| | Power supply: Single-phase five-wire AC 220 V ± 7% 60 Hz; | |
| | Dimension: 1500x750x1460mm (approximately) | |
| | Total capacity: ≤ 1KW | |
| | Safety Protections: grounded, lead protection, safety in | |
| | accordance with related GB standards; insulated cables and wires. | |
| _ | | |
| - | SIMULATION MODULES: | |
| | Automatic feeder static module | |
| | | |
| | Dimension (mm): 300x285x60 | |
| | 9 LED | |
| | 2 Toggle Switch | |
| | 11 Terminals; 2 input, 7 output | |
| | Enclosure Material: PVC board with 5mm thickness and | |
| | 2 carrying handles | |
| | 2 carrying narrares | |
| _ | Water level automatic control static module | |
| | | |
| | Dimension (mm): 300x285x60 | |
| | 6LED . | |
| | 4 Toggle Switch | |
| | 8 Terminal; 4 input, 2 output | |
| | Enclosure Material: PVC board with | |
| | 5mm thickness and 2 carrying handles | |
| | | |
| | Automatic and manual control of traffic lights static module | |
| | | |
| - | Dimension (mm): 300x285x60 | |
| | 12 LED | |
| | 3 Toggle Switch | |
| | 11 Terminal; 3 Input, 6 output | |
| | Enclosure Material: PVC board with 5mm thickness and | |
| | 2 carrying handles | |
| | | |
| | Automatic washing machine static module | |
| | Dimension (mm): 300x285x60 | |
| | | |
| | | |
| | 8 LED 5 Push Bottons | |

| Enclosure Material: PVC board with 5mm thickness and | |
|--|--|
| 2 carrying handles | |
| Motor control static module | |
| Dimension (mm): 300x285x60 | |
| 4 LED | |
| 2 Toggle Switch | |
| 9 Terminals; 3 Input, 4 Output | |
| 3 Safety Fuse | |
| Enclosure Material: PVC board with 5mm thickness and | |
| 2 carrying handles | |
| | |
| Automatic blending of liquids static module | |
| Dimension (mm): 300x285x60 | |
| 11 LED | |
| 3 Toggle Switch | |
| 6 Terminals | |
| Enclosure Material: PVC board with 5mm thickness and | |
| 2 carrying handles | |
| | |
| Static Stepper motor control module | |
| Dimension (mm): 300x285x60 | |
| 2 Toggle Switch | |
| 1 Momentary switch 4 detent Switch | |
| 13 Terminals; 7 Input, 4 Output | |
| Enclosure Material: PVC board with 5mm thickness and | |
| 2 carrying handles | |
| 2 carrying fluridics | |
| Automatic forming machine static module | |
| Dimension (mm): 300x285x60 | |
| 10 LED | |
| 6 Toggle Switch | |
| 12 terminals; 6 Input, 4 output | |
| Enclosure Material: PVC board with 5mm thickness | |
| and 2 carrying handles | |
| | |
| Automatic steel roller static module | |
| Dimension (mm): 300x285x60 | |
| 10 LED | |
| 2 Toggle Switch 11 terminal; 2 input, 4 output | |
| Enclosure Material: PVC board with 5mm thickness and | |
| 2 carrying handles | |
| 2 carrying nationes | |
| Mails allocation static module | |
| Dimension (mm): 300x285x60 | |
| 12 LED | |
| 1 Toggle Switch | |
| 11 Terminal; 2 input, 7 output | |
| Enclosure Material: PVC board with 5mm thickness and | |
| 2 carrying handles | |
| | |
| Control of tower lights static module | |
| Dimension (mm): 300x285x60 | |
| 9 LED | |
| 7 Segment | |
| 18 Terminal; 17 output | |
| Enclosure Material: PVC board with 5mm thickness and | |
| 2 | |
| 2 carrying handles | |

| 14 LED | |
|--|---|
| 32 Terminal; 14 Input, 16 output | |
| Enclosure Material: PVC board with 5mm thickness and | |
| 2 carrying handles | |
| 2 Carrying Haridies | |
| Electric plating production line dynamic module | |
| Dimension (mm): 300x285x60 | |
| 18 Terminal; 12 input, 14 output | |
| Enclosure Material: PVC board with 5mm thickness | |
| and 2 carrying handles | |
| and 2 Carrying Handles | |
| OTHER MATERIALS AND COMPONENTS: | |
| Training bench (1 set) | |
| Aluminum alloy training bench: | |
| 1300 mm × 750 mm × 1700 mm | |
| 1300 Hilli X 730 Hilli X 1700 Hilli | |
| - Power cumply central panel (1 cet) | |
| Power supply control panel (1 set) Power supply indicator | - |
| Control unit | - |
| Timer and alarm recorder indicator | |
| Selector switch, buzzer, and relay unit | |
| Voltage meter: 0 – 30V | |
| | |
| Ammeter: 0 – 30 mA DC power supply unit: | |
| Adjustable output 0 - ±10 V | |
| DC current: | |
| | |
| Adjustable output: 4 – 20 mA | |
| Seven-segment display unit | |
| a Turrenten medula (4 ant) | |
| • Inverter module (1 set) Size: 298mm x 285mm x 110mm | |
| | |
| Three-phase asynchronous motor | |
| (1 set) | |
| Three-phase: 380V/180W | |
| Rotary speed: 1400 r/min | |
| RS232C/RS422 communication | |
| cable (1 piece) | |
| Length: 2000 mm, for connecting | |
| PLC to computer | |
| PLC to computer | |
| RS232C/RS232C communication | |
| cable (1 piece) | |
| Length: 2000 mm, for connecting | |
| | |
| interface module to computer | |
| International newer cumbs cable (2 pieces) | |
| International power supply cable (2 pieces) | |
| - Cafabu plua lina (1 cat) | |
| Safety plug line (1 set) | |
| 1000 mm - 10 pieces | |
| | |
| 600 mm - 40 pieces | |
| | |
| Programming software for all PLCs | |
| Programming software for all PLCs | |
| Programming software for all PLCs Module rack (2 sets)— for housekeeping of PLC and | |
| Programming software for all PLCs Module rack (2 sets)— for housekeeping of PLC and application/simulation modules | |
| Programming software for all PLCs Module rack (2 sets)— for housekeeping of PLC and application/simulation modules 2120 mm × 1900 mm | |
| Programming software for all PLCs Module rack (2 sets)— for housekeeping of PLC and application/simulation modules | |
| Programming software for all PLCs Module rack (2 sets)— for housekeeping of PLC and application/simulation modules 2120 mm × 1900 mm Can store 30 PLC and simulation modules | |
| Programming software for all PLCs Module rack (2 sets)— for housekeeping of PLC and application/simulation modules 2120 mm × 1900 mm | |
| Programming software for all PLCs Module rack (2 sets)— for housekeeping of PLC and application/simulation modules 2120 mm × 1900 mm Can store 30 PLC and simulation modules Training guide | |
| Programming software for all PLCs Module rack (2 sets)— for housekeeping of PLC and application/simulation modules 2120 mm × 1900 mm Can store 30 PLC and simulation modules | |

| College upon delivery and installation | |
|--|--|
| Free semi annual training with certification, on request | |
| 3. Free product inspection, on request | |
| 4. Free consultation / seminar, on request | |
| 5. Free product demonstration on selected item, on request | |
| Warranty : one year on parts; 2 years on service | |
| Sub-ABC = Php 656,810.00 | |
| -x-x-x-x-x-x-x-x-x-x-nothing follows-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x | |
| TOTAL ABC = Php 1,420,210.00 | |
| PR # 21-035-0203 02-03-2021/A.J. Benedicto | |
| Income 020-164-21-01 01-28-2021 | |

e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of one (1) year.

Spare parts or components shall be supplied as promptly as possible, but in any case, within fifteen (15) days of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

| | Where the Supplier is required under Contract to deliver the Goods CIF, CIP of DDP, Goods are to be transported on carriers of Philippine registry. In the even that no carrier of Philippine registry is available, Goods may be shipped by carrier which is not of Philippine registry provided that the Supplier obtains an presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in it performance of this Contract the period from when the Goods were first read for shipment and the actual data of shipment the provide of the provided |
|-----|---|
| | for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transformer than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity |
| | until their receipt and final acceptance at the final destination. Intellectual Property Rights — The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use |
| 2.2 | of the Goods or any part thereof. |
| 4.4 | The terms of payment shall be as follows: |
| | The terms of payment: 30 days |



CARLOS HILADO MEMORIAL STATE COLLEGE BIDS AND AWARDS COMMITTEE

Talisay City, Negros Occidental Telefax No.: (034) 712-8404

Project Reference No: Name of the Project:

CHMSC 21-018-0210-G

PROCUREMENT OF MIFARE RFID AND COLOR RIBBON KIT

Location of the Project: FOUR (4) CAMPUSES

page 1 of 1

BILL OF QUANTITIES

| Date: | | |
|-------|--|--|
| | | |

| Item No. | Qty | Unit | ARTICLES and DESCRIPTION | ABC/ Unit | Unit Price | Total Price |
|-------------|-------|-------|--|--------------|---------------|-------------|
| 1 | 15000 | piece | MIFARE RFID | - Cinc | TTICC | |
| | | | G76-M1-PVCB MIFARE Classic 1k | | | |
| | | | Frequency: 13.56 MHz | | - 1 | |
| | | | Size: 85.6 mm x 53.98 mm | | | |
| 2 | 60 | cart | COLOR RIBBON KIT | | | |
| | | | Ribbon YMCKT, Optimized for use with Data Card CD101/CD801 | | | |
| | | | Series Card Printers | | | |
| | | | -x-x-x-x-x-x-x-x-x-x-x-x-nothing follows-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x | | | |
| | | | NOTE: 1 year Warranty | | | |
| | | | TOTAL ADG Divid 200 000 00 | | | |
| | | | TOTAL ABC = Php 1,290,000.00 | | | |
| | | | PR # 21-037-0204 02-04-2021/R. Malapitan | | | |
| | | | Income 022-164-21-01 01-29-2021 | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| Signature of Bidder | |
|---------------------|--|
| Name of Firm | |
| Date | |

Section VI. Schedules of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item # | Description | Quantity | Total | Delivered, Weeks/Months |
|-----------|--|---------------|------------|----------------------------|
| 1 | MIFARE RFID | 15000 | 15000 | - Tooko monthe |
| | G76-M1-PVCB MIFARE Classic 1k | 20000 | 15000 | |
| | Frequency: 13.56 MHz | | | |
| | Size: 85.6 mm x 53.98 mm | | | |
| 2 | COLOR RIBBON KIT | 60 | 60 | |
| | Ribbon YMCKT, Optimized for use with Data Card CD101/CD801 | | | |
| | Series Card Printers | 1,1 | | |
| | -x-x-x-x-x-x-x-x-x-x-x-nothing follows-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x | | | |
| | NOTE: 1 year Warranty | | | |
| | TOTAL ABC = Php 1,290,000.00 | | | |
| | | | | |
| | PR # 21-037-0204 02-04-2021/R. Malapitan | | | |
| | Income 022-164-21-01 01-29-2021 | | | |
| | Note: All items should be delivered within Thirty (30) calen | dar days upor | receipt of | |
| | notice to proceed. | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Section VII. Technical Specifications

| Specification | Statement of Compliance |
|--|---|
| | Bidders must state here either |
| | "Comply" or "Not Comply" against |
| | each of the individual parameters of |
| | each Specification stating the |
| | corresponding performance parameter |
| | of the equipment offered. Statements |
| | of "Comply" or "Not Comply" must be |
| | supported by evidence in a Bidders Bid |
| | and cross-referenced to that evidence. |
| | Evidence shall be in the form of |
| | manufacturer's un-amended sales |
| | literature, unconditional statements |
| | of specification and compliance issued |
| | by the manufacturer, samples, |
| | independent test data etc., as |
| | appropriate. A statement that is not |
| | supported by evidence or is subse- |
| | |
| | quently found to be contradicted by the |
| | evidence presented will render the Bid |
| | under evaluation liable for rejection. |
| | A statement either in the Bidders |
| | statement of compliance or the |
| | supporting evidence that is found to be |
| | false either during Bid evaluation, post- |
| | qualification or the execution of the |
| | Contract may be regarded as fraudulent |
| | and render the Bidder or supplier liable |
| | for prosecution subject to the provisions |
| | of ITB Clause 3.1(a.2) and/or GCC |
| | Clause 2.1(a.2). |
| | |
| | |
| | |
| Size: 85.6 mm x 53.98 mm | |
| COLOR RIPRON VIT | |
| | |
| Series Card Printers | |
| Series out a l'inters | |
| -X-X-X-X-X-X-X-X-X-X-X-x-nothing follows-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x | |
| NOTE: 1 year Warranty | |
| | |
| TOTAL ABC = Php 1,290,000.00 | |
| | |
| PR # 21-037-0204 02-04-2021/R. Malapitan | |
| Income 022-164-21-01 01-29-2021 | |
| 111CONIC 022-104-21-01 01-25-2021 | |
| 01-25-2021 | |
| | NOTE: 1 year Warranty TOTAL ABC = Php 1,290,000.00 |



Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number

7466308

Procuring Entity

CARLOS HILADO MEMORIAL STATE COLLEGE

Title

Procurement of PLC Module Training System and Programmable Logic Controller Trainer for

the Establishment of Electronics Laboratory - Alijis Campus

Area of Delivery

Client Agency:

Negros Occidental

| Solicitation Number: | CHMSC 21-017-0210-G | Status | Pending |
|-----------------------------------|---|-----------------------|---------|
| Trade Agreement: | Implementing Rules and Regulations | | |
| Procurement Mode: | Public Bidding | Associated Components | 6 |
| Classification: | Goods | | |
| Category: | Engineering and Laboratory Testing Equipment | Bid Supplements | 0 |
| Approved Budget for the Contract: | PHP 1,420,210.00 | | |
| Delivery Period: | 120 Day/s | Document Request List | 0 |

Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

3. Bidding will be conducted through open competitive bidding procedures using the non-discretionary pass/fail criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

4. Prospective bidders may obtain further information from CARLOS HILADO MEMORIAL STATE COLLEGE and inspect the Bidding Documents at the address given below during 8:00 A.M. to 5:00 P.M.

The BAC Secretariat Brgy. Zone I, Mabini St., Talisay City, Negros Occidental

5. A complete set of Bidding Documents may be acquired by interested Bidders on February 11 – March 3, 2021 (9:00A.M.) from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (Php 5,000.00) Only. The Procuring Entity shall allow the bidder to present its proof of payment for the fees.

LOT/ NO. ITEMS APPROVED BUDGET FOR THE CONTRACT (ABC) PER LOT BIDDING DOCUMENTS FEE 1 PLC MODULE TRAINING SYSTEM Php 763,400.00 Php 1,000.00 2 PROGRAMMABLE LOGIC CONTROLLER TRAINER Php 656,810.00 Php 1,000.00

- 6. The CHMSC will hold a Pre-Bid conference on 10:00 A.M., February 18, 2021 at Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental, and or through video conferencing or webcasting via Zoom Meeting with ID No. 797 389 7583, Meeting Password 021821, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental, (ii) online or electronic submission at bac.sec@chmsc.edu.ph or (iii) both on or before 9:30 A.M., March 3, 2021. Late bids shall not be accepted.

Bids may be submitted through electronic mail to bac.sec@chmsc.edu.ph provided that the bidding documents are compressed into two (2) separate archived folders (zip or rar format) and which each folder shall be labelled as "First Envelope_Name of Company_Project Reference Number" and "Second Envelope_Name of Company_Project Reference Number" and each is uniquely password-protected;

Bidders must submit the printed copies (Original, Copy 1 and Copy 2) of their bidding documents within 3 calendar days from bid opening.

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on 10:00 A.M., March 3, 2021, at the Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental through Zoom Meeting ID No. 797 389 7583, Meeting Password 030321. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The Carlos Hilado Memorial State College reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

MISS LIGAYA E. FUENTES
Head, BAC Secretariat
Carlos Hilado Memorial State College
Brgy. Zone 1, Mabini St.,
Talisay City, Negros Occidental
Email Add.: bac.sec@chmsc.edu.ph
Telefax No. (034) 712-8404
Website: chmsc.edu.ph

12. You may visit the following websites:

For downloading of Bidding Documents: chmsc.edu.ph

For online bid submission: bac.sec@chmsc.edu.ph

EDWIN H. BUGNA, Ph.D.TM. BAC Chairperson

Line Items

Item No. Product/Service

Description

Quantity UOM Budget (PHP)

| 1 | PLC Module Training System | with core i7 Laptop Programmable Logic Controller Unit • PLC unit with input & | 1 | Unit | 763,400.00 |
|---|---|---|---|------|------------|
| | | output controller. •This control system able to store program, repetitive operation, fixed cycle operation and interrupt operation Traffic Light System Simulation • | | | |
| 2 | Programmable Logic Controller Trainer | with core i7 Laptop Main technical Parameters: • Power supply: Single-phase five-wire AC 220 V ± 7% 60 Hz; • Dimension: 1500x750x1460mm (approximately) • Total capacity: ≤ 1KW • Safety Protections: grounded, lead protection, safety in accordance | 1 | Unit | 656,810.00 |

Date

Time

Venue

18/02/2021

10:00:00 AM

Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental Zoom Meeting with ID No. 797 389 7583, Meeting Password 021821

Created by

Rowena De la Vida Prado

Date Created

10/02/2021

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2021 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap



CARLOS HILADO MEMORIAL STATE COLLEGE BIDS AND AWARDS COMMITTEE

Talisay City, Negros Occidental Telefax Nos. (034) 712-8404

INVITATION TO BID

FOR THE PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC CONTROLLER TRAINER FOR THE ESTABLISHMENT OF ELECTRONICS LABORATORY – ALIJIS CAMPUS CHMSC 21-017-0210-G

1. The Carlos Hilado Memorial State College, through the Corporate Budget for the Contract of 2021 approved by the governing Board, intends to apply the sum of ONE MILLION FOUR HUNDRED TWENTY THOUSAND TWO HUNDRED TEN PESOS & 00/100 (Php 1,420,210.00) ONLY, being the Approved Budget for the Contract (ABC) to payments under the contract for the PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC CONTROLLER TRAINER FOR THE ESTABLISHMENT OF ELECTRONICS LABORATORY - ALIJIS CAMPUS. Bids received in excess of the ABC shall be automatically rejected at bid opening.

ITEM NO. 1 PLC MODULE TRAINING SYSTEM

763,400.00

ITEM NO. 2 PROGRAMMABLE LOGIC CONTROLLER TRAINER

656,810.00

Php 1,420,210.00

- 2. The Carlos Hilado Memorial State College now invites bids for the above Procurement Project. Delivery of the Goods is required by One Hundred Twenty (120) calendar days upon receipt of Notice to Proceed. Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- Bidding will be conducted through open competitive bidding procedures using the non-discretionary pass/fail criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

 Prospective bidders may obtain further information from CARLOS HILADO MEMORIAL STATE COLLEGE and inspect the Bidding Documents at the address given below during 8:00 A.M. to 5:00 P.M.

> The BAC Secretariat Brgy. Zone I, Mabini St., Talisay City, Negros Occidental

5. A complete set of Bidding Documents may be acquired by interested Bidders on February 11 – March 3, 2021 (9:00A.M.) from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (Php 5,000.00) Only. The Procuring Entity shall allow the bidder to present its proof of payment for the fees.

| NO. | ITEMS | APPROVED BUDGET FOR THE CONTRACT (ABC) PER LOT | BIDDING DOCUMENTS FEE |
|-----|---------------------------------------|--|--------------------------|
| 1 | PLC MODULE TRAINING SYSTEM | Php 763,400.00 | Php 1,000,00 |
| 2 | PROGRAMMABLE LOGIC CONTROLLER TRAINER | | Php 1,000.00 |

 The CHMSC will hold a Pre-Bid conference on 10:00 A.M., February 18, 2021 at Bidding Room, 2/F Supply and Property Management Bldg., Brgy Zone I, Mabini St., Talisay City, Negros Occidental,

BY DATE: FEB 10 202

and or through video conferencing or webcasting via **Zoom Meeting with ID No. 797 389 7583**, **Meeting Password 021821**, which shall be open to prospective bidders.

7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental, (ii) online or electronic submission at bac.sec@chmsc.edu.ph or (iii) both on or before 9:30 A.M., March 3, 2021. Late bids shall not be accepted.

Bids may be submitted through electronic mail to bac.sec@chmsc.edu.ph provided that the bidding documents are compressed into two (2) separate archived folders (zip or rar format) and which each folder shall be labelled as "First Envelope_Name of Company_Project Reference Number" and "Second Envelope_Name of Company_Project Reference Number" and each is uniquely password-protected;

Bidders must submit the printed copies (Original, Copy 1 and Copy 2) of their bidding documents within 3 calendar days from bid opening.

- All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on 10:00 A.M., March 3, 2021, at the Bidding Room, 2/F Supply and Property Management Bldg., Brgy. Zone 1, Mabini St., Talisay City, Negros Occidental through Zoom Meeting ID No. 797 389 7583, Meeting Password 030321. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The Carlos Hilado Memorial State College reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

MISS LIGAYA E. FUENTES
Head, BAC Secretariat
Carlos Hilado Memorial State College
Brgy. Zone 1, Mabini St.,
Talisay City, Negros Occidental
Email Add.: bac.sec@chmsc.edu.ph
Telefax No. (034) 712-8404
Website: chmsc.edu.ph

12. You may visit the following websites:

For downloading of Bidding Documents: chmsc.edu.ph

For online bid submission: bac.sec@chmsc.edu.ph

EDWIN H. BUCNA, Ph. D. TM.
BAC Chairperson

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, CARLOS HILADO MEMORIAL STATE COLLEGE wishes to receive Bids for the PROCUREMENT OF PLC MODULE TRAINING SYSTEM AND PROGRAMMABLE LOGIC CONTROLLER TRAINER FOR THE ESTABLISHMENT OF ELECTRONICS LABORATORY – ALIJIS CAMPUS with identification number CHMSC 21-017-0210-G.

The Procurement Project (referred to herein as "Project") is composed of **Two (2) Items**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of ONE MILLION FOUR HUNDRED TWENTY THOUSAND TWO HUNDRED TEN PESOS & 00/100 (Php1,420,210.00).
- 2.2. The source of funding is:

NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

The Procuring Entity has prescribed that:

Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on February 18, 2021, 10:00 A.M. at the Bidding Room, 2/F Supply & Property Management Bldg., CHMSC Talisay Campus and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within two (2) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

11.5. Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the **IB**. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes of determining eligibility and whether or not such financial proposal is within the ABC.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **July 1, 2021**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance security declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by ITB Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid. The Bidder shall

submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.