

Central Portal for Philippine Government Procurement Oppurtunities

Request for Quotation (RFQ)

Reference Number

Bid Notice Abstract

10642974

Procuring Entity

CARLOS HILADO MEMORIAL STATE UNIVERSITY

Title

Procurement of CCTV Systems for Talisay Library 2nd and 3rd Floors at Talisay Campus

Area of Delivery

Negros Occidental

Solicitation Number:	RFQ 24-057	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	Information Technology		
Approved Budget for the Contract:	PHP 500,000.00	Document Request List	0
Delivery Period:	90 Day/s		
Client Agency:		Date Published	09/03/2024
Contact Person:	Rowena De la Vida Prado Administrative Assistant II Mabini Street Talisay City	Last Updated / Time	08/03/2024 16:37 PM
	Negros Occidental Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph	Closing Date / Time	18/03/2024 09:00 AM

Description

Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624 bac.sec@chmsc.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 4

Date: MARCH 07, 2024 Quotation No. 24-057

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than ______ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN BAC Chairman

NOTE:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN
- 2. DELIVERY PERIOD WITHIN ___90__ CALENDAR DAYS
- 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
- 5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION

printableBidNoticeAbstract 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE NO. (Pls. Indicate brand offered) 1 CCTV SYSTEMS for Talisay Library 2nd & 3rd Floor 1 lot Specifications Specifications Camera - 34 (12 units 2nd floor, 22 units 3rd floor) Camera - 48 Camera Camera • Image Sensor 1/2.7" Progressive Scan CMOS • Image Sensor 1/2.7" Progressive Scan CMOS

• Min. Illumination Color: 0.01 Lux @(F2.0, AGC ON), • Min. Illumination Color: 0.01 Lux @(F2.0, AGC ON),

B/W: 0 Lux with IR B/W: 0 Lux with IR

• Shutter Speed 1/3 s to 1/100, 000 s

. Slow Shutter Yes . Slow Shutter Yes • Wide Dynamic Range Digital WDR

• Day & Night IR cut filter • Day & Night IR cut filter

 Angle Adjustment Pan: 0° to 355°, tilt: 0° to 75°
 Angle Adjustment Pan: 0° to 355°, tilt: 0° to 75° Lens Lens

· Focal Length & FOV · Focal Length & FOV

2.8 mm, horizontal FOV 112.1°, vertical FOV 60.0°, diagonal 2.8 mm, horizontal FOV 112.1°, vertical FOV 60.0°, diagonal

FOV 132.2° FOV 132.2°

4 mm, horizontal FOV 90.2°, vertical FOV 48.6°, diagonal 4 mm, horizontal FOV 90.2°, vertical FOV 48.6°, diagonal FOV 107.6° FOV 107.6°

· Focus Fixed · Focus Fixed

Aperture F2.0 - Aperture F2.0

Illuminator Illuminator

• IR Wavelength 850 nm • IR Wavelength 850 nm

• IR Range Up to 30 m • IR Range Up to 30 m

Video Video

Max. Resolution 1920 × 1080 • Max. Resolution 1920 × 1080

• Main Stream • Main Stream

50 Hz: 25 fps (1920 \times 1080, 1280 \times 720) 50 Hz: 25 fps (1920 \times 1080, 1280 \times 720)

60 Hz: 30 fps (1920 \times 1080, 1280 \times 720) 60 Hz: 30 fps (1920 \times 1080, 1280 \times 720)

· Sub-Stream · Sub-Stream

50 Hz: 25 fps (640 \times 480, 640 \times 360) 50 Hz: 25 fps (640 \times 480, 640 \times 360)

60 Hz: 30 fps (640 \times 480, 640 \times 360) 60 Hz: 30 fps (640 \times 480, 640 \times 360)

· Video Compression · Video Compression

Main Stream: H.265/H.264 Main Stream: H.265/H.264

Sub-Stream: H.265/H.264/MJPEG Sub-Stream: H.265/H.264/MJPEG

Video Bit Rate 32 Kbps to 8 Mbps
 Video Bit Rate 32 Kbps to 8 Mbps

• H.264 Type Baseline Profile/Main Profile/High Profile • H.264 Type Baseline Profile/Main Profile/High Profile

• H.265 Type Main Profile • H.265 Type Main Profile

• H.264+ Main Stream supports • H.264+ Main Stream supports

• H.265+ Main Stream supports • H.265+ Main Stream supports

· Region Of Interest (ROI) 1 fixed region for main stream

Network

• Protocols TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, NTP, UPnP™, SMTP, IGMP, 802.1X,

QoS, IPv6, Bonjour, IPv4, UDP, SSL/TLS QoS, IPv6, Bonjour, IPv4, UDP, SSL/TLS

• Simultaneous Live View Up to 6 channels • Simultaneous Live View Up to 6 channels

API Open Network Video Interface, ISAPI
 API Open Network Video Interface, ISAPI

 User/HostUp to 32 users. 3 levels: administrator, operator • User/HostUp to 32 users. 3 levels: administrator, operator

and user Image and user Image

Image

· Image Settings Saturation, brightness, contrast, sharpness, · Image Settings Saturation, brightness, contrast, sharpness,

AGC, white balance adjustable by client software or web AGC, white balance adjustable by client software or web browser, browser,

Day/Night Switch Day, Night, Auto, Schedule - Day/Night Switch Day, Night, Auto, Schedule

• Image Enhancement BLC, 3D DNR • Image Enhancement BLC, 3D DNR

Interface Interface

• Ethernet Interface 1 RJ45 10 M/100 M self-adaptive • Ethernet Interface 1 RJ45 10 M/100 M self-adaptive Ethernet port Ethernet port **Event Event**

• Basic Event Motion detection, video tampering alarm, • Basic Event Motion detection, video tampering alarm, exception exception

General General

 Linkage Method Upload to FTP, notify surveillance center,
 Linkage Method Upload to FTP, notify surveillance center, send email

· General Function Anti-flicker, heartbeat, mirror, password

protection, privacy mask, watermark, IP address filter protection, privacy mask, watermark, IP address filter

Power Supply - Power Supply

12 VDC ± 25% 12 VDC ± 25%

PoE: 802.3af, Class 3 PoE: 802.3af, Class 3

Power InterfaceØ5.5 mm coaxial power plug
 Power InterfaceØ5.5 mm coaxial power plug

16-ch 1U 4K NVR - 1, 24 CH 1U 4K NVR-1 16-ch 1U 4K NVR - 3

☐ H.265+/H.265/H.264+/H.264 video formats

.00 1 101					
□ Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity □ Up to 160 Mbps incoming bandwidth □ Up to 160 Mbps incoming bandwidth □ 4TB Violet HDD □ 4TB Violet HDD PROFESSIONAL ELECTRONICS ENGINEER supervision & design DEVICE CONFIGURATION & COMMISSIONING ROUGHING INS Harnessing Cables and Ties; PVC Pipes; Metal Clamps; PVC; Square and Junction Boxes; GI Pull Wires NOTE: Site Survey Certification 1 year Warranty, 90 days delivery TOTAL ************************************					
Line Items Item No. Product, Na		Description	Quantity	MOU	Budget (PHP)
1 CCTV Sys	(12 units 2nd flo Camera - 48 Car Sensor 1/2.7" Pr Image Sensor 1	pecifications Camera - 34 por, 22 units 3rd floor) mera Camera • Image rogressive Scan CMOS • /2.7" Progressive Scan umination Color: 0.01 L	1	Lot	500,000.00

Created by

Rowena De la Vida Prado

Date Created

08/03/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2024 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsc.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 4

Date: MARCH 07, 2024

				Quotation No.	24-057
					
Ple	ease quote your lowest price on the item/s listed below, stating the	shortest tim	e of delive	ery and submit	
your qu	otation duly signed by your representative not later than in the	e return enve	lope attache	ed herewith.	
			/ }		
				REW EUSEBIO S.	TAN
			В	AC Chairman	
NOTE					
NOTE:	ALL ENTRIES MUST BE TYPEWRITTEN				
	DELIVERY PERIOD WITHIN90 CALENDAR DAYS				
	WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIA	IS ONE (1) YEA	AR FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY	25, 0142 (2) 127	an ron		
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS				
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE	QUOTATION			
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE	PRODUCT BEI	NG OFFERED		
ITEM	ITEM A DECORPORTION			т т	
ITEM	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
NO.	(Pls. indicate brand offered)				
1	CCTV SYSTEMS for Talisay Library 2nd & 3rd Floor	1	lot	-	
-	Specifications			-	
	Camera - 34 (12 units 2nd floor, 22 units 3rd floor)			-	
	<u>Camera</u> ◆ Image Sensor 1/2.7" Progressive Scan CMOS	-			
	Min. Illumination Color: 0.01 Lux @(F2.0, AGC ON),	-			
	B/W: 0 Lux with IR	+			
-	• Shutter Speed 1/3 s to 1/100, 000 s	+		-	
	• Slow Shutter Yes	+		-	
	Wide Dynamic Range Digital WDR	+			
	Day & Night IR cut filter	-		 	
	Angle Adjustment Pan: 0° to 355°, tilt: 0° to 75°				
	Lens				
	Focal Length & FOV				
	2.8 mm, horizontal FOV 112.1°, vertical FOV 60.0°, diagonal	+			
	FOV 132.2°				
	4 mm, horizontal FOV 90.2°, vertical FOV 48.6°, diagonal				
	FOV 107.6°				
	Focus Fixed				
	Aperture F2.0				
	Illuminator				
	• IR Wavelength 850 nm				
		_	2016a Bi -		
Deles	Date By		Prin	ted Name/Sign	ature
	ed (BAC)ed (Supplier)	_	Tel	No (Callabas)	No.
Actuill	eu (Suppliei)		1 61.	No./Cellphone	FINO.



Returned (Supplier)

Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsc.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 4

Date: MARCH 07, 2024

Tel. No./Cellphone No.

				Quotation No.	24-057
	ease quote your lowest price on the item/s listed below, stating the solution duly signed by your representative not later than in the				
				REW EUSEBIO S. AC Chairman	TAN
NOTE:					
	1. ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN90 CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIA	LS, ONE (1) YEA	AR FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS			. *:	
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE	QUOTATION			
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE	PRODUCT BEI	NG OFFERED		
ITEM	ITEM & DESCRIPTION	T I		I	
NO.	(Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	• IR Range Up to 30 m				
	Video				
	Max. Resolution 1920 × 1080				
	Main Stream			1	
	50 Hz: 25 fps (1920 × 1080, 1280 × 720)			1	
	60 Hz: 30 fps (1920 × 1080, 1280 × 720)				
-	Sub-Stream				
	50 Hz: 25 fps (640 × 480, 640 × 360)				
	60 Hz: 30 fps (640 × 480, 640 × 360)			1	
	Video Compression				
	Main Stream: H.265/H.264				
	Sub-Stream: H.265/H.264/MJPEG				
	Video Bit Rate 32 Kbps to 8 Mbps				
	H.264 Type Baseline Profile/Main Profile/High Profile				
	H.265 Type Main Profile				
	H.264+ Main Stream supports				
	H.265+ Main Stream supports				
	Region Of Interest (ROI) 1 fixed region for main stream				
	Network				
	Protocols TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS,				
	DDNS, RTP, RTSP, RTCP, NTP, UPnP™, SMTP, IGMP, 802.1X,				
	Date By	-	Prin	nted Name/Sigr	nature
Releas	ed (BAC)				



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsc.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 4

Date: MARCH 07, 2024

				Quotation No.	24-057
	ase quote your lowest price on the item/s listed below, stating the s				
your qu	otation duly signed by your representative not later than in the	e return enve	lope attache	ed herewith.	
				ga	
				REW EUSEBIO S.	TAN
	¥		B	AC Chairman	
NOTE:					
	ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN90_ CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIAL	S, ONE (1) YEA	R FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS				
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE	QUOTATION			
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE	PRODUCT BEI	NG OFFERED		
					×.
ITEM	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
NO.	(Pls. indicate brand offered)	4			
	QoS, IPv6, Bonjour, IPv4, UDP, SSL/TLS				
	Simultaneous Live View Up to 6 channels				
	API Open Network Video Interface, ISAPI				
	User/HostUp to 32 users. 3 levels: administrator, operator				
-	and user Image	ı			
	Image	*/			
	Image Settings Saturation, brightness, contrast, sharpness,				
	AGC, white balance adjustable by client software or web				
	browser.				
	Day/Night Switch Day, Night, Auto, Schedule				
	Image Enhancement BLC, 3D DNR				
	<u>Interface</u>				
	• Ethernet Interface 1 RJ45 10 M/100 M self-adaptive				
	Ethernet port				
	Event				
	Basic Event Motion detection, video tampering alarm,				
	exception				
	<u>General</u>				
	Linkage Method Upload to FTP, notify surveillance center,				
	send email				
	General Function Anti-flicker, heartbeat, mirror, password				
	Date By		Prir	nted Name/Sigr	nature
Releas	ed (BAC)				
	ed (Supplier)		Tel	. No./Cellphon	e No.



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsc.edu.ph

REQUEST FOR QUOTATION

PAGE 4 OF 4

Date: MARCH 07 2024

					Quotation No.	37	
PI	ease (quote your lowest price on the item/s listed below, stating the st	nortest tin	ne of delix	ery and submit		
your q	uotatior	duly signed by your representative not later than in the	return env	elope attach	ned herewith.		
				DR AND	REW EUSERIO S	TAN	
	DR. ANDREW EUSEBIO S.TAN BAC Chairman						
NOTE:							
	1.	ALL ENTRIES MUST BE TYPEWRITTEN					
		DELIVERY PERIOD WITHIN90 CALENDAR DAYS					
		WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS	ONE (1) VE	AD FOD			
		QUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY	, 0142 (1) 12	ARTOR			
		PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS					
		E-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE C	QUOTATION				
	6.	BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE P	RODUCT BEI	NG OFFERED			
ITEM		ITEM & DESCRIPTION	OTV	LIMIT	LIAUT DRICE	70744 7744	
NO.	_	(Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE	
		tection, privacy mask, watermark, IP address filter					
	-	ver Supply					
	-	OC ± 25%					
	_	802.3af, Class 3					
	• Pov	ver InterfaceØ5.5 mm coaxial power plug					
	16 ch	ALLAK NVD 1 24 CH 4H 4K ANVD 4					
		1U 4K NVR - 1, 24 CH 1U 4K NVR-1					
		65+/H.265/H.264+/H.264 video formats					
		to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity to 160 Mbps incoming bandwidth					
		Violet HDD	-				
	_	ESSIONAL ELECTRONICS ENGINEER supervision & design		-	-		
		CE CONFIGURATION & COMMISSIONING					
	_	GHING INS Harnessing Cables and Ties; PVC Pipes; Metal	-		-		
		os; PVC; Square and Junction Boxes; GI Pull Wires					
		: Site Survey Certification			-		
		Warranty, 90 days delivery			 		
		TOTAL			 		
	at at	**************************************					
	TOTA	L ABC = Php 500,000.00					
	PROCI	JREMENT OF CCTV SYSTEMS FOR TALISAY LIBRARY 2ND & 3RD					
	PR#	24-133-0229 02-29-24					
	INCOM	and to purpose the purpose of the pu					
		05-04-24					
		Date By		Dain-4	and Many - 10'		
Release	d (BAC	_,		Print	ed Name/Signa	ature	
Returne	8	· · · · · · · · · · · · · · · · · · ·	::	Tal	No./Cellphone	No	
				101.	140.70 CHIPHONE	INO.	