



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 11772621
Procuring Entity CARLOS HILADO MEMORIAL STATE UNIVERSITY
Title Procurement of Various ICT Supplies and Materials for the Repair and Maintenance use of ICT Office - Talisay Campus
Area of Delivery Negros Occidental

Solicitation Number:	RFQ 25-026	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Information Technology Parts & Accessories & Perip	Date Published	18/02/2025
Approved Budget for the Contract:	PHP 158,548.19	Last Updated / Time	17/02/2025 14:41 PM
Delivery Period:	20 Day/s	Closing Date / Time	25/02/2025 09:00 AM
Client Agency:			
Contact Person:	Rowena De la Vida Prado Administrative Assistant II Mabini Street Talisay City Negros Occidental Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph		

Description

Republic of the Philippines
 CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0939) 929 6624
 bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION
 PAGE 1 OF 6
 Date: FEBRUARY 14, 2025
 Quotation No.: 25-026

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
 BAC Chairman

NOTE:

- ALL ENTRIES MUST BE TYPEWRITTEN
- DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY

2/17/25, 2:42 PM

4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
 5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE
 NO. (Pls. indicate brand offered)

LOT 1

- 1 LABEL PRINTER TAPE, TZE-231, Adhesive-Laminated, 2 pcs
 Black on White, 8 m x 12 mm.
- 2 CAT 6 UTP CABLE, NCB-C6UBLUR-305, 23AWG Solid:305M Blue 6 boxes
 - 4 Pairs of Unshielded Twisted Pair (UTP) Cables
 - Metal Conductor: made of solid copper
 - Color Code: Blue
 - Conductor Diameter: Nominal 0.560mm, 23 AWG
 - Insulation Diameter: Nominal 0.970mm, Insulation Material: HD-PE
 - Cable Protective Jacket Material: PVC UL94V-0
 - Cable Diameter: 6mm
 - PE Central Cross separator
- 3 NETWORK CABLE TESTER 1 unit
 Tone: Yes; Model Number: IntelliTone™ Pro 200
 Power Source: Battery; Battery Type: Alkaline
 Battery Life: 20 h; Dimensions: 141 x 75 x 32 (Toner) mm,
 222 x 48 x 32 (Probe) mm; Display Type: LED
 Height: 32mm; Length: 141 (Toner) mm, 222 (Probe) mm
 Maximum Operating Temperature: +40°C
 Minimum Operating Temperature: 0°C
 Width: 48 (Probe) mm, 75 (Toner) mm
- 4 SSD HARD DRIVE, M.2 Nvme SSD Hard Drive Enclosure 4 pcs
 Material: Aluminum Alloy + ABS; Color: Blue
 Dimension: 124(L)*35mm(W)*14mm(H)
 Input Interface: M-Key/B&M-Key
 Output Interface: Type-C(USB3.2 Gen2)
 Transmission Rate:10Gbps; Installation: Tool-free
 Support Capacity: 8TB Max
 Accessories: Thermal Fin*1, Silicone Plug*2, Thermal Pad*1
 Supported System: Windows/Mac OS/Linux
 Data Cable: Type-C/Male to Type-C/Male, 0.3m
 LED Indicator: Monitor state of the SSD
 Compatible: M.2 NVMe 2230, 2242, 2260, 2280 four different
 specifications of SSD; Support: NVMe protocol and UASP
 acceleration protocol; Compatible with: PC, laptop, smart TV,
 smart router, PS4 and other devices
 Support: Enter sleep state after 10 minutes of idle time
- 5 HDMI SPLITTER, Four-port 2 pcs
 HDMI Splitter Input Ports: 1 x HDMI female input port;
 HDMI Splitter Output Ports: 4 x HDMI female output ports;
 HDCP compliant: yes; HDMI Ver 1.4: 1.4;
 Video formats supported VGA: 640x480, 800x600, 1024x768,
 1280x1024, 2048x1080, 7680x4320;
 Video formats supported - DTV/HDTV: 480i, 480p, 576i, 576p,
 720p, 1080i, 1080p, 4320;
 Supports resolution up to HDTV's 480p/ 720i/ 720p/ 1080i/ 1080p
 & PC's UXGA/ 1920 x 1200 & 4K;
 Supports 8bit per channel (24bit all channel) deep color;
 Supports compressed audio such as DTS Digital, Dolby Digital,
 DTS HD & Dolby True HD;
 Supports 3D (All units connected to the splitter outputs must
 support 3D);; Vertical Frequency Range : 60HZ;
 Support : 25 Mhz - 165 Mhz
- 6 SSD SATA type 5 pcs
 NS100 1TB 2.5" SATA III (6Gb/s) Internal SSD Solid State Drive
 (LNS100-1TRB); Warranty: 3 year limited warranty;
 Shock Resistant: 1500 G, duration 0.5ms, Half Sine Wave
 Vibration Resistant: 10~2000 Hz, 1.5mm, 20 G, 1 Oct/min,
 30min/axis(X,Y,Z)
- 7 ADAPTER, VGA to HDMI adapter 5 pcs
 Input: HDMI Male
 Output: VGA Female
- 8 PURGE UNIT, Compatible for L3110 and L3210 printer series 5 units
- 9 PURGE UNIT, Compatible for L4260 printer series 5 units
- 10 PRINTHEAD CLEANING SOLUTION 10 pcs
 Compatible Model: Epson, HP
 Suit for Ink Type: Sublimation Ink/ Pigment Ink/ Dye Ink
 Ink Volume : 100ml /pcs; Shelf Life: 2 Years
- 11 POWER OVER ETHERNET INJECTOR POWER ADAPTER 10 pcs
 Output: 48 V DC 500ma; Input: 100-240 V 50/60 Hz
 Yield: 48V 0.5A; Input current: 0.5A/1A
 Efficiency: 80% min; Line / load control: 3% / 5%
 Rotational speed / n Rotation delay: 2 seconds max; Lifting time: 40 MS max
- 12 MALE RJ11 CONNECTOR 2 pcs

2/17/25, 2:42 PM

Mounting Type: Cable Mount; Number of Ways: 6P6C
 Orientation: Straight; Contact Material: Phosphor Bronze
 Contact Plating: Gold
 13 MAINTENANCE BOX, C9345 Maintenance Box Chip Resetter 2 pcs
 Compatible for L11160, L15150, L15160, L6550, L6570, L8168,
 L8188, L8160, L8180 Pro, L15180, L6580 printers.
 14 PRINTHEAD, X4E75A Black Inktank Printhead 2 pcs
 15 PRINTHEAD, M0H50A tri-color Inktank Printhead 2 pcs
 16 NETWORK TOOL KIT, 12 in 1 Professional Portable Ethernet 2 sets
 Computer Maintenance LAN Cable Tester Repair Set.
 12 Essential Tools In - Include AM-388 Crimper, Cable Tester,
 Punch Down Tool, Cable Stripper & 2pcs Yellow Cable stripper,
 Usb Cable, 10pcs Cat6 connectors & 10pcs Cat5e connectors &
 20pcs rj11 connectors, 20pcs Strain Relief Boots Cover, Marker
 Pen, Replaceable blade x 5.(When packaging, usually 5
 replacement blades and RJ11 6P4C Connectors are put together)
 Dimension (L x W x H): 25cm*40cm*10cm
 17 CABLE MANAGER, Metal Cable Manager Server Rack Mount 5 pcs
 Horizontal Management 48 Ports.
 Cable Type: RJ45, Ethernet
 18 FIBER OPTIC CABLE TOOLS, Optical Fiber Tools Kit Fiber Optic 2 sets
 Splicing FTTh Tool Box Set.
 oise: 200mv p-p
 - 1x Aluminum toolbox
 - 1x Optic Power Meter(-50~+26dB,850,980,1300,1310,1490,1550nm)
 - 1x High Precision Fiber Cleaver(Cutting 0.9/0.25 mm optical fiber)
 - 1x Visual Fault Locater (optical light)
 - 1x fiber strippers
 - 1x Miller Clamp
 - 5x SC quick Coupler
 - 1x kevlar scissors
 - 1x SQueexe Bottles of alcohol
 - 1x giagonal pliers,
 - 1x pointed pliers
 - 1x vise pliers

TOTAL

LOT 2

19 UTILITY CART 1 unit
 Industrial Foldable Platform Hand Truck;
 • TUV/GS approved
 • Load capacity: max. 150 kgs
 • Overall size: 735x475x850 mm
 • Platform size: 735X480 mm
 • 100mm (4") PP+TPR Wheels
 20 LADDER, Aluminum Household 5-Step Ladder 1 unit
 Height when opened: 1.10 m / 3.6 ft (From Top Platform to
 Ground); Foldable and lightweight; Load Capacity: 300 lbs
 22" Tall Extended Handrail and Extra Large Platform Area
 Main Material: High Strength Aluminum
 Dimension: 173 x 47 x 11, cm;
 Weight: 3.5 kg

TOTAL

*****Nothing Follows*****

LOT 1 = Php 153,208.19

LOT 2 = Php 5,340.00

TOTAL ABC = Php 158,548.19

PROCUREMENT OF VARIOUS ICT SUPPLIES AND MATERIALS FOR THE REPAIR AND MAINTENANCE USE- TALISAY
 CAMPUS/A. TORRES

PR# 25-057-0131 01-31-25

INCOME 32-164-25-02 02-10-25

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	LOT 1	ICT Supplies	1	Lot	153,208.19
2	LOT 2	Utility Cart and Ladder	1	Lot	5,340.00

Created by Rowena De la Vida Prado

Date Created 17/02/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 6

Date: FEBRUARY 14, 2025
 Quotation No.: 25-026

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	LOT 1				
1	LABEL PRINTER TAPE , TZE-231, Adhesive-Laminated, Black on White, 8 m x 12 mm.	2	pcs		
2	CAT 6 UTP CABLE , NCB-C6UBLUR-305, 23AWG Solid:305M Blue – 4 Pairs of Unshielded Twisted Pair (UTP) Cables – Metal Conductor: made of solid copper – Color Code: Blue – Conductor Diameter: Nominal 0.560mm, 23 AWG – Insulation Diameter: Nominal 0.970mm, Insulation Material: HD-PE – Cable Protective Jacket Material: PVC UL94V-0 – Cable Diameter: 6mm – PE Central Cross separator	6	boxes		
3	NETWORK CABLE TESTER Tone: Yes; Model Number: IntelliTone™ Pro 200 Power Source: Battery; Battery Type: Alkaline Battery Life: 20 h; Dimensions: 141 x 75 x 32 (Toner) mm, 222 x 48 x 32 (Probe) mm; Display Type: LED Height: 32mm; Length: 141 (Toner) mm, 222 (Probe) mm Maximum Operating Temperature: +40°C Minimum Operating Temperature: 0°C Width: 48 (Probe) mm, 75 (Toner) mm	1	unit		
4	SSD HARD DRIVE , M.2 Nvme SSD Hard Drive Enclosure Material: Aluminum Alloy + ABS; Color: Blue Dimension: 124(L)*35mm(W)*14mm(H)	4	pcs		

Released (BAC) _____ Date _____ By _____
 Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 6

Date: FEBRUARY 14, 2025
 Quotation No.: 25-026

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Input Interface: M-Key/B&M-Key				
	Output Interface: Type-C(USB3.2 Gen2)				
	Transmission Rate:10Gbps; Installation: Tool-free				
	Support Capacity: 8TB Max				
	Accessories: Thermal Fin*1, Silicone Plug*2, Thermal Pad*1				
	Supported System: Windows/Mac OS/Linux				
	Data Cable: Type-C/Male to Type-C/Male, 0.3m				
	LED indicator: Monitor state of the SSD				
	Compatible: M.2 NVMe 2230, 2242, 2260, 2280 four different specifications of SSD; Support: NVMe protocol and UASP acceleration protocol; Compatible with: PC, laptop, smart TV, smart router, PS4 and other devices				
	Support: Enter sleep state after 10 minutes of idle time				
5	HDMI SPLITTER , Four-port	2	pcs		
	HDMI Splitter Input Ports: 1 x HDMI female input port;				
	HDMI Splitter Output Ports: 4 x HDMI female output ports;				
	HDCP compliant: yes; HDMI Ver 1.4: 1.4;				
	Video formats supported VGA: 640×480, 800×600, 1024×768, 1280×1024, 2048×1080, 7680×4320;				
	Video formats supported – DTV/HDTV: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 4320;				
	Supports resolution up to HDTV's 480p/ 720i/ 720p/ 1080i/ 1080p & PC's UXGA/ 1920 x 1200 & 4K;				
	Supports 8bit per channel (24bit all channel) deep color;				
	Supports compressed audio such as DTS Digital, Dolby Digital,				

Date _____ By _____
 Released (BAC) _____
 Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 6

Date: FEBRUARY 14, 2025
Quotation No.: 25-026

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. ANDREW EUSEBIO S. TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	DTS HD & Dolby True HD;				
	Supports 3D (All units connected to the splitter outputs must support 3D);; Vertical Frequency Range : 60HZ;				
	Support : 25 Mhz – 165 Mhz				
6	SSD SATA type	5	pcs		
	NS100 1TB 2.5" SATA III (6Gb/s) Internal SSD Solid State Drive				
	(LNS100-1TRB); Warranty: 3 year limited warranty;				
	Shock Resistant: 1500 G, duration 0.5ms, Half Sine Wave				
	Vibration Resistant: 10~2000 Hz, 1.5mm, 20 G, 1 Oct/min,				
	30min/axis(X,Y,Z)				
7	ADAPTER , VGA to HDMI adapter	5	pcs		
	Input: HDMI Male				
	Output: VGA Female				
8	PURGE UNIT , Compatible for L3110 and L3210 printer series	5	units		
9	PURGE UNIT , Compatible for L4260 printer series	5	units		
10	PRINTHEAD CLEANING SOLUTION	10	pcs		
	Compatible Model: Epson, HP				
	Suit for Ink Type: Sublimation Ink/ Pigment Ink/ Dye Ink				
	Ink Volume : 100ml /pcs; Shelf Life: 2 Years				
11	POWER OVER ETHERNET INJECTOR POWER ADAPTER	10	pcs		
	Output: 48 V DC 500ma; Input: 100-240 V 50/60 Hz				
	Yield: 48V 0.5A; Input current: 0.5A/1A				
	Efficiency: 80% min; Line / load control: 3% / 5%				
	Rotational speed / noise: 200mv p-p				

Released (BAC) _____ Date _____ By _____
Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 4 OF 6

Date: FEBRUARY 14, 2025
 Quotation No.: 25-026

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. ANDREW EUSEBIO S.TAN
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Rotation delay: 2 seconds max; Lifting time: 40 MS max				
12	MALE RJ11 CONNECTOR	2	pcs		
	Mounting Type: Cable Mount; Number of Ways: 6P6C				
	Orientation: Straight; Contact Material: Phosphor Bronze				
	Contact Plating: Gold				
13	MAINTENANCE BOX, C9345 Maintenance Box Chip Resetter	2	pcs		
	Compatible for L11160, L15150, L15160, L6550, L6570, L8168, L8188, L8160, L8180 Pro, L15180, L6580 printers.				
14	PRINTHEAD, X4E75A Black Ink tank Printhead	2	pcs		
15	PRINTHEAD, MOH50A tri-color Ink tank Printhead	2	pcs		
16	NETWORK TOOL KIT, 12 in 1 Professional Portable Ethernet	2	sets		
	Computer Maintenance LAN Cable Tester Repair Set.				
	12 Essential Tools In - Include AM-388 Crimper, Cable Tester, Punch Down Tool, Cable Stripper & 2pcs Yellow Cable stripper, Usb Cable, 10pcs Cat6 connectors & 10pcs Cat5e connectors & 20pcs rj11 connectors, 20pcs Strain Relief Boots Cover, Marker Pen, Replaceable blade x 5.(When packaging, usually 5 replacement blades and RJ11 6P4C Connectors are put together)				
	Dimension (L x W x H): 25cm*40cm*10cm				
17	CABLE MANAGER, Metal Cable Manager Server Rack Mount	5	pcs		
	Horizontal Management 48 Ports.				
	Cable Type: RJ45, Ethernet				
18	FIBER OPTIC CABLE TOOLS, Optical Fiber Tools Kit Fiber Optic	2	sets		
	Splicing FTTh Tool Box Set.				

Date _____ By _____
 Released (BAC) _____
 Returned (Supplier) _____

 Printed Name/Signature

 Tel. No./Cellphone No.

 Date _____



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 5 OF 6

Date: FEBRUARY 14, 2025
 Quotation No.: 25-026

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. ANDREW EUSEBIO S. TAN
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	- 1x Aluminum toolbox				
	- 1x Optic Power Meter(-50~+26dB,850,980,1300,1310,1490,1550nm)				
	- 1x High Precision Fiber Cleaver(Cutting 0.9/0.25 mm optical fiber)				
	- 1x Visual Fault Locater (optical light)				
	- 1x fiber strippers				
	- 1x Miller Clamp				
	- 5x SC quick Coupler				
	- 1x kevlar scissors				
	- 1x SQueexe Bottles of alcohol				
	- 1x giagonal pliers,				
	- 1x pointed pliers				
	- 1x vise pliers				
	TOTAL				
	LOT 2				
19	UTILITY CART	1	unit		
	Industrial Foldable Platform Hand Truck;				
	• TUV/GS approved				
	• Load capacity: max. 150 kgs				
	• Overall size: 735x475x850 mm				
	• Platform size: 735X480 mm				
	• 100mm (4") PP+TPR Wheels				
20	LADDER, Aluminum Household 5-Step Ladder	1	unit		
	Height when opened: 1.10 m / 3.6 ft (From Top Platform to				
	Ground); Foldable and lightweight; Load Capacity: 300 lbs				

Date _____ By _____
 Released (BAC) _____
 Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date

