



PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 11788739
Procuring Entity CARLOS HILADO MEMORIAL STATE UNIVERSITY
Title Procurement of Various ICT Supplies and Materials for the ICT Office - Talisay Campus
Area of Delivery Negros Occidental

Solicitation Number:	RFQ 25-032	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Information Technology Parts & Accessories & Perip	Date Published	21/02/2025
Approved Budget for the Contract:	PHP 188,545.01	Last Updated / Time	20/02/2025 11:07 AM
Delivery Period:	30 Day/s	Closing Date / Time	28/02/2025 09:00 AM
Client Agency:			
Contact Person:	Rowena De la Vida Prado Administrative Assistant II Mabini Street Talisay City Negros Occidental Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph		

Description

Republic of the Philippines
 CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0939) 929 6624
 bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION
 PAGE 1 OF 4
 Date: FEBRUARY 20, 2025
 Quotation No.: 25-032

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS

5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE

NO. (Pls. indicate brand offered)

ONE(1) LOT

- 1 UNINTERRUPTIBLE POWER SUPPLY (UPS), 500VA, PUP 500, 5 unit
 Uninterruptible Power Supply, 500VA w/ 3 Outlets
- 2 AUTOMATIC VOLTAGE REGULATOR, Solid state electronic 20 unit
 device; Voltage: 220V AVR; Watts: 500 Watts
 Max Capacity: 50VA; Fuse: 5A; Socket: 3 x 220V
 Physical Features; length 17 cm; width 9.40 cm
 height 10.67 cm; Compact powder coated metal case
- 3 KEYBOARD, KRS-83 Usb Keyboard Black 8 unit
- 4 HARD DRIVE, 500GB, Packaging: Bare Drive 2 pcs
 Performance: Interface SATA 6.0Gb/s; Capacity: 500GB
 RPM: 7200 RPM; Cache: 32MB; Average Latency: 4.17ms
- 5 PROJECTOR, Projection System: 3LCD Technology 1 unit
 LCD Panel: 0.55 inch with D8; Colour Light Output: 2,800 Lumen-
 1,960 Lumen (economy) in accordance with IDMS15.4
 White Light Output: 2,800 Lumen - 1,960 Lumen (economy) in
 accordance with ISO 21118:2012; Resolution: XGA, 1024 x 768, 4:3
 Aspect Ratio: 4:3; Contrast Ratio: 15,000 : 1
 Light source: Lamp; Lamp: UHE, 200 W, 5,000 h durability,
 10,000 h durability (economy mode)
 Keystone Correction: Auto vertical: $\pm 30^\circ$, Manual horizontal
 $\pm 30^\circ$; USB Display Function: 3 in 1: Image / Mouse / Sound
 Interfaces: VGA In, HDMI In, Composite In, S-Video In, Cinch audio
 in, Wireless LAN IEEE 802.11b/g/n (WiFi 4) (optional), USB 2.0
 Type B, USB 2.0 Type A
 Energy Use: 277 Watt, 207 Watt (economy), 0.26 Watt (standby)
 Supply Voltage: AC 100 V - 240 V, 50 Hz - 60 Hz
 Product dimensions: 297 \times 234 x 77 mm (Width x Depth x Height)
 Product weight: 2.4 kg
 Noise Level: Normal: 37 dB (A) - Economy: 28 dB (A)
 Temperature: Operation 5 $^\circ$ C - 35 $^\circ$ C, Storage -10 $^\circ$ C - 60 $^\circ$ C
 Humidity: Operation 20% - 80%, Storage 10% - 90%
- 6 LIGHTING DIGITAL - AV Adapter, AV Cable Type: Lightning to 1 pc
 HDMI adapter; Interface Supported: HDMI / Lightning
 Left Connector Details: Apple Lightning - male
 Right Connector Details: 19 pin HDMI Type A - female,
 Apple Lightning - female; Right Connector Gender: Female
 Right Connector Type 19 pin HDMI Type A, Apple Lightning
- 7 USB-C To HDMI Adapter 4 pcs
 Input: USB-C Male; Output: HDMI Female
 Resolution Support: 4K@60Hz / 2K@144Hz
 HDMI Version: HDMI V2.0 (supports 3D)
 Case Material: Aluminum case
 Product Size: L62 x W21 x H10 mm
- 8 HDMI Male To Female Extension Cable, 3m 4 pcs
 Compatible Devices: Laptop , Television , DVD Player , Personal
 Computer; Connectivity Technology: HDMI
 Connector Gender: Male-to-Female; Connector Type: HDMI
 Data Transfer Rate: 10.2 gigabits_per_second
- 9 EXTERNAL HDD, 1TB 2 pcs
- 10 HDD, 3TB NAS HDD, SATA 6Gb/s /3.5 Inch/IntelliPower/3TB /64MB 2 pcs
- 11 USB TO RJ45 CONVERTER, USB 3.0 Ethernet RJ45 LAN Adapter 5 pcs
 (10/100/1000) Mbps USB to LAN Gigabit Network For PC Mac
- 12 FLASH DRIVE, 64GB USB 3.2 Flash Drive 2 pcs
- 13 Male HDMI to Female VGA Adapter 5 pcs
- 14 NETWORK SWITCH, 24-port Managed Switch, CX 6100 24G 2 unit
 4SFP+ Switch; 4x ports 10/100/1000BASE-T Ports; 4x 1G/10G
 SFP ports 1x USB-C Console Port; 1x USB Type-A Host port
 Fixed power supply; Fixed fans
 Power consumption: Max Power (w/o PoE): 33W
 Input voltage: 100-127 VAC / 200-240 VAC
 Ports: 24x ports 10/100/1000BASE-T ports
 4x 1G/10G SFP ports; Latency: 1 Gbps: 1.5 μ Sec , 10 Gbps: 1.8
 μ Sec; Switching capacity: 128 Gbps; Throughput: 95.2 Mpps
 Memory and processor: Dual Core ARM Cortex A9 @ 1016 Mhz
 4 GB DDR3, maximum, depending on model; 16 GB Emm
- 15 DATA CABINET/ IDF CABINET, SmartRack 6U Low-Profile 1 unit
 Switch-Depth Wall-Mount Rack Enclosure Cabinet.;
 Width: 23.5" (596.9 mm); Depth: 17.5" (444.5 mm)
 Height: 14.5" (368.3 mm); Weight: 29.1 lbs (13.15 kg)
 Rack capacity: 6U; Type: Wall mounted rack
 Maximum weight capacity: 200 lbs (90.7 kg)
 Product color: Black; Certification: EIA-310-E, RoHS
 Warranty: 5-year limited
- 16 LABEL PRINTER, Portable Handheld Label printer for Electrical and 1 unit

Datacom installations; 16-character Graphical LCD with real print preview; AD-24ES-01 AC Power adapter (included)
 6 pcs of AAA batteries (LR03 alkaline or HR03 rechargeable Ni-MH) - (not included)
 QWERTY keyboard with dedicated numeric keypad.
 Print on 3.5, 6, 9, 12mm labels width; Print up to 2 lines
 Maximum print height of 9mm
 16-character Graphical LCD with real print preview
 AD-24ES-01 AC Power adapter (included)
 6 pcs of AAA batteries (LR03 alkaline or HR03 rechargeable Ni-MH) - (not included)
 QWERTY keyboard with dedicated numeric keypad
 Maximum label length of 300mm; 180dpi print resolution
 20mm per second fast print speed; Manual cutte
 TOTAL

*****Nothing Follows*****

TOTAL ABC = Php 188,545.01

PROCUREMENT OF SEMI-EXPENDABLE ICT FOR ICT OFFICE USE- TALISAY CAMPUS/A. TORRES

PR# 25-058-0131 01-31-25

INCOME 28-164-25-02 02-10-25

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	ONE (1) LOT	Various ICT Supplies and Materials	1	Lot	188,545.01

Created by Rowena De la Vida Prado

Date Created 20/02/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 4

Date: FEBRUARY 20, 2025
Quotation No.: 25-032

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. ANDREW EUSEBIO S.TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	ONE(1) LOT				
1	UNINTERRUPTIBLE POWER SUPPLY (UPS) , 500VA, PUP 500, Uninterruptible Power Supply, 500VA w/ 3 Outlets	5	unit		
2	AUTOMATIC VOLTAGE REGULATOR , Solid state electronic device; Voltage: 220V AVR; Watts: 500 Watts Max Capacity: 50VA; Fuse: 5A; Socket: 3 x 220V Physical Features; length 17 cm; width 9.40 cm height 10.67 cm; Compact powder coated metal case	20	unit		
3	KEYBOARD , KRS-83 Usb Keyboard Black	8	unit		
4	HARD DRIVE , 500GB, Packaging: Bare Drive Performance: Interface SATA 6.0Gb/s; Capacity: 500GB RPM: 7200 RPM; Cache: 32MB; Average Latency: 4.17ms	2	pcs		
5	PROJECTOR , Projection System: 3LCD Technology LCD Panel: 0.55 inch with D8; Colour Light Output: 2,800 Lumen- 1,960 Lumen (economy) in accordance with IDMS15.4 White Light Output: 2,800 Lumen - 1,960 Lumen (economy) in accordance with ISO 21118:2012; Resolution: XGA, 1024 x 768, 4:3 Aspect Ratio: 4:3; Contrast Ratio: 15,000 : 1 Light source: Lamp; Lamp: UHE, 200 W, 5,000 h durability, 10,000 h durability (economy mode) Keystone Correction: Auto vertical: $\hat{A}\pm 30 \hat{A}^\circ$, Manual horizontal $\hat{A}\pm 30 \hat{A}^\circ$; USB Display Function: 3 in 1: Image / Mouse / Sound Interfaces: VGA in, HDMI in, Composite in, S-Video in, Cinch audio in, Wireless LAN \hat{A} IEEE 802.11b/g/n (WiFi 4) (optional), USB 2.0	1	unit		

Date _____ By _____
Released (BAC) _____
Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 4

Date: FEBRUARY 20, 2025

Quotation No.: 25-032

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Type B, USB 2.0 Type A				
	Energy Use: 277 Watt, 207 Watt (economy), 0.26 Watt (standby)				
	Supply Voltage: AC 100 V - 240 V, 50 Hz - 60 Hz				
	Product dimensions: 297mm x 234 x 77 mm (Width x Depth x Height)				
	Product weight: 2.4 kg				
	Noise Level: Normal: 37 dB (A) - Economy: 28 dB (A)				
	Temperature: Operation 5°C - 35°C, Storage -10°C - 60°C				
	Humidity: Operation 20% - 80%, Storage 10% - 90%				
6	LIGHTING DIGITAL - AV Adapter, AV Cable Type: Lightning to HDMI adapter; Interface Supported: HDMI / Lightning	1	pc		
	Left Connector Details: Apple Lightning - male				
	Right Connector Details: 19 pin HDMI Type A - female,				
	Apple Lightning - female; Right Connector Gender: Female				
	Right Connector Type 19 pin HDMI Type A, Apple Lightning				
7	USB-C To HDMI Adapter	4	pcs		
	Input: USB-C Male; Output: HDMI Female				
	Resolution Support: 4K@60Hz / 2K@144Hz				
	HDMI Version: HDMI V2.0 (supports 3D)				
	Case Material: Aluminum case				
	Product Size: L62 x W21 x H10 mm				
8	HDMI Male To Female Extension Cable, 3m	4	pcs		
	Compatible Devices: Laptop , Television , DVD Player , Personal Computer;				
	Connectivity Technology: HDMI				

Released (BAC) _____ Date _____ By _____
Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 4

Date: FEBRUARY 20, 2025
Quotation No.: 25-032

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Connector Gender: Male-to-Female; Connector Type: HDMI				
	Data Transfer Rate: 10.2 gigabits_per_second				
9	EXTERNAL HDD, 1TB	2	pcs		
10	HDD, 3TB NAS HDD, SATA 6Gb/s /3.5 Inch/IntelliPower/3TB /64MB	2	pcs		
11	USB TO RJ45 CONVERTER, USB 3.0 Ethernet RJ45 LAN Adapter (10/100/1000) Mbps USB to LAN Gigabit Network For PC Mac	5	pcs		
12	FLASH DRIVE, 64GB USB 3.2 Flash Drive	2	pcs		
13	Male HDMI to Female VGA Adapter	5	pcs		
14	NETWORK SWITCH, 24-port Managed Switch, CX 6100 24G 4SFP+ Switch; 4x ports 10/100/1000BASE-T Ports; 4x 1G/10G SFP ports 1x USB-C Console Port; 1x USB Type-A Host port Fixed power supply; Fixed fans Power consumption: Max Power (w/o PoE): 33W Input voltage: 100-127 VAC / 200-240 VAC Ports: 24x ports 10/100/1000BASE-T ports 4x 1G/10G SFP ports; Latency: 1 Gbps: 1.5 µSec , 10 Gbps: 1.8 µSec; Switching capacity: 128 Gbps; Throughput: 95.2 Mpps Memory and processor: Dual Core ARM Cortex A9 @ 1016 Mhz 4 GB DDR3, maximum, depending on model; 16 GB Emem	2	unit		
15	DATA CABINET/ IDF CABINET, SmartRack 6U Low-Profile Switch-Depth Wall-Mount Rack Enclosure Cabinet,; Width: 23.5" (596.9 mm); Depth: 17.5" (444.5 mm) Height: 14.5" (368.3 mm); Weight: 29.1 lbs (13.15 kg) Rack capacity: 6U; Type: Wall mounted rack	1	unit		

Released (BAC) _____ Date _____ By _____
Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 4 OF 4

Date: FEBRUARY 20, 2025
 Quotation No.: 25-032

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

(Signature)
DR. ANDREW EUSEBIO S. TAN
 BAC Chairman

NOTE:

- ALL ENTRIES MUST BE TYPEWRITTEN
- DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
- G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Maximum weight capacity: 200 lbs (90.7 kg)				
	Product color: Black; Certification: EIA-310-E, RoHS				
	Warranty: 5-year limited				
16	LABEL PRINTER , Portable Handheld Label printer for Electrical and Datacom installations; 16-character Graphical LCD with real print preview; AD-24ES-01 AC Power adapter (included)	1	unit		
	6 pcs of AAA batteries (LR03 alkaline or HR03 rechargeable Ni-MH) - (not included)				
	QWERTY keyboard with dedicated numeric keypad.				
	Print on 3.5, 6, 9, 12mm labels width; Print up to 2 lines				
	Maximum print height of 9mm				
	16-character Graphical LCD with real print preview				
	AD-24ES-01 AC Power adapter (included)				
	6 pcs of AAA batteries (LR03 alkaline or HR03 rechargeable Ni-MH) - (not included)				
	QWERTY keyboard with dedicated numeric keypad				
	Maximum label length of 300mm; 180dpi print resolution				
	20mm per second fast print speed; Manual cutter				
	TOTAL				
	***** Nothing Follows *****				
	TOTAL ABC = Php 188,545.01				
	PROCUREMENT OF SEMI-EXPENDABLE ICT FOR ICT OFFICE USE- TALISAY CAMPUS/A. TORRES				
	PR# 25-058-0121 01-21-25				
	INCOME 28-164-25-02 02-10-25				

Released (BAC) _____ Date _____ By _____
 Returned (Supplier) _____

Printed Name/Signature _____
 Tel. No./Cellphone No. _____
 Date _____