

Philippine Government Electronic Procurement System

Central Portal for Philippine Government Procurement Oppurtunities

Pending

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

11794906

Procuring Entity

CARLOS HILADO MEMORIAL STATE UNIVERSITY

Title

Procurement of Various Laboratory Supplies for the Instructional use of the College of Arts

Status

and Sciences - Talisay Campus

Area of Delivery

Negros Occidental

Solicitation Number: **Trade Agreement:**

RFQ 25-036

Implementing Rules and Regulations

Procurement Mode:

Negotiated Procurement -Small Value Procurement

(Sec. 53.9)

Classification:

Goods

Category:

Laboratory Supplies and

Equipment

Approved Budget for the

Contract:

PHP 165,729.80

Delivery Period:

30 Day/s

Client Agency:

Contact Person:

Rowena De la Vida Prado Administrative Assistant II

Mabini Street Talisay City Negros Occidental Philippines 6115

63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph

0
0
22/02/2025
21/02/2025 11:10 AM
03/03/2025 09:00 AM

Description

Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624 bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION PAGE 1 OF 4

Date: FEBRUARY 20, 2025 Quotation No.: 25-036

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit in the return envelope attached your quotation duly signed by your representative not later than _ herewith.

DR. ANDREW EUSEBIO S.TAN **BAC Chairman**

NOTE:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN
- CALENDAR DAYS
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY 3.

```
CALENDAR DAYS
       PRICE VALIDITY SHALL BE FOR A PERIOD OF
       G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
4
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE
NO. (Pls. indicate brand offered)
ONE(1) LOT
1 HOT PLATE WITH MAGNETIC STIRRER 2 pcs
SH-3 Magnetic Stir Plate Heating + Stirring Type
Speed: 100~2000 rpm / min
Heating Power: 500 watts, Motor Stirring power: 20 watts
Max. Stir Volume: 5 L (5000 ml)
Temperature: 380 degree
Dimension of Panel: 6.7 \times 6.7 inch ( 17 \times 17 cm)
 Material of panel: Aluminium
 Voltage: 110 V, US standard plug
 2 DOUBLE WALLED CALORIMETER WITH STIRRER 5 pcs
High Quality Double Wall Electric Calorimeter with a capacity of 250Ml.
 Consists of a 250mL aluminum inner vessel, a 900mL outer vessel,
 transparent cover with two terminals. The terminals are cross-
 drilled at their lower ends and are fitted with a 5 watt heating
 coil, the upper ends are fitted with standard sockets with electrical
 connections. The cover contains two holes for a thermometer and
 stirrer. A stirrer is included. The Calorimeter is approximately
 5.125" tall, with an outer diameter of 4" for the outer vessel,
 an inner diameter of 3" for the inner vessel, and a depth of 4".
 The heating coll is easily replaceable.
 3 WATER QUALITY TESTER WITH BATTERY AND POWER 5 pcs
 Product Name: Seven in One Water Quality Test Pen
 Measuring Range: PH/ORP/EC/TEMP/SALT/S.G/TDS
  Proper Temp 0-60 degrees Celsius
  Product Size: 185*37*24mm; Product Weight: 125g
  4 BP APPARATUS 5 set
  Specs: "Aneroid Sphygmomanometer Blood
  Pressure Measure Device Kit Cuff Stethoscope
  BP Monitor SPECIFICATION: 0- 300mm Hg
  Aneroid Effortless Study Gauge
  Nylon Velcro sealing cuff with artery label and Gauge Holder
  Cuff Size Latitude from 25.4 c.m – 40.6 c.m (standard grownup) Stainless Steel Head Stethoscope", 1 SET
  5 MOHR WESTPHAL BALANCE (Liquid Gravity) 1 pc
  applied to measure resin, metal, glass and 'chemical liquid in
  electronics, rubber, food, paper, and machinery 'processing
   industries.
   6 BRAIDED PHYSICS STRING, tough, resists stretching, and won't 1 roll
   unravel. Withstands up to 133 Newtons of force (equivalent to
   13.6 kg). Each roll provides 320 meters of string.
   Applications: Ideal for use with pulley, Use it to hang masses
   Use with the String Vibrator to determine the string's density
   7 HOOKED MASS SET, made from cast iron and coated with enamel 1 set
   What's Included: 1x 1000g Mass, 1x 500g Mass, 2x 200g Mass
   1x 100g Mass, 1x 50g Mass, 2x 20g Mass, 1x 10g Mass
   1x Molded mass holder
   8 GAS SAMPLING PUMP, GV-100, pump accessories (3 rubber 1 pc
   inlets and lubricant), as well as the instruction sheet are provided
   in a convenient shoulder bag
   9 CARBON MONOXIDE DETECTOR 1 pc
    Large LCD backlight digital and character display for easier reading.
   Safety indication: regular light flashing and voice indication.
    When carbon monoxide concentration increases, buzzing voice
    frequency would also be increased.
    Excellent audible alarm, low maintenance cost.
    Support carbon monoxide detection.
    Solid shell and robust electric characters.
    Automatically shut off if it is not operated for 10 minutes.
    Review of MAX and MIN readings, MAX, AVG and Data hold
    function. Buzzer alarm setup function.
    10 NITROGEN OXIDE DETECTOR TUBES 1 box
    Detecting tube name: 11L Nitrogen Oxide
    Number of measurements of 1 box: 10
     Expiration date (year): 3
     Measurement gas name: Nitrogen Oxided
    Measurement range: 0.04 - 16.5ppm
     Standard suction times (n): 1
     11 AMMONIA DETECTOR TUBES 1 box
     Detecting tube name: 11L Nitrogen Oxide
     Number of measurements of 1 box: 10
     Expiration date (year): 3
     Measurement gas name: Ammonia
     Measurement range: 0.5 - 78ppm
```

Standard suction times (n): 1 12 ELECTRIC STOVE 5 unit

Adjustable Temperature Control: Yes

Nonskid Rubber Feet: Yes; Voltage: 230V a.c. 60Hz

Wattage: 1,500 W; Light Indicator: Yes

Powdered-Finish: Yes

13 DIGITAL MULTIMETER 5 unit

Specifications: Color: show as pictures. Size: 134*77*50mm.

Material: ABS plastic. DC Voltage (V): 200mV/2000mV/20V/200V/600V. AC; Voltage(V): 200V/600V; DC Current(A): 200μA/20mA/200mA/10A

Resistance(Ω): '200 Ω /2K Ω /20K Ω /200K Ω /20M Ω /200M Ω . NCV: yes. Max Display: 1999. Manual Range: yes LCD Backlight: yes. Diode Tester: yes. Buzzer: Yes. Falling tester: 2m. Data hold: yes. Save Level: CAT II600V.

"Power supply: 2*AAA battery (not included)."

TOTAL

PROCUREMENT OF PROCUREMENT OF VARIOUS EQUIPMENT FOR LABORTORY INSTRUCTIONAL USE- TALISAY

CAMPUS/L. GORRICETA PR# 25-081-0213 02-13-25 INCOME 50-164-25-02 02-17-25

Line Items

165,729.80 Lot 1 Various Laboratory Supplies ONE (1) LOT

Created by

Rowena De la Vida Prado

Date Created

21/02/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004,2004-2025 DBM Procurement Service. All rights reserved., DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap



Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 4

Date: FEBRUARY 20, 2025 Quotation No.: 25-036

your qu	otation duly signed by your representative not later than in the r			ed herewith. DREW EUSEBIO S	STAN		
	BAC Chairman						
				Di to onaminan			
NOTE:							
	ALL ENTRIES MUST BE TYPEWRITTEN						
	DELIVERY PERIOD WITHIN CALENDAR DAYS						
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, (ONE (1) YEA	R FOR				
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY						
	PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS						
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QU	OTATION					
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRO	ODUCT BEI	NG OFFERED				
ITEM	ITEM & DESCRIPTION						
NO.	(Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE		
	ONE(1) LOT						
1	HOT PLATE WITH MAGNETIC STIRRER	2	pcs				
	SH-3 Magnetic Stir Plate Heating + Stirring Type						
	Speed: 100~2000 rpm / min						
	Heating Power:500 watts, Motor Stirring power:20 watts						
	Max. Stir Volume: 5 L (5000 ml)						
	Temperature:380 degree						
	Dimension of Panel: 6.7 x 6.7 inch (17 x 17 cm)						
	Material of panel: Aluminium						
_	Voltage: 110 V, US standard plug						
2	DOUBLE WALLED CALORIMETER WITH STIRRER	5	pcs	-			
	High Quality Double Wall Electric Calorimeter with a capacity of 250Ml.	-	рсэ				
	Consists of a 250mL aluminum inner vessel, a 900mL outer vessel,						
	transparent cover with two terminals. The terminals are cross-			-			
	drilled at their lower ends and are fitted with a 5 watt heating						
	coil, the upper ends are fitted with standard sockets with electrical			-			
	connections. The cover contains two holes for a thermometer and						
	stirrer. A stirrer is included. The Calorimeter is approximately						
	5.125" tall, with an outer diameter of 4" for the outer vessel,			-			
	an inner diameter of 3" for the inner vessel, and a depth of 4".						
	The heating coil is easily replaceable.						
3	WATER QUALITY TESTER WITH BATTERY AND POWER	5	pcs				
<u> </u>	Product Name: Seven in One Water Quality Test Pen		рсэ	 			
	Measuring Range : PH/ORP/EC/TEMP/SALT/S.G/TDS						
	Proper Temp 0-60 degrees Celsius						
	1. Takes . Strip o oo degreed deloido						
	Date By		Pri	nted Name/Sign	ature		
Delese	ed (BAC)		111	inca Hameroign	ataro		
	ed (Supplier)	3.5	Т.	l. No./Cellphone	No		



Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 4

Date: FEBRUARY 20, 2025 Quotation No.: 25-036

Ple	ase quote your lowest price on the item/s listed below, stating the sho	ortest tim	ne of delive	ery and submit		
	otation duly signed by your representative not later than in the re					
				1		
			DR. AN	IDREW EUSEBIO S	S.TAN	
				BAC Chairman		
NOTE:						
	ALL ENTRIES MUST BE TYPEWRITTEN					
	2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS					
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, C	NE (1) YEA	R FOR			
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY					
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OFCALENDAR DAYS					
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUE	OTATION				
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRO	DDUCT BEI	NG OFFERED			
ITEM	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE	
NO.	(Pls. indicate brand offered)	Q11.	UNIT	ONT PRICE		
	Product Size: 185*37*24mm; Product Weight: 125g					
4	BP APPARATUS	5	set			
	Specs: "Aneroid Sphygmomanometer Blood					
	Pressure Measure Device Kit Cuff Stethoscope					
	BP Monitor SPECIFICATION: 0- 300mm Hg					
	Aneroid Effortless Study Gauge					
	Nylon Velcro sealing cuff with artery label and Gauge Holder					
	Cuff Size Latitude from 25.4 c.m – 40.6 c.m (standard grownup)					
	Stainless Steel Head Stethoscope", 1 SET					
5	MOHR WESTPHAL BALANCE (Liquid Gravity)	1	рс			
	applied to measure resin, metal, glass and 'chemical liquid in					
	electronics, rubber, food, paper, and machinery 'processing					
	industries.				- 110-	
6	BRAIDED PHYSICS STRING, tough, resists stretching, and won't	1	roll			
	unravel. Withstands up to 133 Newtons of force (equivalent to					
	13.6 kg). Each roll provides 320 meters of string.					
	Applications: Ideal for use with pulley, Use it to hang masses					
	Use with the String Vibrator to determine the string's density					
7	HOOKED MASS SET, made from cast iron and coated with enamel	1	set			
	What's Included: 1x 1000g Mass, 1x 500g Mass, 2x 200g Mass					
	1x 100g Mass, 1x 50g Mass, 2x 20g Mass, 1x 10g Mass					
	1x Molded mass holder					
8	GAS SAMPLING PUMP, GV-100, pump accessories (3 rubber		рс			
	inlets and lubricant), as well as the instruction sheet are provided					
	in a convenient shoulder bag					
		ri.				
	Date By		Pri	nted Name/Sign	ature	
Releas	ed (BAC)					
Return	ed (Supplier)		Te	el. No./Cellphone	No.	



Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 4

Date: FEBRUARY 20, 2025 Quotation No.: 25-036

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit							
	your quotation duly signed by your representative not later than in the return envelope attached herewith.						
, 1				0/			
	DR. ANDREW EUSEBIO S.TAN						
				BAC Chairman			
NOTE:							
	ALL ENTRIES MUST BE TYPEWRITTEN						
	2. DELIVERY PERIOD WITHIN30 CALENDAR DAYS						
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR						
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY						
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS						
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUO	OTATION					
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRO	DUCT BEIN	IG OFFERED				
ITEM	ITEM & DESCRIPTION	071/	LINUT	LINIT DOIGE	TOTAL DDICE		
NO.	(Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE		
9	CARBON MONOXIDE DETECTOR	1	рс				
	Large LCD backlight digital and character display for easier reading.						
	Safety indication: regular light flashing and voice indication.						
	When carbon monoxide concentration increases, buzzing voice						
	frequency would also be increased.						
	Excellent audible alarm, low maintenance cost.						
	Support carbon monoxide detection.						
	Solid shell and robust electric characters.						
	Automatically shut off if it is not operated for 10 minutes.						
	Review of MAX and MIN readings, MAX, AVG and Data hold						
	function. Buzzer alarm setup function.						
10							
-	Detecting tube name: 11L Nitrogen Oxide						
	Number of measurements of 1 box: 10						
	Expiration date (year): 3						
	Measurement gas name: Nitrogen Oxided						
-	Measurement range: 0.04 - 16.5ppm						
-	Standard suction times (n): 1						
11	AMMONIA DETECTOR TUBES	1	box				
<u> </u>	Detecting tube name: 11L Nitrogen Oxide						
	Number of measurements of 1 box: 10						
	Expiration date (year): 3						
	Measurement gas name: Ammonia						
<u></u>	Measurement range: 0.5 - 78ppm						
	Standard suction times (n): 1						
Date By Printed Name/Signature					ature		
Releas	ed (BAC)						
	ed (Supplier)	-	Te	al. No./Cellphone	No.		



Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 4 OF 4

Date: FEBRUARY 20, 2025 Quotation No.: 25-036

						Quotation No.: 20	, 000
		· · · · · · · · · · · · · · · · · · ·					
			n the item/s listed below, stating the sh				
your qu	otation duly	signed by your represen	tative not later than in the	return enve	elope attach	ed herewith.	
					DR AN	DREW EUSEBIO S	STAN
					Dit.	BAC Chairman	2.17414
NOTE:							
	1. ALL EN	TRIES MUST BE TYPEWRIT	TEN				
	2. DELIVE	RY PERIOD WITHIN30_	_ CALENDAR DAYS				
	3. WARR	ANTY SHALL BE FOR A PERI	OD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS,	ONE (1) YEA	R FOR		
			EPTANCE BY THE PROCURING ENTITY				
			ERIOD OF CALENDAR DAYS E SHALL BE ATTACHED UPON SUBMISSION OF THE QU	IOTATION			
			L BROCHURES SHOWING CERTIFICATIONS OF THE PR		NG OFFERED		
ITEM	I	ITEM	& DESCRIPTION			LINET PRIOR	TOTAL BRIDE
NO.			cate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
12	ELECTR	IC STOVE		5	unit		
	Adjustab	le Temperature Con	trol: Yes				
			oltage: 230V a.c. 60Hz				
		1,500 W; Light Ind	licator: Yes				
		d-Finish: Yes					
13		L MULTIMETER		5	unit		
			s pictures. Size: 134*77*50mm.				
			tage (V): 200mV/2000mV/20V/200V/6	1		-	
			; DC Current(A): 200μA/20mA/200mA/10A ΟΚΩ/200ΚΩ/20ΜΩ/200ΜΩ.				
). Manual Range: yes			<u> </u>	
			ester: yes. Buzzer: Yes.	-			
			: yes. Save Level: CAT II600V.	-			
		ipply: 2*AAA batter					
			TOTAL				
	*****	*********Nothing	Follows************				
		ABC = Php 165,72					
			INT OF VARIOUS EQUIPMENT FOR SE- TALISAY CAMPUS/L. GORRICETA				
	PR#	25-081-0213	02-13-25	†			
	INCOME	50-164-25-02	02-17-25				
		Date	Ву		Pri	inted Name/Sign	ature
	sed (BAC)						
Return	ned (Supplie	er)			Te	el. No./Cellphone	e No.