



PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 12073078
Procuring Entity CARLOS HILADO MEMORIAL STATE UNIVERSITY
Title Procurement of Various ICT Supplies and Common-use Supplies for the ICT Office use at Fortune Towne Campus
Area of Delivery Negros Occidental

Solicitation Number:	RFQ 25-246	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	Information Technology Parts & Accessories & Perip		
Approved Budget for the Contract:	PHP 50,966.16	Document Request List	0
Delivery Period:	20 Day/s		
Client Agency:		Date Published	28/05/2025
Contact Person:	Rowena De la Vida Prado Administrative Assistant II Mabini Street Talisay City Negros Occidental Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph	Last Updated / Time	27/05/2025 10:55 AM
		Closing Date / Time	04/06/2025 09:00 AM

Description

Republic of the Philippines
 CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0939) 929 6624
 bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION
 PAGE 1 OF 6
 Date: MAY 26, 2025
 Quotation No.: 25-246

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
 BAC Chairman

NOTE:

- ALL ENTRIES MUST BE TYPEWRITTEN
 - DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
 - WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
 - PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
 - G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
 - BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE
 NO. (Pls. indicate brand offered)
 LOT 1
 1 CAT 6 UTP CABLE 1 box

NCB-C6UBLUR-305, 23AWG Solid: 305M Blue

- 4 pairs of Unshielded Twisted Pair (UTP) Cables
- Metal Conductor: made of solid copper
- Color Code: Blue
- Conductor Diameter: Nominal 0.560mm, 23 AWG
- Insulation Diameter: Nominal 0.970mm, Insulation Material: HD-PE
- Cable Protective Jacket Material: PVC UL94V-0
- Cable Diameter: 6mm
- PE Central Cross separator

2 RJ45 CRIMP TOOL 4 pcs

Type: Pass-Through Ethernet Crimper

Compatibility: Cat5e, Cat6, Cat6A Modular Plugs

Functionality: All-in-One Crimping Tool

Feature: Pass-through capable.

3 ELECTRONIC CONTACT CLEANER SPRAY 5 can

For cleaning electrical contacts, relays, switches, circuit boards, motors, and other electronic components.

4 UHF RADIO/WALKIE TALKIE 4 unit

Key Features

Frequency Range: 136–174 MHz (VHF) / 400–520 MHz (UHF)

Dual-Band Display: Dual-frequency display and dual-standby capability.

Output Power: 8W (High/Mid/Low) or 5W (High/Low) adjustable.

Channels & Tones: 128 channels with 50 CTCSS and 104 DCS tones. Additional Features: VOX, Emergency Alert, LED Flashlight, Large LCD Display.

Battery Life: Up to 80 hours dual standby with 1800mAh battery.

Channel Steps: Adjustable (2.5/5/6.25/10/12.5 KHz).

Range

Typical Range: Up to 5 miles (8 km) in open terrain, depending on environmental conditions.

Urban Range: Approximately 1-3 miles (1.6-4.8 km) due to obstacles.

Included Accessories

- Dual-band antenna
- Rechargeable battery (1800mAh)
- Belt clip
- Hand strap
- Battery charger and power adapter

5 SOLDERING STATION WITH HOT AIR 1 unit

Type: Multifunction Rework & Soldering Station

Control: Microcontroller-based, digital adjust.

Display: Digital temp readout.

Rework (Hot Air):

500W, 100°C-500°C, ±5°C, 120L/min max.

AC 220V

Soldering Iron:

50W, 200°C-480°C, ±2°C (static).

AC 220V

Features: Independent station use, fault indicator.

6 SOLDERING LEAD 1 roll

1 roll approx: 4.5 meters long 0.6 mm thickness 60/40

7 HIGH PERFORMANCE THERMAL PASTE 5 Syringe

8 TV MOUNT BRACKET 1 Unit

Type: 6-Arm Full-Motion TV Wall Mount

Compatibility: 40-80 inch TVs (LCD, LED, Universal)

Weight Capacity: 200kg (approximately 440 lbs)

Adjustment:

Pitch: Adjustable 15° (Up/Down)

Retractable Arms.

Construction: Thickened and Widened Metal Construction.

Installation: Wall Mount.

Included: Full Set of Mounting Screws.

Key features: Heavy duty build, for large format televisions.

9 DESKTOP/NETWORK SWITCH 3 unit

Hardware features:

Ports: 5× 10/100/1000Mbps Auto-Negotiation RJ45 ports, supporting Auto-MDI/MDIX.

Standards and Protocols: IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x.

Power Supply: External power adapter (Output: 5VDC/0.6A).

Dimensions: 90 × 72 × 23 mm (3.5 × 2.8 × 0.9 in).

Power Consumption: Maximum of 3.7W.

Heat Dissipation: Maximum of 12.617 BTU/h.

Design: Plastic casing, fanless, desktop or wall-mountable.

10 OUTLET,SURFACE TYPE OUTLET 3-GANG, Heavy Duty 12 pcs

Electrical Specifications:

Type: A or B

Ampere Rating: 15A.

Maximum Power Capacity: 3,750 watts.

Voltage Rating: 250V.

Material and Build:

Materials: High-quality copper for excellent conductivity, PVC, and ABS for heavy-duty protection and durability.

Outer Cover: Heat-resistant casing to prevent damage from high temperatures.

Safety Features:

Outlet shutters for added protection against accidental contact.

Grounding included for enhanced safety.

TOTAL

LOT 2- SUPPLIES

11 ALCOHOL, ETHYL, 1 GALLON 1 gallon
 12 BATTERY, dry cell, AAA 50 pack
 13 BATTERY, dry cell, AA 25 pack
 14 CLIP, backfold, 25mm 2 box
 15 CORRECTION TAPE 5 Piece
 16 DATA FILE BOX 5 Piece
 17 FASTENER, metal 2 Box
 18 FOLDER with TAB, Legal 1 Pack
 19 FURNITURE CLEANER 5 Can
 20 MARKER, fluorescent 2 Set
 21 MARKER, Permanent, Black 5 Piece
 22 MARKER, Whiteboard, Blue 12 Piece
 23 NOTE PAD, stick on, 50mm x 76mm (2" x 3") min 6 Pad
 24 PAPER CLIP, vinyl/plastic coated, jumbo, 50mm 5 Box
 25 PAPER, MULTICOPY, A4 10 Ream
 26 PAPER, MULTICOPY, Legal 10 Ream
 27 STAPLER, Heavy Duty (Binder) 1 Unit
 28 STAPLE WIRE, heavy duty (binder type) 5 Box
 29 STAPLE WIRE, standard 5 Box
 30 TAPE, electrical 12 Roll
 31 TAPE, MASKING, 48mm 5 Roll
 32 TAPE, transparent, 48mm 5 Roll
 33 CABLE TIES, 3 x 100mm; 100 pieces per pack 5 Pack
 34 CABLE TIES, 3.6 x 200mm; 100 pieces per pack 5 Pack
 35 INK, Refill, for EPSON 003 Ink, Black 5 Bottle
 36 INK, Refill, for EPSON 003 Ink, Cyan 5 Bottle
 37 INK, Refill, for EPSON 003 Ink, Magenta 5 Bottle
 38 INK, Refill, for EPSON 003 Ink, Yellow 5 Bottle
 39 DOUBLE SIDED TAPE, Flex Double Sided Tissue General Purpose 5 Roll
 Tape 3/4 inch x 10m
 40 WALL CLOCK, Standard 1 pc
 41 INSTANT GLUE, Product Description: Type: Gel-type cyanoacrylate 5 tube
 adhesive.

Packaging: 3g per tube

Color: Clear to pale yellow liquid.

Key Features:

Advanced Formula: Provides superior bonding strength.

Impact Resistance: Greater durability compared to regular super glues.

Heat Resistance: Withstands temperatures up to 120°C permanently and 150°C intermittently.

Water Resistance: Highly resistant to water exposure.

Quick Setting Time: Bonds in 26-30 seconds.

Applications:

Suitable for bonding porous and non-porous materials such as:

Metal, Rubber, Leather, Wood, China and porcelain, Some plastics (except polypropylene and polyethylene).

42 GLUE STICK, 7mm x 190mm 40 pcs

TOTAL

*****Nothing Follows*****

LOT 1 = Php 30,400.00

LOT 2 = Php 20,566.16

TOTAL ABC = Php 50,966.16

PROCUREMENT OF SEMI-EXPENDABLE EQUIPMENT AND SUPPLIES TO SUPPORT ICT OFFICE FUNCTIONS - FORTUNE TOWNE CAMPUS / S. TAN (ICT Coordinator)

PR# 25-348-0402 04-02-25

INCOME 219-164-25-04 04-07-25

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	LOT 1	Various ICT Supplies	1	Lot	30,400.00
2	LOT 2	Common-use Supplies	1	Lot	20,566.16

Created by Rowena De la Vida Prado

Date Created 27/05/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 6

Date: MAY 26, 2025
Quotation No.: 25-246

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
BAO Chairman

NOTE:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN
- 2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
- 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
- 4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
- 5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	LOT 1				
1	CAT 6 UTP CABLE	1	box		
	NCB-C6UBLUR-305, 23AWG Solid: 305M Blue				
	- 4 pairs of Unshielded Twisted Pair (UTP) Cables				
	- Metal Conductor: made of solid copper				
	- Color Code: Blue				
	- Conductor Diameter: Nominal 0.560mm, 23 AWG				
	- Insulation Diameter: Nominal 0.970mm, Insulation Material: HD-PE				
	- Cable Protective Jacket Material: PVC UL94V-0				
	- Cable Diameter: 6mm				
	- PE Central Cross separator				
2	RJ45 CRIMP TOOL	4	pcs		
	Type: Pass-Through Ethernet Crimper				
	Compatibility: Cat5e, Cat6,Cat6A Modular Plugs				
	Functionality: All-in-One Crimping Tool				
	Feature: Pass-through capable.				
3	ELECTRONIC CONTACT CLEANER SPRAY	5	can		
	For cleaning electrical contacts, relays, switches, circuit boards, motors, and other electronic components.				
4	UHF RADIO/WALKIE TALKIE	4	unit		
	Key Features				
	Frequency Range: 136–174 MHz (VHF) / 400–520 MHz (UHF)				
	Dual-Band Display: Dual-frequency display and dual-standby capability.				
	Output Power: 8W (High/Mid/Low) or 5W (High/Low) adjustable.				
	Channels & Tones: 128 channels with 50 CTCSS and 104 DCS				

Released (BAC) _____
Returned (Supplier) _____

Date _____ By _____

Printed Name/Signature _____

Tel. No./Cellphone No. _____

Date _____



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 6

Date: MAY 26, 2025
Quotation No.: 25-246

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith

DR. ANDREW EUSEBIO S.TAN
BAC Chairman

NOTE:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN
- 2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
- 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
- 4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
- 5. G-EP5 REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	tones. Additional Features: VOX, Emergency Alert, LED Flashlight, Large LCD Display.				
	Battery Life: Up to 80 hours dual standby with 1800mAh battery.				
	Channel Steps: Adjustable (2.5/5/6.25/10/12.5 KHz).				
	Range				
	Typical Range: Up to 5 miles (8 km) in open terrain, depending on environmental conditions.				
	Urban Range: Approximately 1-3 miles (1.6-4.8 km) due to obstacles.				
	Included Accessories				
	Dual-band antenna				
	Rechargeable battery (1800mAh)				
	Belt clip				
	Hand strap				
	Battery charger and power adapter				
5	SOLDERING STATION WITH HOT AIR	1	unit		
	Type: Multifunction Rework & Soldering Station				
	Control: Microcontroller-based, digital adjust.				
	Display: Digital temp readout.				
	Rework (Hot Air):				
	500W, 100°C-500°C, ±5°C, 120L/min max.				
	AC 220V				
	Soldering Iron:				
	50W, 200°C-480°C, ±2°C (static).				
	AC 220V				

Released (BAC) _____ Date _____ By _____
Returned (Supplier) _____

Printed Name/Signature _____
Tel. No./Cellphone No. _____
Date _____




Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 6

Date: MAY 26, 2025
Quotation No.: 25-246

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. ANDREW EUSEBIO S.TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EP5 REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Features: Independent station use, fault indicator.				
6	SOLDERING LEAD	1	roll		
	1 roll approx: 4.5 meters long 0.6 mm thickness 60/40				
7	HIGH PERFORMANCE THERMAL PASTE	5	Syringe		
8	TV MOUNT BRACKET	1	Unit		
	Type: 6-Arm Full-Motion TV Wall Mount				
	Compatibility: 40-80 inch TVs (LCD, LED, Universal)				
	Weight Capacity: 200kg (approximately 440 lbs)				
	Adjustment:				
	Pitch: Adjustable 15° (Up/Down)				
	Retractable Arms.				
	Construction: Thickened and Widened Metal Construction.				
	Installation: Wall Mount.				
	Included: Full Set of Mounting Screws.				
	Key features: Heavy duty build, for large format televisions.				
9	DESKTOP/NETWORK SWITCH	3	unit		
	Hardware features:				
	Ports: 5× 10/100/1000Mbps Auto-Negotiation RJ45 ports,				
	supporting Auto-MDI/MDIX.				
	Standards and Protocols: IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab,				
	IEEE 802.3x.				
	Power Supply: External power adapter (Output: 5VDC/0.6A).				
	Dimensions: 90 × 72 × 23 mm (3.5 × 2.8 × 0.9 in).				
	Power Consumption: Maximum of 3.7W.				
	Heat Dissipation: Maximum of 12.617 BTU/h.				

Date _____ By _____
Released (BAC) _____
Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date _____



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 4 OF 6

Date: MAY 26, 2025
Quotation No.: 25-246

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EP5 REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Design: Plastic casing, fanless, desktop or wall-mountable.				
10	OUTLET , SURFACE TYPE OUTLET 3-GANG, Heavy Duty	12	pcs		
	Electrical Specifications:				
	Type: A or B				
	Ampere Rating: 15A.				
	Maximum Power Capacity: 3,750 watts.				
	Voltage Rating: 250V.				
	Material and Build:				
	Materials: High-quality copper for excellent conductivity, PVC, and				
	ABS for heavy-duty protection and durability.				
	Outer Cover: Heat-resistant casing to prevent damage from high				
	temperatures.				
	Safety Features:				
	Outlet shutters for added protection against accidental contact.				
	Grounding included for enhanced safety.				
	TOTAL				
	LOT 2- SUPPLIES				
11	ALCOHOL , ETHYL, 1 GALLON	1	gallon		
12	BATTERY , dry cell, AAA	50	pack		
13	BATTERY , dry cell, AA	25	pack		
14	CLIP , backfold, 25mm	2	box		
15	CORRECTION TAPE	5	Piece		
16	DATA FILE BOX	5	Piece		
17	FASTENER , metal	2	Box		
18	FOLDER with TAB, Legal	1	Pack		

Date _____ By _____
Released (BAC) _____
Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date




Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 5 OF 6

Date: MAY 26, 2025
Quotation No.: 25-246

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. ANDREW EUSEBIO S.TAN
BAC Chairman

NOTE:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN
- 2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
- 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
- 4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
- 5. G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
19	FURNITURE CLEANER	5	Can		
20	MARKER, fluorescent	2	Set		
21	MARKER, Permanent, Black	5	Piece		
22	MARKER, Whiteboard, Blue	12	Piece		
23	NOTE PAD, stick on, 50mm x 76mm (2" x 3") min	6	Pad		
24	PAPER CLIP, vinyl/plastic coated, jumbo, 50mm	5	Box		
25	PAPER, MULTICOPY, A4	10	Ream		
26	PAPER, MULTICOPY, Legal	10	Ream		
27	STAPLER, Heavy Duty (Binder)	1	Unit		
28	STAPLE WIRE, heavy duty (binder type)	5	Box		
29	STAPLE WIRE, standard	5	Box		
30	TAPE, electrical	12	Roll		
31	TAPE, MASKING, 48mm	5	Roll		
32	TAPE, transparent, 48mm	5	Roll		
33	CABLE TIES, 3 x 100mm; 100 pieces per pack	5	Pack		
34	CABLE TIES, 3.6 x 200mm; 100 pieces per pack	5	Pack		
35	INK, Refill, for EPSON 003 Ink, Black	5	Bottle		
36	INK, Refill, for EPSON 003 Ink, Cyan	5	Bottle		
37	INK, Refill, for EPSON 003 Ink, Magenta	5	Bottle		
38	INK, Refill, for EPSON 003 Ink, Yellow	5	Bottle		
39	DOUBLE SIDED TAPE, Flex Double Sided Tissue General Purpose	5	Roll		
	Tape 3/4 inch x 10m				
40	WALL CLOCK, Standard	1	pc		
41	INSTANT GLUE, Product Description:Type: Gel-type cyanoacrylate	5	tube		
	adhesive.				

Date _____ By _____
Released (BAC) _____
Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 6 OF 6

Date: MAY 26, 2025
Quotation No.: 25-246

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S. TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 20 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Packaging: 3g per tube				
	Color: Clear to pale yellow liquid.				
	Key Features:				
	Advanced Formula: Provides superior bonding strength.				
	Impact Resistance: Greater durability compared to regular super glues.				
	Heat Resistance: Withstands temperatures up to 120°C permanently and 150°C intermittently.				
	Water Resistance: Highly resistant to water exposure.				
	Quick Setting Time: Bonds in 26-30 seconds.				
	Applications:				
	Suitable for bonding porous and non-porous materials such as:				
	Metal, Rubber, Leather, Wood, China and porcelain, Some plastics (except polypropylene and polyethylene).				
43	GLUE STICK, 7mm x 190mm	40	pcs		
	TOTAL				
	***** Nothing Follows *****				
	LOT 1 = Php 30,400.00				
	LOT 2 = Php 20,566.16				
	TOTAL ABC = Php 50,966.16.00				
	PROCUREMENT OF SEMI-EXPENDABLE EQUIPMENT AND SUPPLIES TO SUPPORT ICT OFFICE FUNCTIONS - FORTUNE TOWNE CAMPUS / S. TAN (ICT Coordinator)				
	PR# 25-348-0402 04-02-25				
	INCOME 219-164-25-04 04-07-25				

Released (BAC) _____
Returned (Supplier) _____

Date _____ By _____

Printed Name/Signature

Tel. No./Cellphone No.

Date