

Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

12194515

Procuring Entity

CARLOS HILADO MEMORIAL STATE UNIVERSITY

Title

Procurement of Various ICT Supplies and Materials for the ICT Office - Talisay Campus

Area of Delivery

Negros Occidental

Solicitation Number:	RFQ 25-331	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	4.	
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	Information Technology Parts & Accessories & Perip		
Approved Budget for the Contract:	PHP 170,750.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	05/07/2025
Contact Person:	Rowena De la Vida Prado		
	Administrative Assistant II Mabini Street Talisay City Negros Occidental	Last Updated / Time	04/07/2025 16:09 PM
	Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph	Closing Date / Time	14/07/2025 09:00 AM

Description

Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624 bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 8

Date: JULY 03, 2025 Quotation No.: 25-331

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN BAC Chairman

NOTE:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN
- DELIVERY PERIOD WITHIN ____30__ CALENDAR DAYS
- 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
 - . PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS

```
G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE
NO. (Pls. indicate brand offered)
1 FAST ETHERNET MEDIA CONVERTER 6 unit
TP Port Speed: Auto-negotiation for 10/100 Mbps,
supporting both Full Duplex and Half Duplex
UTP Port Features: MDI/MDI-X auto crossover supported
Ethernet Packet Size Support: Minimum up to 1536 bytes
Flow Control:
Full Duplex: IEEE 802.3x flow control
Half Duplex: Back pressure flow control
MAC Address Table: Minimum 4K
Data Buffer: Minimum 256K
Connectors:
UTP: RJ-45, 10/100 Mbps
Fiber: SC connector, 1000 Mbps
Supported Cables:
UTP: Cat 5e or Cat 6, maximum distance up to 100 meters
Fiber (Multimode): 50/125 µm, 62.5/125 µm, maximum
distance up to 550 meters
Fiber (Singlemode): 8.3/125 µm, 8.7/125 µm, 9/125 µm,
maximum distance up to 100 kilometers
Power Supply:
Input: AC 110-240V to DC 5V or DC 48V to DC 5V
Operating Temperature: 0°C to 50°C
Storage Temperature: -40°C to 70°C
Operating Humidity: 5% to 90% non-condensing
Warranty: At least 1-year parts and service warranty
TOTAL
2 DUAL -BAND GIGABIT WIFI-6 ROUTER 10 unit
Wi-Fi Standard: Wi-Fi 6 (802.11ax)
Wi-Fi Speed: 5 GHz: Up to 2402 Mbps, 2.4 GHz: Up to 574 Mbps
Number of Antennas: 4 Fixed High-Performance External
Antennas
WAN & LAN Ports: 1× Gigabit WAN port
4× Gigabit LAN ports
Supported Features:
OFDMA & MU-MIMO
HomeShield Security (built-in parental controls and IoT
protection)
OneMesh™ support (TP-Link's proprietary mesh system)
Management App: TP-Link Tether App support
Power Supply: 12V - 2A
Dimensions: 260.2 \times 135 \times 41.6 \text{ mm}
At least 1-year warranty
TOTAL
3 CAT 6 UTP CABLE 3 unit
NCB-C6UBLUR-305, 23AWG Solid:305M Blue

    4 Pairs of Unshielded Twisted Pair (UTP) Cables

- Metal Conductor: made of solid copper
- Color Code: Blue
- Conductor Diameter: Nominal 0.560mm, 23 AWG
- Insulation Diameter: Nominal 0.970mm, Insulation
Material: HD-PE
- Cable Protective Jacket Material: PVC UL94V-0
- Cable Diameter: 6mm
- PE Central Cross separator
TOTAL
4 5 IN 1 REPAIR TOOLS KIT STAINLESS STEEL 3 units
SPUDGER PRY OPENING TOOL
TOTAL
5 VGA TO HDMI ADAPTER 5 pcs
Input: HDMI Male
Output: VGA Female
TOTAL
6 WIRELESS PRESENTATION REMOTE & 2 unit
LASER POINTER
Interface: USB, Bluetooth low energy technology and 2.4
GHz wireless connection
Indicator Lights (LED): Battery and Connectivity LED
Battery Life: 12 months + 1 extra week without a laser pointer
Laser: Class 2
Max output: less than 1 mW
System Requirements: Windows® 10 or later / Windows
8 / Windows 7, macOS® 10.12 or later, Chrome OS™,
Linux 2.6+, iOS 8 or later, Android™ 5.0 or later
At least 1-year warranty
TOTAL
7 UHD HDMI Extender Over Single CAT6/CAT5e UTP 4 pcs
```

LAN Cable

Length of CAT-6/CAT-5E cable between TX and RX: Up to

100meters

HDMI Input: 4K/1080p/1080i/720p/576p/576i/480p/480i HDMI Output: 4K/1080p/1080i/720p/576p/576i/480p/480i

Max bandwidth: up to 340MHz Max baud rate: 3x3 4Gbps

Input HDMI cable distance : ≤10m AWG26 HDMI standard cable Output HDMI cable distance :≤10m AWG26 HDMI standard cable

TX and RX Max working current: 450mA

Warranty: At least 1-year

TOTAL

8 5-PORT GIGABIT DESKTOP SWITCH 20 pcs

Full Gigabit Ports: 5× 10/100/1000 Mbps Auto-Negotiation

RJ45 port supporting Auto-MDI/MDIX

Multiple Installation Operation: Steel housing, desktop or

wall-mounting design

Durable Metal Casing: Allows for efficient heat dissipation

and long network life

Plug and Play: Simple to use and saves time and effort Power Saving: Green Ethernet technology saves power

Software Transfer Method: Store and Forward

Hardware Dimensions (W X D X H): 3.92 \times 3.86 \times 0.99 in Interfaces: 5× 10/100/1000Mbps Ports, Auto-Negotiation, Auto MDI/MDIX

External Power Supply: 5V/0.6A

Standards and Protocols: IEEE 802.3, IEEE 802.3u, IEEE

802.3x CSMA/CD

Data Rates: 10/100/1000 Mbps at Half Duplex;

20/200/2000 Mbps at Full Duplex

Buffer Capacity: 1 Mbit, Jumbo Frame: 9 KB

LED: Ethernet Ports (1, 2, 3, 4, 5), Power

Others Package Contents: 5-Port Gigabit Desktop Switch (MS105GS); Power Adapter; Quick Installation Guide

At least 1-year warranty

TOTAL

9 HDMI Male To Male Cable 30M 8 pcs

- HDMI V1.4 male to male cable
- Gold-plated connectors
- Resolution support: up to 4Kx2K@30Hz
- Cable length: 30M
- HDCP compliant
- Data transfer rate up to 10,2Gb/s
- Warranty: At least 1-year

TOTAL

10 HDMI Male To Male Cable 15M 8 pcs

- . HDMI V1.4 male to male cable
- Gold-plated connectors
- Resolution support: up to 4Kx2K@30Hz
- Cable length: 30M
- HDCP compliant
- Data transfer rate up to 10,2Gb/s
- Warranty: At least 1-year

TOTAL

11 4 PORT FAST ETHERNET UNMANAGED POE SWITCH 4 pcs Ports:

- At least 4 × 10/100 Mbps PoE ports
- At least 2 × 10/100 Mbps RJ45 uplink ports

PoE Standard Supported: IEEE 802.3af and IEEE 802.3at PoE Power Supply:

- Maximum port power: 30W per PoE port
- PoE power budget: At least 35W
- PoE power pins: 1/2(-), 3/6(+), 4/5(+), 7/8(-) Switching Capacity: At least 1.2 Gbps

Packet Forwarding Rate: At least 0.89 Mpps

MAC Address Table: Minimum 2K entries Internal Cache Memory: Minimum 768 Kbits Surge Protection: Minimum 6 kV for PoE ports

Installation Mode: Desk-mounted and wall-mounted Long Range Transmission:

Capable of up to 300 meters on PoE ports (actual performance

dependent on cable and device specifications)

Special Features:

 VIP Port function: Preferential data forwarding for designated ports under limited bandwidth conditions Power Supply:

48V DC, 0.8A

Maximum Power Consumption: Not exceeding 30W

Operating Temperature: 0°C to 40°C Storage Temperature: -40°C to 85°C

Operating Humidity: 5% to 95% non-condensing Certifications: Must be compliant with CE, FCC, RCM, UL, CB, RoHS, REACH, and WEEE standards Warranty: At least 1-year parts and service warranty TOTAL

***************Nothing Follows************

ITEM NO. 1 = Php 6,000.00

ITEM NO. 2 = Php 40,000.00

ITEM NO. 3 = Php 16,200.00

ITEM NO. 4 = Php 750.00ITEM NO. 5 = Php 5.000.00

ITEM NO. 6 = Php 4,600.00

ITEM NO. 7 = Php 9,600.00

ITEM NO. 8 = Php 15,000.00

ITEM NO. 9 = Php 44,000.00

ITEM NO. 10 = Php 12,800.00

ITEM NO. 11 = Php 16,800.00

TOTAL ABC = Php 170,750.00

PROCUREMENT OF CONSOLIDATED ICT SUPPLIES AND MATERIALS - TALISAY CAMPUS / A. TORRES

PR 25-677-0613 06-13-25 INCOME 459-164-25-06 06-13-25 - ITEM NO.1-8 PR 25-676-0613 06-13-25 INCOME 460-164-25-06 06-13-25 - ITEM 9 & 10

PR 25-675-0613 06-13-25 INCOME 461-164-25-06 06-13-25- ITEM NO. 11

Line Items					
Item No.	Product/Service Name	Description	Quantity	иом	Budget (PHP)
1	FAST ETHERNET MEDIA CONVERTER	TP Port Speed: Auto-negotiation for 10/100 Mbps, supporting both Full Duplex and Half Duplex UTP Port Features: MDI/MDI-X auto crossover supported Ethernet Packet Size Support: Minimum up to 1536 bytes Flow Control: Ful	6	Unit	6,000.00
2	DUAL -BAND GIGABIT WIFI-6 ROUTER	Wi-Fi Standard: Wi-Fi 6 (802.11ax) Wi-Fi Speed: 5 GHz: Up to 2402 Mbps, 2.4 GHz: Up to 574 Mbps Number of Antennas: 4 Fixed High-Performance External Antennas WAN & LAN Ports: 1× Gigabit WAN port 4× Gigabit LAN ports S	10	Unit	40,000.00
3	CAT 6 UTP CABLE	NCB-C6UBLUR-305, 23AWG Solid:305M Blue – 4 Pairs of Unshielded Twisted Pair (UTP) Cables – Metal Conductor: made of solid copper – Color Code: Blue – Conductor Diameter: Nominal 0.560mm, 23 AWG – Insulation Diameter: Nominal	3	Unit	16,200.00
4	5 IN 1 REPAIR TOOLS KIT STAINLESS STEELSPUDGER PR	•	3	Unit	750.00
5	VGA TO HDMI ADAPTER	Input: HDMI Male Output: VGA Female	5	Piece	5,000.00
6	WIRELESS PRESENTATION REMOTE & LASER POINTER	Interface: USB, Bluetooth low energy technology and 2.4 GHz wireless connection Indicator Lights (LED): Battery and Connectivity LED Battery Life: 12 months + 1 extra week without a laser pointer Laser: Class 2 Max output:	2	Unit	4,600.00
7	UHD HDMI Extender Over Single CAT6/CAT5e UTP LAN	Length of CAT-6/CAT-5E cable between TX and RX: Up to 100meters HDMI Input: 4K/1080p/1080i/720p/576p/576i/480p/480i HDMI Output: 4K/1080p/1080i/720p/576p/576i/480p/480i Max bandwidth: up to 340MHz Max baud rate: 3x3 4Gbps	4	Piece	9,600.00
8	5-PORT GIGABIT DESKTOP SWITCH	Full Gigabit Ports: 5× 10/100/1000 Mbps Auto-Negotiation RJ45 port supporting Auto-MDI/MDIX Multiple Installation Operation: Steel housing, desktop or wall- mounting design Durable Metal Casing: Allows for efficient heat dissipat	20	Piece	15,000.00
9	HDMI Male To Male Cable 30M	• HDMI V1.4 male to male cable • Gold- plated connectors • Resolution support: up to 4Kx2K@30Hz • Cable length: 30M • HDCP compliant • Data transfer rate up to 10,2Gb/s • Warranty: At least 1-year	8	Piece	44,000.00

printableBidNoticeAbstract

10	HDMI Male To Male Cable 15M	• HDMI V1.4 male to male cable • Gold- plated connectors • Resolution support: up to 4Kx2K@30Hz • Cable length: 30M • HDCP compliant • Data transfer rate up to 10,2Gb/s • Warranty: At least 1-year	8	Piece	12,800.00
11	4 PORT FAST ETHERNET UNMANAGED POE SWITCH	Ports: • At least 4 × 10/100 Mbps PoE ports • At least 2 × 10/100 Mbps RJ45 uplink ports PoE Standard Supported: IEEE 802.3af and IEEE 802.3at PoE Power Supply: • Maximum port power: 30W per PoE port • PoE power budg	4	Piece	16,800.00

Created by

Rowena De la Vida Prado

Date Created

04/07/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2025 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 8

Date: JULY 03, 2025 Quotation No.: 25-331

,					
Ple	ase quote your lowest price on the item/s listed below, stating the sh	ortest tin	ne of delive	ery and submit	
	otation duly signed by your representative not later than in the				
				4	
			DR. AN	DREW EUSEBIO S	S.TAN
				BAC Chairman	
NOTE:					
	ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS,	ONE (1) YEA	R FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OFCALENDAR DAYS			120	
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QU		NC OFFERE		
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PR	T CODUCT BEI	NG OFFERED		
ITEM	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
NO.	(Pls. indicate brand offered)				
1	FAST ETHERNET MEDIA CONVERTER	6	unit		
	TP Port Speed: Auto-negotiation for 10/100 Mbps,			-	
	supporting both Full Duplex and Half Duplex	-		-	
	UTP Port Features: MDI/MDI-X auto crossover supported	-			
	Ethernet Packet Size Support: Minimum up to 1536 bytes Flow Control:				
	Full Duplex: IEEE 802.3x flow control	-			
	Half Duplex: Back pressure flow control	-			
	MAC Address Table: Minimum 4K	-		-	
	Data Buffer: Minimum 256K	-			
	Connectors:	-		 	
	UTP: RJ-45, 10/100 Mbps	-		 	
	Fiber: SC connector, 1000 Mbps	+			
	Supported Cables:	 			
	UTP: Cat 5e or Cat 6, maximum distance up to 100 meters	-			
	Fiber (Multimode): 50/125 µm, 62.5/125 µm, maximum	-			
_	distance up to 550 meters	 			
	Fiber (Singlemode): 8.3/125 μm, 8.7/125 μm, 9/125 μm,	 			
	maximum distance up to 100 kilometers	1			
	Power Supply:				
	Input: AC 110–240V to DC 5V or DC 48V to DC 5V				
	Operating Temperature: 0°C to 50°C				
	Storage Temperature: -40°C to 70°C				
	Operating Humidity: 5% to 90% non-condensing				
	Warranty: At least 1-year parts and service warranty				
	TOTAL				
	Date By		Pri	nted Name/Sign	ature
Releas	ed (BAC))			
Return	ed (Supplier)		Te	el. No./Cellphone	No.



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 8

Date: JULY 03, 2025 Quotation No.: 25-331

Tel. No./Cellphone No.

	ase quote your lowest price on the item/s listed below, stating the sho				
your quo	otation duly signed by your representative not later than in the r	eturn enve	elope attach	ed herewith.	
				1	
			DR. AN	DREW EUSEBIO	S.TAN
				BAC Chairman	
NOTE:					
	ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN30 CALENDAR DAYS				
	 WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, 6 	ONE (1) YEA	R FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS				
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QU				
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PR	ODUCT BEI	NG OFFERED		
	ITEM A DECODIDEION				
ITEM	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
NO.	(Pls. indicate brand offered)	40	74		
2	DUAL -BAND GIGABIT WIFI-6 ROUTER	10	unit	-	
	Wi-Fi Standard: Wi-Fi 6 (802.11ax)			-	
	Wi-Fi Speed: 5 GHz: Up to 2402 Mbps, 2.4 GHz: Up to 574 Mbps			-	
	Number of Antennas: 4 Fixed High-Performance External				
	Antennas				
	WAN & LAN Ports: 1× Gigabit WAN port				
	4× Gigabit LAN ports				
	Supported Features:			<u></u>	
	OFDMA & MU-MIMO			<u> </u>	
	HomeShield Security (built-in parental controls and IoT				
	protection)				
	OneMesh™ support (TP-Link's proprietary mesh system)				
	Management App: TP-Link Tether App support				
	Power Supply: 12V – 2A			ļ	
	Dimensions: 260.2 × 135 × 41.6 mm		2		
	At least 1-year warranty				
	TOTAL				
3	CAT 6 UTP CABLE	3	unit		
	NCB-C6UBLUR-305, 23AWG Solid:305M Blue				
	– 4 Pairs of Unshielded Twisted Pair (UTP) Cables				
	Metal Conductor: made of solid copper				
	- Color Code: Blue				
	- Conductor Diameter: Nominal 0.560mm, 23 AWG				
	- Insulation Diameter: Nominal 0.970mm, Insulation				
	Date By		Pri	inted Name/Sign	ature
Release	ed (BAC)				



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 8

Date: JULY 03, 2025 Quotation No.: 25-331

	ase quote your lowest price on the item/s listed below, stating the sho		elope attache		S.TAN			
NOTE:								
NOTE.	ALL ENTRIES MUST BE TYPEWRITTEN							
	DELIVERY PERIOD WITHIN							
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, C	NE (1) YEA	R FOR					
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY							
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS							
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QU	OTATION						
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED							
ITEM	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE			
NO.	(Pls. indicate brand offered)	QII.	ONIT	UNIT PRICE	TOTALTRICE			
	Material: HD-PE							
	- Cable Protective Jacket Material: PVC UL94V-0							
	– Cable Diameter: 6mm							
	– PE Central Cross separator				I.			
	TOTAL							
4	5 IN 1 REPAIR TOOLS KIT STAINLESS STEEL	3	units					
7.1	SPUDGER PRY OPENING TOOL							
	TOTAL							
5	VGA TO HDMI ADAPTER	5	pcs					
	Input: HDMI Male							
	Output: VGA Female							
	TOTAL							
6	WIRELESS PRESENTATION REMOTE &	2	unit					
	LASER POINTER							
	Interface: USB, Bluetooth low energy technology and 2.4							
	GHz wireless connection							
	Indicator Lights (LED): Battery and Connectivity LED							
	Battery Life: 12 months + 1 extra week without a laser pointer				IA.			
	Laser: Class 2							
	Max output: less than 1 mW							
-	System Requirements: Windows® 10 or later / Windows							
	8 / Windows 7, macOS® 10.12 or later, Chrome OS™,							
	Linux 2.6+, iOS 8 or later, Android™ 5.0 or later							
	At least 1-year warranty							
	TOTAL							
				L				
	Date By		Pri	nted Name/Sign	ature			
Releas	ed (BAC)							
	ed (Supplier)	,	Te	l. No./Cellphone	No.			
recuir	(oappiio.)		10		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 4 OF 8

Date: JULY 03, 2025

				Quotation No.: 25	o-331
Ple	ase quote your lowest price on the item/s listed below, stating the sho	ortest tin	ne of delive	ery and submit	
	otation duly signed by your representative not later than in the r		/		
				2	
			DR. AN	DREW EUSEBIO	S.TAN
				BAC Chairman	
NOTE:					
	ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN30_ CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, C	ONE (1) YEA	R FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS				
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QU				
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRO	DDOCT BEI	NG OFFERED		
17750	ITEM A DECODIBIION				
ITEM	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
NO.	(Pls. indicate brand offered)				
7	UHD HDMI Extender Over Single CAT6/CAT5e UTP	4	pcs		
	LAN Cable				
	Length of CAT-6/CAT-5E cable between TX and RX: Up to			_	
	100meters				
	HDMI Input: 4K/1080p/1080i/720p/576p/576i/480p/480i				
	HDMI Output: 4K/1080p/1080i/720p/576p/576i/480p/480i				
	Max bandwidth: up to 340MHz				
	Max baud rate: 3x3 4Gbps Input HDMI cable distance : ≤10m AWG26 HDMI standard cable				
	Output HDMI cable distance : ≤10m AWG26 HDMI standard cable				
	TX and RX Max working current: 450mA				
	Warranty: At least 1-year				
	TOTAL	-			
8	5-PORT GIGABIT DESKTOP SWITCH	20	pcs		
0	Full Gigabit Ports: 5× 10/100/1000 Mbps Auto-Negotiation	20	pcs		
	RJ45 port supporting Auto-MDI/MDIX				
	Multiple Installation Operation: Steel housing, desktop or				
	wall-mounting design				
	Durable Metal Casing: Allows for efficient heat dissipation				
	and long network life				
	Plug and Play: Simple to use and saves time and effort				
	Power Saving: Green Ethernet technology saves power				-
	Software Transfer Method: Store and Forward				
	Hardware Dimensions (W X D X H): 3.92 × 3.86 × 0.99 in				
	Date By		Pri	nted Name/Sign	ature
Releas	ed (BAC)	22			
	ed (Supplier)		Te	I. No./Cellphone	No.



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 5 OF 8

Date: JULY 03, 2025 Quotation No.: 25-331

	ase quote your lowest price on the item/s listed below, stating the sh				
your quo	otation duly signed by your representative not later than in the	return enve	elope attache	ed herewith.	
			DP AN	DREW EUSEBIO S	TAN
			DR. AN	BAC Chairman	D. I AN
				DAC CHAIIIIIaii	
NOTE:					
NOTE.	ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS,	ONE (1) YEA	R FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OFCALENDAR DAYS				
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QU	IOTATION			
	 BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PR 	ODUCT BEI	NG OFFERED		
				, , , , , , , , , , , , , , , , , , , ,	
ITEM	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
NO.	(Pls. indicate brand offered)	4.11		• • • • • • • • • • • • • • • • • • • •	
	Interfaces: 5× 10/100/1000Mbps Ports, Auto-Negotiation,				
	Auto MDI/MDIX				
	External Power Supply: 5V/0.6A				
	Standards and Protocols: IEEE 802.3, IEEE 802.3u, IEEE				
	802.3x CSMA/CD	-			
	Data Rates: 10/100/1000 Mbps at Half Duplex;	-		-	
	20/200/2000 Mbps at Full Duplex				
	Buffer Capacity: 1 Mbit, Jumbo Frame: 9 KB LED: Ethernet Ports (1, 2, 3, 4, 5), Power	-		1	
	Others Package Contents: 5-Port Gigabit Desktop Switch				
	(MS105GS); Power Adapter; Quick Installation Guide				
	At least 1-year warranty				
	TOTAL				
9	HDMI Male To Male Cable 30M	8	pcs		
	HDMI V1.4 male to male cable				
	Gold-plated connectors				
	Resolution support: up to 4Kx2K@30Hz				
	Cable length: 30M				
	HDCP compliant				
	Data transfer rate up to 10,2Gb/s				
	Warranty: At least 1-year				
	TOTAL				
10	HDMI Male To Male Cable 15M	8	pcs		
	HDMI V1.4 male to male cable		L		
	Data		-	-td N 'O'	
D. I	Date By		Pn	nted Name/Sign	ature
	ed (BAC) ed (Supplier)		Т-	el. No./Cellphone	No.
Recurn	eu (Suppliei)		16	140./ Compriorie	



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 6 OF 8

Date: JULY 03, 2025 Quotation No.: 25-331

Tel. No./Cellphone No.

	ease quote your lowest price on the item/s listed below, stating the shootation duly signed by your representative not later than in the re-				
			DR. AN	DREW EUSEBIO S BAC Chairman	S.TAN
NOTE:					
	ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN30 CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, G	ONE (1) YEA	R FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS	OTATION			
	 G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QU BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRI 		NG OFFERED		
	6. BIDDERS SHALL SUBMIT UNIGHAL BRUCHURES SHOWING CERTIFICATIONS OF THE PRO	oboci ben	NO OTTENED		
ITEM	ITEM & DESCRIPTION	T	T		
NO.	(Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Gold-plated connectors				
	Resolution support: up to 4Kx2K@30Hz			=	
	Cable length: 30M				
	HDCP compliant				
	Data transfer rate up to 10,2Gb/s				
	Warranty: At least 1-year				
	TOTAL				
11	4 PORT FAST ETHERNET UNMANAGED POE SWITCH	4	pcs		
	Ports:				
	At least 4 × 10/100 Mbps PoE ports At least 4 × 10/100 Mbps PoE ports At least 4 × 10/100 Mbps PoE ports				
	At least 2 × 10/100 Mbps RJ45 uplink ports Pos Standard Supported: ISSS 903 3of and ISSS 903 3of			-	
	PoE Standard Supported: IEEE 802.3af and IEEE 802.3at PoE Power Supply:	-			
	Maximum port power: 30W per PoE port				
	PoE power budget: At least 35W				
	• PoE power pins: 1/2(-), 3/6(+), 4/5(+), 7/8(-)				
	Switching Capacity: At least 1.2 Gbps				
	Packet Forwarding Rate: At least 0.89 Mpps				
	MAC Address Table: Minimum 2K entries				
	Internal Cache Memory: Minimum 768 Kbits				
	Surge Protection: Minimum 6 kV for PoE ports				
	ourge reconstruction of the form	1			
	Installation Mode: Desk-mounted and wall-mounted				



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 7 OF 8

Date: JULY 03, 2025 Quotation No.: 25-331

Tel. No./Cellphone No.

our qu	uotation duly signed by your representative not later than in the r	eturn enve		DREW EUSEBIO S	S.TAN
				BAC Chairman	
NOTE:					
	1. ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS	ONE (4) VE	D COD		
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, (DINE (T) 1EN	IK FUK		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QU	OTATION			
	BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PROPERTY OF THE PRO		NG OFFERED		
	o. Sissing since south of the si				
ITEM	ITEM & DESCRIPTION				
NO.	(Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
110.	dependent on cable and device specifications)				
_	Special Features:				
	VIP Port function: Preferential data forwarding for				
	designated ports under limited bandwidth conditions				
	Power Supply:				
	• 48V DC, 0.8A				
	Maximum Power Consumption: Not exceeding 30W				
	Operating Temperature: 0°C to 40°C				
	Storage Temperature: -40°C to 85°C				
	Operating Humidity: 5% to 95% non-condensing				
	operating frammary: 576 to 5576 from condensing				
	Certifications: Must be compliant with CF, ECC, RCM, UL.	1			
	Certifications: Must be compliant with CE, FCC, RCM, UL,				
	CB, RoHS, REACH, and WEEE standards				
	CB, RoHS, REACH, and WEEE standards Warranty: At least 1-year parts and service warranty				
	CB, RoHS, REACH, and WEEE standards Warranty: At least 1-year parts and service warranty TOTAL				
	CB, RoHS, REACH, and WEEE standards Warranty: At least 1-year parts and service warranty TOTAL ***********************************				
	CB, RoHS, REACH, and WEEE standards Warranty: At least 1-year parts and service warranty TOTAL ***********************************				
	CB, RoHS, REACH, and WEEE standards Warranty: At least 1-year parts and service warranty TOTAL ***********************************				
	CB, RoHS, REACH, and WEEE standards Warranty: At least 1-year parts and service warranty TOTAL ***********************************				
	CB, RoHS, REACH, and WEEE standards Warranty: At least 1-year parts and service warranty TOTAL ***********************************				
	CB, RoHS, REACH, and WEEE standards Warranty: At least 1-year parts and service warranty TOTAL ***********************************				
	CB, RoHS, REACH, and WEEE standards Warranty: At least 1-year parts and service warranty TOTAL ***********************************				



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 8 OF 8

Date: JULY 03, 2025 Quotation No.: 25-331

	1,000								
Ple	ase quote your lo	west price	on the iten	n/s listed below,	stating the sho	ortest tim	e of deliv	ery and submit	
	otation duly signed by								
								1	
							DR. AN	IDREW EUSEBIO	S.TAN
								BAC Chairman	
NOTE.									
NOTE:	ALL ENTRIES MU	CT DE TVDEWDIT	FTEN						
	DELIVERY PERIOD			R DAYS					
) MONTHS FOR SUPPL	IES & MATERIALS. O	ONE (1) YEA	R FOR		
				THE PROCURING ENT					
				CALENDAR DAY					
				TTACHED UPON SUBN		OTATION			
	6. BIDDERS SHALL S	SUBMIT ORIGINA	AL BROCHUR	ES SHOWING CERTIFIC	ATIONS OF THE PRO	DDUCT BEIN	G OFFERED		
ITEM			& DESCR			QTY.	UNIT	UNIT PRICE	TOTAL PRICE
NO.			icate bran	d offered)					
	ITEM NO. 9 = Php							-	
	ITEM NO. 10 = Ph							-	
	ITEM NO. 11 = Ph		-0.00					-	
	TOTAL ABC = I			IPPLIES AND MAT	FRIALS -				
	TALISAY CAMPUS			or the river					
	PR 25-677-0613	06-13-25	INCOME	459-164-25-06	06-13-25 - ITI				
	PR 25-676-0613	06-13-25	INCOME	460-164-25-06	06-13-25 - ITI				
	PR 25-675-0613	06-13-25	INCOME	461-164-25-06	06-13-25- ITE	M NO. 1	1		
					*				
								 	
								-	
								-	
	7								
		·····							
								1	
		Date		Ву			Pri	nted Name/Sign	ature
Releas	ed (BAC)		-			2			
	ed (Supplier)						Te	el. No./Cellphone	e No.