

Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

12223853

Procuring Entity

CARLOS HILADO MEMORIAL STATE UNIVERSITY

Title

Procurement of CCTV Systems Enhancement for the Various Buildings in Talisay Campus

Area of Delivery

Negros Occidental

Solicitation Number:	RFQ 25-346	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	Information Technology		
Approved Budget for the Contract:	PHP 275,946.11	Document Request List	0
Delivery Period:	90 Day/s		
Client Agency:		Date Published	16/07/2025
Contact Person:	Rowena De la Vida Prado		
	Administrative Assistant II Mabini Street Talisay City Negros Occidental	Last Updated / Time	15/07/2025 10:05 AM
	Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph	Closing Date / Time	23/07/2025 09:00 AM

Description

Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624 bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 5 Date: JULY 11, 2025 Quotation No.: 25-346

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than ______ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN BAC Chairman

NOTE:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN
- DELIVERY PERIOD WITHIN ___90__ CALENDAR DAYS
- 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
- 4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
- G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION

6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE

NO. (Pls. indicate brand offered)

1 CCTV SYSTEMS ENHANCEMENT, with Installation 1 lot

Specifications:

4 MP FIXED DOME NETWORK CAMERA (INDOOR)- 15 UNITS

- Image Sensor 1/3" Progressive Scan CMOS
- . Min. Illumination Color: 0.01 Lux @(F2.0, AGC ON), B/W: 0 Lux with IR
- Shutter Speed 1/3 s to 1/100, 000 s
- . Slow Shutter Yes
- Wide Dynamic Range Digital WDR
- . Day & Night IR cut filter
- Angle Adjustment Pan: 0° to 355°, tilt: 0° to 75°

Lens

Focal Length & FOV 2.8 mm, horizontal FOV 98.0°.

vertical FOV 53.1°, diagonal FOV 114.7° 4 mm, horizontal FOV 78.7°,

vertical FOV 43.1°, diagonal FOV 92.3°

- Lens MountM12
- · Focus Fixed
- Aperture F2.0

Video

- Max. Resolution 2560 × 1440
- Main Stream

50 Hz: 20 fps (2560 \times 1440); 25 fps (1920 \times 1080,1280 \times 720)

60 Hz; 20 fps (2560 × 1440); 30 fps (1920 × 1080,1280 x 720)

Sub-Stream

50 Hz: 25 fps (640 × 480, 640 × 360)

60 Hz: 30 fps (640 × 480, 640 × 360)

Video Compression

Main Stream: H.265/H.264/H.265+/H.264+

Sub-Stream: H.265/H.264/MJPEG

- Video Bit Rate 32 Kbps to 8 Mbps
- H.264 Type Baseline Profile/Main Profile/High Profile
- H.265 Type Main Profile
- H.264+ Main Stream supports
- H.265+ Main Stream supports
- Region Of Interest (ROI) 1 fixed region for main stream

Network

• Protocols TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS,

RTP, RTSP, RTCP, PPPoE, NTP, UPnP™, SMTP, SNTP, IGMP, QoS,

IPv6, Bonjour, IPv4, UDP, SSL/TLS

- Simultaneous Live View Up to 6 channels
- · API Open Network Video Interface, ISAPI
- · User/HostUp to 32 users. 3 levels: administrator, operator and HSEC

- . Image Settings: Saturation, brightness, contrast, sharpness, AGC, white balance adjustable by client software or web browser.
- Day/Night Switch Day, Night, Auto, Schedule, Day, Night
- Image Enhancement BLC, 3D DNR

Interface

• Ethernet Interface 1 RJ45 10 M/100 M self-adaptive Ethernet port

· Basic Event Motion detection, video tampering alarm, exception

General

- · Linkage Method Upload to FTP, notify surveillance center, send email
- · General Function Anti-flicker, heartbeat, mirror, password protection, privacy mask, watermark, IP address filter

Power Consumption and Current

12 VDC, 0.4 A, max. 5 W

PoE: (802.3af, 36 V to 57 V), 0.2 A to 0.15 A, max. 6.5 W

Power Supply

12 VDC ± 25%

PoE: 802.3af, Class 3

- Power Interface ø 5.5 mm coaxial power plug
- 4.0 MP IR NETWORK MINI BULLET (OUTDOOR)- 15 UNITS
- 1/2.8" progressive scan CMOS
- 2560x1440 @30fps
- 2.8 mm fixed lens
- H.265, H.264
- Dual Stream
- Digital WDR (Wide Dynamic Range)
- 3D DNR (Digital Noise Reduction)
- Up to 30 m IR Range
- PoE (Power over Ethernet)
- IP67/ METAL & PLASTIC HOUSING

Inclusions:

16-ch 1U 4K NVR- 1 UNIT • H.265+/H.265/H.264+/H.264 video formats

• Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity

. Up to 160 Mbps incoming bandwidth

4TB HDD

32-ch 1U 4K NVR- 1 UNIT

• H.265+/H.265/H.264+/H.264 video formats

• Decoding Capacity: Enable AI by NVR: 20-ch @1080p (30 fps)

Disable AI by NVR: 32-ch @1080p (30 fps)

Up to 256 Mbps incoming bandwidth

• 8TB HDD

PROFESSIONAL ELECTRONICS ENGINEER supervision & design

- provide softcopy of the as-built diagram of the installed cameras.

Provide user manual and end-user training for operations and

maintenance

DEVICE CONFIGURATION & COMMISSIONING

ROUGHING INS Harnessing Cables and Ties; PVC Pipes; Metal

Clamps; PVC Square and Junction Boxes; GI Pull Wires

Utility boxes; Mouldings Site Survey certification

Local after-sales support- within Negros Island

Note: 1 year warranty; 1 week replacement;

90 days delivery

TOTAL

**************Nothing Follows**********

TOTAL ABC = Php 275,946.11

PROCUREMENT OF CCTV FOR TALISAY ADMIN BUILDING, TEB, LAB SCHOOL AND PRESIDENT COTTAGE CCTV

ENHANCEMENT- TALISAY CAMPUS/A. TORRES

PR# 25-683-0616 06-16-25

INCOME 473-164-25-06 06-27-25

Line Items

Lot

1

CCTV Systems Enhancement

with Installation

1

275.946.11

Created by

Rowena De la Vida Prado

Date Created

15/07/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2025 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 5

Date: JULY 11, 2025 Quotation No.: 25-346

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than in the return envelope attached herewith. DR. ANDREW EUSEBIO S.TAN BAC Chairman					
NOTE:					
	1. ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN 90 CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE	(1) YEAR FO	R		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OFCALENDAR DAYS	TION			
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTA		EEEDED		
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODU	CI BEING U	FFERED		
ITEM	ITEM & DESCRIPTION			1	
NO.	*	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
1	(Pls. indicate brand offered)	1	lot		
1	CCTV SYSTEMS ENHANCEMENT, with Installation	1	iot		
	Specifications: 4 MP FIXED DOME NETWORK CAMERA (INDOOR)- 15 UNITS				
-	Cameras				
	Image Sensor 1/3" Progressive Scan CMOS				
-	Min. Illumination Color: 0.01 Lux @(F2.0, AGC ON), B/W: 0 Lux with IR				
	• Shutter Speed 1/3 s to 1/100, 000 s				
-	• Slow Shutter Yes				
	Wide Dynamic Range Digital WDR			 	
	Day & Night IR cut filter				
	Angle Adjustment Pan: 0° to 355°, tilt: 0° to 75°			 	
				-	
	Lens	-			
	• Focal Length & FOV 2.8 mm, horizontal FOV 98.0°,			-	
-	vertical FOV 53.1°, diagonal FOV 114.7° 4 mm, horizontal FOV 78.7°,				
	vertical FOV 43.1°, diagonal FOV 92.3°	-		-	
	Lens MountM12 Force Fixed				
	• Focus Fixed	-			
	Aperture F2.0 Aperture F2.0 Aperture F2.0				
	Video				
	Max. Resolution 2560 × 1440				
	Main Stream (2560 1110) 25 5 (1020 1220 1220 1220)	-			
	50 Hz: 20 fps (2560 × 1440); 25 fps (1920 × 1080,1280 × 720)				
	60 Hz: 20 fps (2560 × 1440); 30 fps (1920 × 1080,1280 x 720)				
	Date By	8	Pri	nted Name/Sign	ature
Releas	ed (BAC)			O PARE SOLETIME	o rest
Return	Returned (Supplier) Tel. No./Cellphone No.				



Returned (Supplier) _

Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 5

Date: JULY 11, 2025

Tel. No./Cellphone No.

				Quotation No.: 25	5-346	
Ple your qu	ase quote your lowest price on the item/s listed below, stating the short	test time o	f delivery a attached h	and submit		
	DR. ANDREW EUSEBIO S.TAN BAC Chairman					
NOTE:						
	ALL ENTRIES MUST BE TYPEWRITTEN					
	2. DELIVERY PERIOD WITHIN90 CALENDAR DAYS					
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ON	E (1) YEAR FO	R			
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY					
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS					
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOT					
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PROD	OUCT BEING O	FFERED			
ITEM	ITEM & DESCRIPTION					
ITEM		QTY.	UNIT	UNIT PRICE	TOTAL PRICE	
NO.	(Pls. indicate brand offered) • Sub-Stream	+				
	50 Hz: 25 fps (640 × 480, 640 × 360)	+				
-	60 Hz: 30 fps (640 × 480, 640 × 360)	+				
	• Video Compression	+				
	Main Stream: H.265/H.264/H.265+/H.264+	+				
	Sub-Stream: H.265/H.264/MJPEG	+		<u> </u>		
	Video Bit Rate 32 Kbps to 8 Mbps					
	H.264 Type Baseline Profile/Main Profile/High Profile	1				
	H.265 Type Main Profile	+				
-	H.264+ Main Stream supports					
	H.265+ Main Stream supports	1		<u> </u>		
	Region Of Interest (ROI) 1 fixed region for main stream	+				
	Network	++				
	Protocols TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS,	1				
_	RTP, RTSP, RTCP, PPPoE, NTP, UPnP™, SMTP, SNTP, IGMP, QoS,					
	IPv6, Bonjour, IPv4, UDP, SSL/TLS					
	Simultaneous Live View Up to 6 channels					
	API Open Network Video Interface, ISAPI					
	User/HostUp to 32 users. 3 levels: administrator, operator and					
	user					
	Image					
	Image Settings: Saturation, brightness, contrast, sharpness,					
	AGC, white balance adjustable by client software or web browser.					
	Day/Night Switch Day, Night, Auto, Schedule, Day, Night					
		11				
Dologo	Date By		Pri	nted Name/Sigr	ature	



Returned (Supplier) _

Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 5

Date: JULY 11, 2025 Quotation No.: 25-346

Tel. No./Cellphone No.

		Quotation No.: 25-346				
Die	ase quote your lowest price on the item/s listed below, stating the shorte	est time o	f delivery	and submit		
your que	otation duly signed by your representative not later than in the return	rn envelope	DR. AND	REW-EUSEBIO S. BAC Chairman	ΓΑΝ	
NOTE:						
NOTE:	ALL ENTRIES MUST BE TYPEWRITTEN					
	2. DELIVERY PERIOD WITHIN 90 CALENDAR DAYS					
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE	(1) YEAR FO	R			
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY					
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS					
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTA	ATION				
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODU	JCT BEING O	FFERED			
ITEM	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE	
NO.	(Pls. indicate brand offered)	Q i i .	Oiti	CHITTIGE	101712111102	
	Image Enhancement BLC, 3D DNR					
	Interface					
	Ethernet Interface 1 RJ45 10 M/100 M self-adaptive Ethernet port					
	Event					
	Basic Event Motion detection, video tampering alarm, exception					
	General					
	Linkage Method Upload to FTP, notify surveillance center, send email					
	General Function Anti-flicker, heartbeat, mirror, password protection,					
	privacy mask, watermark, IP address filter					
	Power Consumption and Current					
	12 VDC, 0.4 A, max. 5 W					
	PoE: (802.3af, 36 V to 57 V), 0.2 A to 0.15 A, max. 6.5 W					
	Power Supply					
	12 VDC ± 25%					
	PoE: 802.3af, Class 3					
	Power Interface ø 5.5 mm coaxial power plug					
	- 4.0 MP IR NETWORK MINI BULLET (OUTDOOR)- 15 UNITS					
	• 1/2.8" progressive scan CMOS					
	• 2560x1440 @30fps					
	• 2.8 mm fixed lens					
	• H.265, H.264					
	Dual Stream					
	Digital WDR (Wide Dynamic Range)					
Deles	Date By		Pr	inted Name/Sigr	nature	



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 4 OF 5

Date: JULY 11, 2025 Quotation No.: 25-346

	Quotation No.: 25-346					-346
Plea	ase	quote your lowest price on the item/s listed below, stating the shorte	est time o	f delivery	and submit	
your quo	tati	on duly signed by your representative not later than in the retu	rn envelope	attached h	erewith.	
				DD AND	DEW FUSERIO S	FAN
	DR. AND REW EUSEBIO S.TAN BAC Chairman					
					SAC Chairnan	
NOTE:						
NOTE:	1.	ALL ENTRIES MUST BE TYPEWRITTEN				
	2.	DELIVERY PERIOD WITHIN 90 CALENDAR DAYS				
	3.	WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE	(1) YEAR FO	R		
		EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4.	PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS			£	
	5.	G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTA	ATION			
	6.	BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODU	JCT BEING O	FFERED		
					,	
ITEM		ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
NO.		(Pls. indicate brand offered)	2			
	• 3	BD DNR (Digital Noise Reduction)				
	_	Jp to 30 m IR Range				
		PoE (Power over Ethernet)	-			
	-	P67/ METAL & PLASTIC HOUSING	-			
		clusions:				
	_	i-ch 1U 4K NVR- 1 UNIT	-			
		H.265+/H.265/H.264+/H.264 video formats	-			
	_	Jp to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity	-			
	-	Up to 160 Mbps incoming bandwidth				
	_	4TB HDD	\vdash		-	
	-	2-ch 1U 4K NVR- 1 UNIT	-			
		H.265+/H.265/H.264+/H.264 video formats Decoding Capacity: Enable AI by NVR: 20-ch @1080p (30 fps)	-			
	-	sable AI by NVR: 32-ch @1080p (30 fps)	-			
-	_	Up to 256 Mbps incoming bandwidth				
-	-	8TB HDD				
	-					
-	PF	ROFESSIONAL ELECTRONICS ENGINEER supervision & design			1	
-	_	provide softcopy of the as-built diagram of the installed cameras.				
		ovide user manual and end-user training for operations and				
	+-	aintenance				
	DI	EVICE CONFIGURATION & COMMISSIONING				
	R	DUGHING INS Harnessing Cables and Ties;PVC Pipes; Metal				
	CI	amps; PVC Square and Junction Boxes; GI Pull Wires				
			M.			
		Date By		Pr	inted Name/Sigr	nature
Releas	ed	(BAC)	,			
Return	Returned (Supplier) Tel. No./Cellphone No.					



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 5 OF 5

Date: JULY 11, 2025

			Quotation No.: 25-346		
Ple	ase quote your lowest price on the item/s listed below, stating the shorte	est time o	f delivery	and submit	
your qu	otation duly signed by your representative not later than in the retu	rn envelope	attached he	erewith.	
		(REW EUSEBIO S.1	TAN
				BAC Chairman	
NOTE:					
	ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN90 CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE	(1) YEAR FO	R		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OFCALENDAR DAYS				
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTA				
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODU	JCT BEING O	FFERED		
ITEM	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
NO.	(Pls. indicate brand offered)	WII.	Oleri	ONTTINOL	101721102
	Utility boxes; Mouldings				
	Site Survey certification				
	Local after-sales support- within Negros Island				
	Note: 1 year warranty; 1 week replacement;				
_	90 days delivery				
	TOTAL				

	TOTAL ABC = Php 275,946.11				
	PROCUREMENT OF CCTV FOR TALISAY ADMIN BUILDING, TEB, LAB SCHOOL				
	AND PRESIDENT COTTAGE CCTV ENHANCEMENT- TALISAY CAMPUS/A.				
	TORRES	-			
	PR# 25-683-0616 06-16-25	-			
	INCOME 473-164-25-06 06-27-25	+			
		-			
		-			
		+			
		-		 	
		-			
		-			
				-	
		-		1	
		-			
					L
		3			
	Date By		Pri	inted Name/Sigr	nature
Relea	sed (BAC)	3			
Retur	ned (Supplier)		Te	el. No./Cellphon	e No.