



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 12278465
Procuring Entity CARLOS HILADO MEMORIAL STATE UNIVERSITY
Title Procurement of Various Electronics and ICT Supplies and Materials for the OSAS of Binalbagan Campus and Conference Room of Alijis Campus
Area of Delivery Negros Occidental

Solicitation Number:	RFQ 25-405	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	Electronic Parts and Components		
Approved Budget for the Contract:	PHP 191,610.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	05/08/2025
Contact Person:	Rowena De la Vida Prado Administrative Assistant II Mabini Street Talisay City Negros Occidental Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph	Last Updated / Time	04/08/2025 11:31 AM
		Closing Date / Time	12/08/2025 09:00 AM

Description

Republic of the Philippines
 CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0939) 929 6624
 bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION
 PAGE 1 OF 4
 Date: JULY 31, 2025
 Quotation No.: 25-405

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
 BAC Chairman

NOTE:

- ALL ENTRIES MUST BE TYPEWRITTEN
- DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
- G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION

6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE
NO. (Pls. indicate brand offered)

ONE(1) LOT

1 WIRELESS ROUTER with PoE 48v WIRELESS ROUTER with PoE 48v 8 unit
WIFI 6 WIFI 6

6 spatial streams 6 spatial streams

115 m² (1,250 ft²) coverage 115 m² (1,250 ft²) coverage

300+ connected devices 300+ connected devices

Powered using PoE/PoE+* Powered using PoE/PoE+*

(4) GbE ports with (1) PoE Output (4) GbE ports with (1) PoE Output

GbE uplink GbE uplink

with PoE 48v Gigabit Adapter with PoE 48v Gigabit Adapter

2 COMPONENT SPEAKER, MICRO Component System COMPONENT SPEAKER, MICRO Component System 1 unit

2-Way Speaker with Bluetooth 2-Way Speaker with Bluetooth

3500W PMPO 3500W PMPO

10" Woofer Speaker 10" Woofer Speaker

2 Built-in wireless Mic and 2 Wired Mic Inputs 2 Built-in wireless Mic and 2 Wired Mic Inputs

USB & SD Slot, Aux-In and Feedback Reducer USB & SD Slot, Aux-In and Feedback Reducer

Remote Control Remote Control

Dimensions: Dimensions:

Amplifier: (L) 46cm (W) 34cm (H) 15cm Amplifier: (L) 46cm (W) 34cm (H) 15cm

Speaker: (L) 51cm (W) 30cm (H) 30cm Speaker: (L) 51cm (W) 30cm (H) 30cm

3 POWERED SPEAKER, D12" POWERED SPEAKER, D12" 1 unit

• 12 Inches Active Speaker System 300W with • 12 inches Active Speaker System 300W with

USB/Bluetooth/ DSP Control ZLX12D USB/Bluetooth/ DSP Control ZLX12D

• Class D 500W Amplifier • Class D 500W Amplifier

• 4 Ohms • 4 Ohms

• 98db • 98db

• Frequency Response: 45Hz-20khz • Frequency Response: 45Hz-20khz

• Amplifier: Class D DSP • Amplifier: Class D DSP

• DSP Management Control • DSP Management Control

• USB/ Bluetooth • USB/ Bluetooth

• 1" Titanium Dome • 1" Titanium Dome

• Rugged Design • Rugged Design

• Clear Vocal • Clear Vocal

• Weight: 12 Kilos • Weight: 12 Kilos

• Dimension: 62(H) X 39(W) x 34(D) cm • Dimension: 62(H) X 39(W) x 34(D) cm

4 HANDHELD MICROPHONE, WIRELESS HANDHELD MICROPHONE, WIRELESS 1 set

• Receiver & handheld technical parameters: • Receiver & handheld technical parameters:

• Frequency range: uhf 640-690mhz • Frequency range: uhf 640-690mhz

• Operating distance: about 300 meters • Operating distance: about 300 meters

• Modulation method: broadband fm • Modulation method: broadband fm

• Adjustable range: 50mhz • Adjustable range: 50mhz

• Number of Channels: 2x100 • Number of Channels: 2x100

• Channel interval: 250khz • Channel interval: 250khz

• Dynamic range: 100db • Dynamic range: 100db

• Maximum frequency deviation: +45khz

• Audio response: 80hz-18khz(13db) • Audio response: 80hz-18khz(13db)

• Comprehensive signal-to-noise ratio: >105db • Comprehensive signal-to-noise ratio: >105db

• Comprehensive distortion: ≤0.5%

5 AUDIO MIXER WITH INTERFACE AUDIO MIXER WITH INTERFACE 1 set

• Universal XLR interface • Universal XLR interface

• 4 channels, 2 mono microphone lines • 4 channels, 2 mono microphone lines

• 2 stereo • 2 stereo

• High and low frequency EQ control • High and low frequency EQ control

• +48V phantom power for condenser microphones • +48V phantom power for condenser microphones

• Effects: Delay + Repeat • Effects: Delay + Repeat

• USB, MP3, Bluetooth, Headphone monitoring recording • USB, MP3, Bluetooth, Headphone monitoring recording

Interface Interface

6 MICROPHONE BALANCE CABLES MICROPHONE BALANCE CABLES 1 unit

• Balance Cable • Balance Cable

• Pure Copper • Pure Copper

• 30 meters/unit • 30 meters/unit

7 3 PIN XLR CONNECTOR MALE FEMALE 3 PIN XLR CONNECTOR MALE FEMALE 4 sets

Gender: Male Female Gender: Male Female

Mounting Type: Cable Mount Mounting Type: Cable Mount

Body Orientation: Straight Body Orientation: Straight

Contact Plating: Silver over Nickel Contact Plating: Silver over Nickel

Housing Material: Nylon Housing Material: Nylon

Termination Method: Solder Termination Method: Solder

Current Rating: 10A Current Rating: 10A

Voltage Rating: 50 V Voltage Rating: 50 V

Contact Material: Brass

TOTAL

*****Nothing Follows*****

TOTAL ABC = Php 191,610.00

PROCUREMENT OF CONSOLIDATED ICT SUPPLIES AND AUDIO VISUAL EQUIPMENT FOR ICT OFFICE USE AT ALIJS
CAMPUS AND OFFICE OF STUDENT AFFAIRS & SERVICES OF BINALBAGAN CAMPUS / A.A. DELGADO (ICT-Coordinator
ALIJS) & J. LINCO (OSAS Coordinator-Binalbagan)

PR# 25-365-0403 04-03-25 INCOME 209-164-25-04 04-04-25 - ITEM NO. 1 -A.A. DELGADO

PR# 25-435-0422 04-22-25 INCOME 251-164-25-04 04-23-25 - ITEM NO. 2 -J. LINCO
PR# 25-367-0403 04-03-25 INCOME 222-164-25-04 04-07-25 - ITEM NO. 3-7 -A.A. DELGADO

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	ONE (1) LOT	Various ICT and Electronics Supplies	1	Lot	191,610.00

Created by Rowena De la Vida Prado

Date Created 04/08/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 4

Date: JULY 31, 2025
Quotation No.: 25-405

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. ANDREW EUSEBIO S. TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	ONE(1) LOT				
1	WIRELESS ROUTER with PoE 48v WiFi 6 6 spatial streams 115 m ² (1,250 ft ²) coverage 300+ connected devices Powered using PoE/PoE+* (4) GbE ports with (1) PoE Output GbE uplink with PoE 48v Gigabit Adapter	8	units		
2	COMPONENT SPEAKER , MICRO Component System 2-Way Speaker with Bluetooth 3500W PMPO 10" Woofer Speaker 2 Built-in wireless Mic and 2 Wired Mic Inputs USB & SD Slot, Aux-In and Feedback Reducer Remote Control Dimensions: Amplifier: (L) 46cm (W) 34cm (H) 15cm Speaker: (L) 51cm (W) 30cm (H) 30cm	1	unit		
3	POWERED SPEAKER , D12" • 12 inches Active Speaker System 300W with USB/Bluetooth/ DSP Control ZLX12D	1	unit		

Date _____ By _____
Released (BAC) _____
Returned (Supplier) _____

Printed Name/Signature _____

Tel. No./Cellphone No. _____

Date _____



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 4

Date: JULY 31, 2025
Quotation No.: 25-405

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. ANDREW EUSEBIO S. TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	• Class D 500W Amplifier				
	• 4 Ohms				
	• 98db				
	• Frequency Response: 45Hz-20khz				
	• Amplifier: Class D DSP				
	• DSP Management Control				
	• USB/ Bluetooth				
	• 1" Titanium Dome				
	• Rugged Design				
	• Clear Vocal				
	• Weight: 12 Kilos				
	• Dimension: 62(H) X 39(W) x 34(D) cm				
4	HANDHELD MICROPHONE, WIRELESS	1	set		
	• Receiver & handheld technical parameters:				
	• Frequency range: uhf 640-690mhz				
	• Operating distance: about 300 meters				
	• Modulation method: broadband fm				
	• Adjustable range: 50mhz				
	• Number of Channels: 2x100				
	• Channel interval: 250khz				
	• Dynamic range: 100db				
	• Maximum frequency deviation: +45khz				
	• Audio response: 80hz-18khz(13db)				
	• Comprehensive signal-to-noise ratio: >105db				
	• Comprehensive distortion: ≤0.5%				

Date _____ By _____
Released (BAC) _____
Returned (Supplier) _____

Printed Name/Signature _____

Tel. No./Cellphone No. _____

Date _____



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 4

Date: JULY 31, 2025
Quotation No.: 25-405

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. ANDREW EUSEBIO S. TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
5	AUDIO MIXER WITH INTERFACE	1	set		
	• Universal XLR interface				
	• 4 channels, 2 mono microphone lines				
	• 2 stereo				
	• High and low frequency EQ control				
	• +48V phantom power for condenser microphones				
	• Effects: Delay + Repeat				
	• USB, MP3, Bluetooth, Headphone monitoring recording interface				
6	MICROPHONE BALANCE CABLES	1	unit		
	• Balance Cable				
	• Pure Copper				
	• 30 meters/unit				
7	3 PIN XLR CONNECTOR MALE FEMALE	4	sets		
	Gender: Male Female				
	Mounting Type: Cable Mount				
	Body Orientation: Straight				
	Contact Plating: Silver over Nickel				
	Housing Material: Nylon				
	Termination Method: Solder				
	Current Rating: 10A				
	Voltage Rating: 50 V				
	Contact Material: Brass				
	TOTAL				

Date _____ By _____
Released (BAC) _____
Returned (Supplier) _____

Printed Name/Signature _____

Tel. No./Cellphone No. _____

Date _____



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 4 OF 4

Date: JULY 31, 2025
Quotation No.: 25-405

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith _____

DR. ANDREW EUSEBIO S.TAN
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

[illegible]

	Date	By
Released (BAC)	_____	_____
Returned (Supplier)	_____	_____

Printed Name/Signature

Tel. No./Cellphone No.

Date