

Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

12511912

Procuring Entity

CARLOS HILADO MEMORIAL STATE UNIVERSITY

Title

Procurement of Various Laboratory Equipment for the Instructional use of the BSCE Program

(Soil Mechanics Laboratory) - Talisay Campus

Area of Delivery

Negros Occidental

Solicitation Number:	RFQ 25-541	Status	Pending		
Trade Agreement:	Implementing Rules and Regulations				
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1		
Classification:	Goods	Bid Supplements	0		
Category:	Laboratory Supplies and Equipment				
Approved Budget for the Contract:	PHP 870,743.00	Document Request List	C		
Delivery Period:	20 Day/s				
Client Agency:	<u> </u>	Date Published	22/10/2025		
Contact Person:	Rowena De la Vida Prado Administrative Assistant II Mabini Street Talisay City Negros Occidental	Last Updated / Time	21/10/2025 14:52 PM		
	Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph	Closing Date / Time	27/10/2025 09:00 AM		

Description

Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 3

Date: OCTOBER 20, 2025 Quotation No.: 25-541

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than ___ in the return envelope attached herewith.

DR. MARIZAT, MANALO BAC Chairman

NOTE:

- 1. ALL ENTRIES MUST BE TYPEWRITTEN
- CALENDAR DAYS 2.
- DELIVERY PERIOD WITHIN ____20__ CALENDAR DAYS
 WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY

```
printableBidNoticeAbstract
                                                           CALENDAR DAYS
4.
       PRICE VALIDITY SHALL BE FOR A PERIOD OF
       G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
5.
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE
NO. (Pls. indicate brand offered)
ONE(1) LOT
1 MOTORIZED CASAGRANDE APPARATUS WITH COUNTER 2 set
Consists of a brass cup and carriage designed to control drop to
exactly 1 cm onto a hard rubber base;
Motor operates on 220V, 60 Hz, 1P
All parts must be made of solid brass; rubber feet isolate
the base from the work surface.
Easily removable cup for cleaning or inspection
Conforms to ASTM D4318, AASHTO T89, EN17892-12
Accessory: Casagrande grooving tool, brass
2 SPECIFIC GRAVITY FRAME WITH PLASTIC WATER TANK 1 set
Specifications:
The bench shall be made of sturdy, heavy-gauge painted or
stainless steel, and features holes in the top balance platform for
weigh-below hook suspension of samples. The lower part of the
frame incorporates a moving platform, which carries the
Conforms to ASTM C128, ASTM C127, AASHTO T84, EN12697,
EN 12390-7, EN 1097-6, BS 812:2, BS 1881:14
This set includes:
(1) Digital balance, 30kg capacity x 0.5g res. under-balance
weighing
(2) Specific gravity water tank
(3) Density basket, 200 mm dia x 200 mm high for specific
gravity frame
(4) Cradle for holding specimens, such as cubes or the specific
cylinders, for gravity frame specific gravity frame
3 HYDROMETER TEST SET 1 set
Specifications:
The test set shall contain all items required to perform the
particle size distribution analysis by the hydrometer method on
six samples. 220V, 60 Hz, Conforms to ASTM D422, AASHTO T88
This set includes:
(1) High-speed stirrer, 11000 rpm, with cup and baffle, 220V,
50-60 Hz, 1P
(2) six (6) hydrometer cylinders
(3) Rubber bung for cylinders
(4) Glass thermometer, 0-50°C, 0.5°C divisions
(5) Glass enclosure for the cylinders
4 OVEN, at least 115 Liter capacity 1 set
Features:
High temperature accuracy with APT.line™ technology
Forced convection, '230V, 50/60 Hz, 1P
Controller with LCD display
Electromechanical control of the exhaust air flap
2 chrome-plated racks, Class 2 independent temperature
safety device (DIN 12880) with visual
Temperature alarm
Ergonomic handle design
USB port for recording data
Technical Specifications:
Interior volume: at least 115 liters, Permitted load: 150 kg
Load per rack: 30 kg
Dimensions: at least 550 mm width x 550 mm height x 385 mm depth
Temperature range: +10°C above ambient temperature to +300°C
Temperature fluctuation at 150°C: ±0.3K
Heating-up time to 150°C: 18 minutes max.
Recovery time after 30 seconds door open at 150°C: 4 minutes
Terms of Reference for each equipment:
1. At least one (1) warranty period for defects of equipment
2. Free equipment demonstration and installation
3. Testing and calibration with calibration certificate
4. After-sales technical support, onsite visit and troubleshooting
5. Proof of conformity to standards
6. Delivery period: 45 days
TOTAL
*************Nothing Follows************
TOTAL ABC = Php 870,743.00
```

PROCUREMENT OF LABORATORY EQUIPMENT FOR THE INSTRUCTIONAL USE OF THE BSCE PROGRAM (SOIL MECHANICS LABORATORY)-TALISAY CAMPUS/G.GERONA (Dean-COENG)

PR# 25-954-0919 09-19-25

MDS 317-101-25-09 09-30-25

Line Items

Product/Service Name

Description

Quantity UOM Budget (PHP)

1 ONE (1) LOT Various Laboratory Equipment 1 Lot 870,743.00

Created by

Rowena De la Vida Prado

Date Created

21/10/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2025 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 3

Date: OCTOBER 20, 2025 Quotation No.: 25-541

Date

-					
Ple	ase quote your lowest price on the item/s listed below, stating the sh	ortest tim	e of delive	ery and submit	
	otation duly signed by your representative not later than in th				
			00.1	MA DIZA T MANIAI	0
			DR.	MA RIZA 7. MANAI	_0
				BAC Chairman	
NOTE:					
	1. ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN20 CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS	5, ONE (1) YE	AR FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS				
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE				
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE	PRODUCT BE	NG OFFERED	•	
ITEM	ITEM & DESCRIPTION				
ITEM	Control of the American Control of the Control of t	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
NO.	(Pls. indicate brand offered) ONE(1) LOT	+		1	
1	MOTORIZED CASAGRANDE APPARATUS WITH COUNTER	2	set		
<u> </u>		-	361		
	Specifications: Consists of a brass cup and carriage designed to control drop to	+			
		++		 	
	exactly 1 cm onto a hard rubber base;			-	
	Motor operates on 220V, 60 Hz, 1P	\vdash			
	All parts must be made of solid brass; rubber feet isolate	+		<u> </u>	
	the base from the work surface.	-			
	Easily removable cup for cleaning or inspection	1			
	Conforms to ASTM D4318, AASHTO T89, EN17892-12	1		-	
	Accessory: Casagrande grooving tool, brass	\perp			
2	SPECIFIC GRAVITY FRAME WITH PLASTIC WATER TANK	1	set		
	Specifications:	\perp			
	The bench shall be made of sturdy, heavy-gauge painted or				
	stainless steel, and features holes in the top balance platform for	1			
	weigh-below hook suspension of samples. The lower part of the				
	frame incorporates a moving platform, which carries the				
	Conforms to ASTM C128, ASTM C127, AASHTO T84, EN12697,				
	EN 12390-7, EN 1097-6, BS 812:2, BS 1881:14				
	This set includes:				
	(1) Digital balance, 30kg capacity x 0.5g res. under-balance				
	weighing				
	(2) Specific gravity water tank				
		-	-/0		
	Date By		Pri	inted Name/Sigr	nature
Releas	ed (BAC)	-			
Return	ed (Supplier)		Te	el. No./Cellphone	e No.



Returned (Supplier)

Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 3

Date: OCTOBER 20, 2025 Quotation No.: 25-541

Tel. No./Cellphone No.

Date

——————————————————————————————————————	ase quote your lowest price on the item/s listed below, stating the sh	ortest tim	e of delive	ery and submit	
	otation duly signed by your representative not later than in the		velope attac		.0
NOTE:					
NOTE.	1. ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS	, ONE (1) YE	AR FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE CO	DUOTATION			
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE F		ING OFFERED		
ITEM	ITEM & DESCRIPTION			LILLE DDIOE	TOTAL BRICE
NO.	(Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	(3) Density basket, 200 mm dia x 200 mm high for specific				
	gravity frame				
	(4) Cradle for holding specimens, such as cubes or the specific				
	cylinders, for gravity frame specific gravity frame				
3	HYDROMETER TEST SET	1	set		
	Specifications:				
	The test set shall contain all items required to perform the				
	particle size distribution analysis by the hydrometer method on				
	six samples. 220V, 60 Hz, Conforms to ASTM D422, AASHTO T88				
	This set includes:				
	(1) High-speed stirrer, 11000 rpm, with cup and baffle, 220V,				
	50-60 Hz, 1P				
	(2) six (6) hydrometer cylinders				
	(3) Rubber bung for cylinders				
	(4) Glass thermometer, 0-50°C, 0.5°C divisions	1			
	(5) Glass enclosure for the cylinders				
4	OVEN, at least 115 Liter capacity	1	set		
	Features:	-			
	High temperature accuracy with APT.line™ technlogy	-			
	Forced convection, '230V, 50/60 Hz, 1P				
	Controller with LCD display	-		-	
	Electromechanical control of the exhaust air flap	-		-	
	2 chrome-plated racks, Class 2 independent temperature			1	
	Data Bu	-	Dei	ntod Nama/Cian	naturo.
Dalass	Date By		PII	nted Name/Sigr	latule



Republic of the Philippines CARLOS HILADO MEMORIAL STATE UNIVERSITY

Talisay City, Negros Occidental Mobile Phone Number: (0939) 929 6624

bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 3

Date: OCTOBER 20, 2025 Quotation No.: 25-541

Date

				Quotation No 2	0 0 1 1
Ple	ase quote your lowest price on the item/s listed below, stating the she	ortest tim	e of delive	ery and submit	
	otation duly signed by your representative not later than in the				
) q				les	
			DR. I	MA RIZA T) MANAI	LO
				BAC Chairman	
NOTE:					
	1. ALL ENTRIES MUST BE TYPEWRITTEN				
	2. DELIVERY PERIOD WITHIN CALENDAR DAYS				
	3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS,	ONE (1) YE	AR FOR		
	EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY				
	4. PRICE VALIDITY SHALL BE FOR A PERIOD OF CALENDAR DAYS				
	5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE Q	UOTATION			
	6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE P	RODUCT BE	ING OFFERED		
ITEM	ITEM & DESCRIPTION				
NO.	(Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	safety device (DIN 12880) with visual				
	Temperature alarm				
	Ergonomic handle design				
	USB port for recording data				
	Technical Specifications:				
	Interior volume: at least 115 liters, Permitted load: 150 kg				
	Load per rack: 30 kg				
	Dimensions: at least 550 mm width x 550 mm height x 385 mm depth				
	Temperature range: +10°C above ambient temperature to +300°C				
	Temperature fluctuation at 150°C: ±0.3K				
	Heating-up time to 150°C: 18 minutes max.				
	Recovery time after 30 seconds door open at 150°C: 4 minutes				
	Terms of Reference for each equipment:				
	At least one (1) warranty period for defects of equipment				
	Free equipment demonstration and installation				
	3. Testing and calibration with calibration certificate				
	4. After-sales technical support, onsite visit and troubleshooting				
	5. Proof of conformity to standards				
	6. Delivery period: 45 days				
	TOTAL				
	*************Nothing Follows***********				
	TOTAL ABC = Php 870,743.00				
	PROCURMENT OF LABORATORY EQUIPMENT FOR THE INSTRUCTIONAL USE OF THE BSCE PROGRAM (SOIL MECHANICS LABORATORY)-				
	TALISAY/G.GERONA (Dean-COENG)				
	PR# 25-954-0919 09-19-25				
	MDS 317-101-25-09 09-30-25				
	Date By	-	Pri	nted Name/Sign	ature
Releas	ed (BAC)				
Returned (Supplier)		_	Te	l. No./Cellphone	No.