



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 12844168
Procuring Entity CARLOS HILADO MEMORIAL STATE UNIVERSITY
Title Procurement of Various Supplies and Materials for Facilities Repairs and Maintenance use at Binalbagan Campus
Area of Delivery Negros Occidental

Solicitation Number:	RFQ 26-045	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	2
Classification:	Goods	Bid Supplements	0
Category:	Hardware and Construction Supplies		
Approved Budget for the Contract:	PHP 67,980.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	11/03/2026
Contact Person:	Rowena De la Vida Prado Administrative Assistant II Mabini Street Talisay City Negros Occidental Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph	Last Updated / Time	10/03/2026 16:32 PM
		Closing Date / Time	18/03/2026 09:00 AM

Description

Republic of the Philippines
 CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0920) 583 3046
 bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION
 PAGE 1 OF 4
 Date: MARCH 10, 2026
 Quotation No.: 26-045

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
 BAC Chairman

NOTE:

- ALL ENTRIES MUST BE TYPEWRITTEN
- DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
- WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
- PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
- G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
- BIDDERS SHALL SUBMIT ORIGINAL PROCEDURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

Cutting Mechanism: One-step internal cam mechanism
 Cutting Type: Center; Head Size: Slim
 Material: Hardened alloy steel (jaws)
 Jaw Capacity: 0.31 in; Jaw Material: Hardened alloy steel
 Handle Material: Steel
 Grip Type: Rubber
 Handle Type: Straight; Handle Length: 26 in.
 Size Details: Heavy Duty
 Blade Material: Hardened alloy steel
 Blade Type: Center Cut
 2 COMPRESSION TOOL, MANUAL 1 piece
 Fixed 5/8 Inch Nose Die and
 Insert Die Cavity Die Included
 Handle Type: Straight; Handle Material: Wood
 Handle Color: Brown; Handle Length: 21 in.
 3 SHOVEL, FLAT TREE 2 pieces
 Handle: Wooden; Blade Length: 33 cm. x 9 cm.
 Blade Weight: 1,040g;
 Total Length: 167 cm.
 Total Weight: 2,550g
 4 SPADE, All Steel 4 pieces
 Large Heavy Duty; 100 cm. by 1.5 kgs.
 5 EXPANSION ANCHOR TOX with METAL SCREW 1 pack
 100 set per pack; Anchor Length: 3/4 inch (19 mm)
 Screw Size: #6; Screw Material: Zinc-plated steel
 Anchor Material: Nylon (plastic expansion type)
 Application: Drywall, masonry, brick, concrete
 Color: Any
 6 GARDEN HOSE SET with NOOZLE and CONNECTOR 1 set
 Material: PVC (Polyvinyl Chloride)
 Hose Diameter: 1/2 inch; Hose Length: 20 Meters
 Hose Thickness: Approximately 1.90 mm
 Inclusions:
 Sprayer/Nozzle: 1 pc garden hose sprinkler/nozzle with adjustable
 spray patterns
 Connectors:
 1 pc Faucet Connector
 1 pc Garden Hose Connector
 TOTAL
 LOT 2- ELECTRICAL SUPPLIES
 7 SOLAR STREET LIGHT w/ bracket 5 pieces
 Material: Aluminum alloy+PC+ABS
 Light color: White light; Wattage: 100000W
 Light source: 5054 LED beads
 Lighting time: 24 hours; Charging time: 10-12 hours
 Battery capacity: 80000mAh
 Control mode: remote control+button
 Lighting mode: constant light+sensing
 Size:Lamp body: 85 x 23cm; Pole: 50 cm.
 8 ELECTRICAL SURFACE MOULDING, PVC 6 pieces
 Size: 4 ft. x 1/2 in.; Color: White
 Product Type: Surface-mounted electrical cable moulding
 Material: Rigid PVC (uPVC)
 Nominal Width: 1/2 inch (≈12 mm)
 Length: 4 feet (≈1.2 meters) per piece
 Wall Thickness: Approx. 1.0 – 1.5 mm
 9 ELECTRICAL FLAT CORD WIRE, #16 AWG ELECTRICAL FLAT CORD WIRE, #16 AWG 20 meters
 Conductor Size: #16 AWG (1.31 mm² approx.) Conductor Size: #16 AWG (1.31 mm² approx.)
 Conductor: Stranded annealed copper Conductor: Stranded annealed copper
 Type: Twin parallel flat cord Type: Twin parallel flat cord
 Insulation: PVC insulated; Insulation: PVC insulated
 Voltage Rating: 300V
 Temperature Rating: 60°C minimum Temperature Rating: 60°C minimum
 Colour: White Colour: White
 Application: Light-duty electrical wiring Application: Light-duty electrical wiring
 10 ELECTRICAL INSULATION TAPE ELECTRICAL INSULATION TAPE 5 rolls
 PVC, Black, Big, 3m PVC, Black, Big, 3m
 TOTAL
 LOT 3
 11 POT 200 pieces
 Material: Plastic; Color: Brown
 Size:
 Diameter: 35 cm.
 Height: 26 cm.

Note : Please see sample pictures for reference

TOTAL

*****Nothing Follows*****

LOT 1 = Php 28,600.00

LOT 2 = Php 19,380.00

LOT 3 = Php 29,900.00

TOTAL ABC = Php 67,980.00

2	LOT 2	Electrical Supplies	1	Lot	19,380.00
3	LOT 3	Pot	200	Piece	20,000.00

Created by Rowena De la Vida Prado

Date Created 10/03/2026

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004,2004-2026 DBM Procurement Service. All rights reserved.,DBM Procurement Service. All rights reserved.

[Help](#) | [Contact Us](#) | [Sitemap](#)




Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0920) 583 3046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 4

Date: MARCH 10, 2026
 Quotation No.: 26-045

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


 DR. MA RIZA T. MANALO
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	LOT 1- Hardware Supplies and Garden Tools				
1	BOLT CUTTER Length: 24 in.; Weight: 2.7 kg. Cutting Capacity: 9.5 mm (Metals Medium (31RC)) Cutting Mechanism: One-step internal cam mechanism Cutting Type: Center; Head Size: Slim Material: Hardened alloy steel (jaws) Jaw Capacity: 0.31 in; Jaw Material: Hardened alloy steel Handle Material: Steel Grip Type: Rubber Handle Type: Straight; Handle Length: 26 in. Size Details: Heavy Duty Blade Material: Hardened alloy steel Blade Type: Center Cut	1	piece		
2	COMPRESSION TOOL, MANUAL Fixed 5/8 Inch Nose Die and Insert Die Cavity Die Included Handle Type: Straight; Handle Material: Wood Handle Color: Brown; Handle Length: 21 in.	1	piece		
3	SHOVEL, FLAT TREE Handle: Wooden; Blade Length: 33 cm. x 9 cm. Blade Weight: 1,040g; Total Length: 167 cm. Total Weight: 2,550g	2	pieces		

Date _____ By _____

Released (BAC) _____
 Returned (Supplier) _____

 Printed Name/Signature

 Tel. No./Cellphone No.

 Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0920) 583 3046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 4

Date: MARCH 10, 2026
 Quotation No.: 26-045

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
4	SPADE, All Steel Large Heavy Duty; 100 cm. by 1.5 kgs.	4	pieces		
5	EXPANSION ANCHOR TOX with METAL SCREW 100 set per pack; Anchor Length: 3/4 inch (19 mm) Screw Size: #6; Screw Material: Zinc-plated steel Anchor Material: Nylon (plastic expansion type) Application: Drywall, masonry, brick, concrete Color: Any	1	pack		
6	GARDEN HOSE SET with NOOZLE and CONNECTOR Material: PVC (Polyvinyl Chloride) Hose Diameter: 1/2 inch; Hose Length: 20 Meters Hose Thickness: Approximately 1.90 mm Inclusions: Sprayer/Nozzle: 1 pc garden hose sprinkler/nozzle with adjustable spray patterns Connectors: 1 pc Faucet Connector 1 pc Garden Hose Connector	1	set		
TOTAL					
LOT 2- ELECTRICAL SUPPLIES					
7	SOLAR STREET LIGHT w/ bracket Material: Aluminum alloy+PC+ABS Light color: White light; Wattage: 100000W Light source: 5054 LED beads	5	pieces		

Date _____ By _____

Released (BAC) _____
 Returned (Supplier) _____

Printed Name/Signature _____

Tel. No./Cellphone No. _____

Date _____



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0920) 583 3046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 4

Date: MARCH 10, 2026
 Quotation No.: 26-045

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

(Signature)
DR. MA RIZA T. MANALO
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Lighting time: 24 hours; Charging time: 10-12 hours				
	Battery capacity: 80000mAh				
	Control mode: remote control+button				
	Lighting mode: constant light+sensing				
	Size:Lamp body: 85 x 23cm; Pole: 50 cm.				
8	ELECTRICAL SURFACE MOULDING, PVC	6	pieces		
	Size: 4 ft. x 1/2 in.; Color: White				
	Product Type: Surface-mounted electrical cable moulding				
	Material: Rigid PVC (uPVC)				
	Nominal Width: 1/2 inch (≈12 mm)				
	Length: 4 feet (≈1.2 meters) per piece				
	Wall Thickness: Approx. 1.0 – 1.5 mm				
9	ELECTRICAL FLAT CORD WIRE, #16 AWG	20	meters		
	Conductor Size: #16 AWG (1.31 mm ² approx.)				
	Conductor: Stranded annealed copper				
	Type: Twin parallel flat cord				
	Insulation: PVC insulated;				
	Voltage Rating: 300V				
	Temperature Rating: 60°C minimum				
	Colour: White				
	Application: Light-duty electrical wiring				
10	ELECTRICAL INSULATION TAPE	5	rolls		
	PVC, Black, Big, 3m				
	TOTAL				

Date _____ By _____

Released (BAC) _____
 Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.


Date

ITEM NO. 1




Bolt Cutter	
Length:	24 in
Weight:	2.7 kg
Cutting Capacity:	9.5 mm (Metals Medium (31RC))
Cutting Mechanism:	One-step internal cam mechanism
Cutting Type:	Center
Head Size:	Slim
Material:	Hardened alloy steel (jaws)
Jaw Capacity:	0.31 in
Jaw Material:	Hardened alloy steel
Jaw Type:	Center Cut
Handle Material:	Steel
Grip Type:	Rubber
Handle Type:	Straight
Handle Length:	26 in
Size Details:	Heavy-Duty
Blade Material:	Hardened alloy steel
Blade Type:	Center-Cut

ITEM NO. 2



MANUAL COMPRESSION TOOL
Fixed 5/8 Inch Nose Die and
Insert Die Cavity Die Included
Handle Type: Straight
Handle Material: Wood
Handle Color: Brown
Handle Length: 21 Inch

Item No. 3 – SHOVEL, FLAT TREE



Medium flat shovel head + wooden handle

Length: 167cm

Weight: 2550g



Product Name

Small flat tree shovel

Length

33cm

Width

9cm

Weight

About 1040g

Item No. 4



Spade

All Steel Shovel
Large
Heavy Duty
100cm 1.5kgs

ITEM NO. 5



PLASTIC EXPANSION ANCHOR (Tox) with SCREW

Anchor Length: 3/4 inch

Anchor Diameter: 5 mm

Anchor Material: High-impact Nylon or PVC

Screw Size: #8 (≈4.2 mm diameter)

Screw Length: 3/4" (≈20 mm)

Screw Material: Steel, Zinc-Plated for corrosion resistance

ITEM NO. 6



Solar Street Lights w/ Bracket
Name: 8000W Solar Street Light
Material: Aluminum alloy+PC+ABS
Light color: White light
Wattage: 10000W
Light source: 5054 LED beads
Lighting time: 24 hours
Charging time: 10-12 hours
Battery capacity: 80000mAh
Control mode: remote control+button
Lighting mode: constant light+sensing
Size:
Lamp body: 85 x 23cm
Pole: 50cm

Item no. 7



ITEM NO. 8



PVC ELECTRICAL SURFACE MOULDING

Size: 4 ft. x 1/2 in.

Color: White

Product Type: Surface-mounted electrical cable moulding (raceway)


Material: Rigid PVC (uPVC)

Nominal Width: 1/2 inch (\approx 12 mm)

Length: 4 feet (\approx 1.2 meters) per piece

Wall Thickness: Approx. 1.0 – 1.5 mm

ITEM NO. 9



ELECTRICAL FLAT CORD WIRE, #16 AWG
Conductor Size: #16 AWG (1.31 mm² approx.)
Conductor: Stranded annealed copper
Type: Twin parallel flat cord
Insulation: PVC insulated
Voltage Rating: 300V
Temperature Rating: 60°C minimum
Colour: White
Application: Light-duty electrical wiring

ITEM NO. 10



**ELECTRICAL INSULATION TAPE
PVC, Black, Big, 3m**

ITEM NO. 11

