



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 13042994
Procuring Entity CARLOS HILADO MEMORIAL STATE UNIVERSITY
Title Procurement of Various Materials for the Installation of Public Address and Background Music (PABGM)- Talisay Campus
Area of Delivery Negros Occidental

Solicitation Number:	RFQ 26-219	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 54)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Communication Equipment	Date Published	09/06/2026
Approved Budget for the Contract:	PHP 201,400.00	Last Updated / Time	08/06/2026 11:04 AM
Delivery Period:	30 Day/s	Closing Date / Time	16/06/2026 17:00 PM
Client Agency:			
Contact Person:	Rowena De la Vida Prado Administrative Assistant II Mabini Street Talisay City Negros Occidental Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph		

Description

Republic of the Philippines
 CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0920) 583 3046
 bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Page 1 of 5

Date: JUNE 3, 2026

Quotation No.: 26-219

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS

5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
1	PUBLIC ADDRESS & BACKGROUND MUSIC (PABGM) SYSTEM REPAIR WITH INSTALLATION	1	LOT		
1.	ANALOG MIXING CONSOLE (6-Channel Minimum)				
	Minimum Technical Specifications:				
	Input Channels: At least 6 mono channels with mic/line inputs				
	Mic Preamps: Low-noise, high-headroom preamps				
	EQ: At least 2-band or 3-band EQ per channel				
	Auxiliary Sends: Minimum of 1 AUX send per channel				
	Outputs: Main mix outputs (XLR or TRS), control room/headphone output				
	Phantom Power: +48V for condenser microphones				
	Frequency Response: 20 Hz - 20 kHz				
	Signal-to-Noise Ratio: ≥ 90 dB				
	THD (Total Harmonic Distortion): $\leq 0.01\%$				
	Power Supply: 220-240V AC, 60 Hz				
	Build: Metal chassis, rack-mountable or portable design				
2.	2-CHANNEK HI-Z POWER AMPLIFIER - 2 units				
	Minimum Technical Specifications:				
	Type: 2-channel power amplifier (Class AB or Class D)				
	Output Power:				
	$\geq 500W$ per channel @ 8 ohms				
	$\geq 800W$ per channel @ 4 ohms				
	Frequency Response: 20 Hz - 20 kHz (± 1 dB)				
	THD: $\leq 0.01\%$				
	Input Sensitivity: Selectable or standard (0.775V / 1.0V)				
	Input Connectors: XLR/TRS combo				
	Output Connectors: Binding post / Speak on-compatible				
	Protection Features:				
	Short circuit protection				
	Thermal protection				
	Overload protection				
	DC protection				
	Cooling: Forced-air cooling system				
	Indicators: Power, Signal, Clip Protect LEDs				
	Mounting: Standard 19-inch rack mountable (2U/3U)				
	Power Requirement: 220-240V AC, 60 Hz				
3.	PAGING MICROPHONE with Chime				
	Minimum Technical Specifications:				
	Type: Desktop paging microphone with pre-announcement				
	Microphone Type: Condenser or dynamic gooseneck				
	Frequency Response: 100 Hz - 15 kHz				
	Polar Pattern: Cardioid or super cardioid				
	Output: Balanced XLR or terminal output				
	Controls:				
	Push-to-talk (PTT) switch				
	Volume control				
	Chime Function: Built-in selectable chime tone				
	Power Supply: Phantom power or external adapter				
	Cable Length: Minimum 3 meters				
4.	TRS CONNECTORS				
	Minimum Technical Specifications:				
	Type: 6.35 mm (1/4") TRS connectors				
	Configuration: Tip-Ring-Sleeve (balanced audio)				
	Contact Material: Nickel-plated or gold-plated contacts				
	Housing: Metal casing with strain relief				
	Compatibility: Standard audio equipment and patch panels				
	Durability: $\geq 1,000$ mating cycles				
5.	XLR CONNECTORS				
	Minimum Technical Specifications:				
	Type: 3-pin XLR male and female connectors				
	Pin Configuration: Standard (Pin 1 ground, Pin 2 hot, Pin 3 cold)				
	Contact Material: Silver or gold-plated				
	Housing: Die-cast metal with locking mechanism				
	Cable Compatibility: 22-16 AWG				
	Durability: $\geq 1,000$ mating cycles				
6.	AUDIO SIGNAL/ PATCH / NETWORK CONNECTORS				
	Minimum Technical Specifications:				
	Types:				
	RCA connectors				
	3.5mm stereo connectors				
	Patch panel ports (audio and/or Ethernet if applicable)				
	Category (for networked audio, if required):				
	at least Cat6 compliant				
	Shielding: Required for interference protection				
	Build: Industrial-grade connectors with strain relief				

Compatibility: Must support integration with PA system and existing infrastructure

7. AUTOMATIC VOLTAGE REGULATOR (AVR) - 3kVA Servo Type

Minimum Technical Specifications:

(Capacity): 3 kVA (3000 VA) minimum

Type: Servo motor-controlled AVR

Input Voltage Range: 140V - 260V AC

Output Voltage: 220V ± 3%

Frequency: 60 Hz

Efficiency: ≥ 95%

Response Time: ≤ 1 second

Protection Features:

Overvoltage and undervoltage protection

Overload protection

Short circuit protection

Cooling: Air-cooled

Display: Analog or digital voltage display

Output: Universal sockets or terminal type

Application: suitable for audio systems and sensitive electronic

Inclusion:

Labor for Installation, Design and Set up

Includes troubleshooting of existing PA system, testing of current status of existing speakers and wiring

General Requirements (Applicable to All items)

Must be brand new and unused

Must comply with IEC / ISO / CE or equivalent standards

Must include:

User Manual

Warranty (minimum 1 year)

Must be compatible with existing PA infrastructure

Supplier must provide:

Installation and testing

Basic user orientation

All equipment must be suitable for continuous operation in institutional environments.

TOTAL

*****Nothing Follows*****

TOTAL ABC = Php 201,400.00

PROCUREMENT OF VARIOUS SUPPLIES AND MATERIALS WITH INSTALLATION FOR THE PUBLIC ADDRESS AND BACKGROUND MUSIC (PABGM) - TALISAY CAMPUS/ A. TORRES (ICTU, Head)

PR# 26-387-0507 05-07-26

MDS 193-101-26-05 05-18-26

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	ONE (1) LOT	Various Materials for the Installation of Public Address & Background Music (PABGM)	1	Lot	201,400.00

Created by Rowena De la Vida Prado

Date Created 08/06/2026

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Mobile Phone Number: (0920) 583 3046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Page 1 of 5

Date: JUNE 3, 2026
Quotation No.: 26-219

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
1	PUBLIC ADDRESS & BACKGROUND MUSIC (PABGM)	1	LOT		
	SYSTEM REPAIR WITH INSTALLATION				
	1. ANALOG MIXING CONSOLE (6-Channel Minimum)				
	Minimum Technical Specifications:				
	Input Channels: At least 6 mono channels with mic/line inputs				
	Mic Preamps: Low-noise, high-headroom preamps				
	EQ: At least 2-band or 3-band EQ per channel				
	Auxiliary Sends: Minimum of 1 AUX send per channel				
	Outputs: Main mix outputs (XLR or TRS), control room/headphone output				
	Phantom Power: +48V for condenser microphones				
	Frequency Response: 20 Hz - 20 kHz				
	Signal-to-Noise Ratio: ≥ 90 dB				
	THD (Total Harmonic Distortion): $\leq 0.01\%$				
	Power Supply: 220-240V AC, 60 Hz				
	Build: Metal chassis, rack-mountable or portable design				
	2. 2-CHANNEK HI-Z POWER AMPLIFIER - 2 units				
	Minimum Technical Specifications:				
	Type: 2-channel power amplifier (Class AB or Class D)				
	Output Power:				
	$\geq 500W$ per channel @ 8 ohms				
	$\geq 800W$ per channel @ 4 ohms				
	Frequency Response: 20 Hz - 20 kHz (± 1 dB)				
	THD: $\leq 0.01\%$				
	Input Sensitivity: Selectable or standard (0.775V / 1.0V)				

Date

By

Printed Name/Signature

Released (BAC) _____

Returned (Supplier) _____

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0920) 583 3046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Page 2 of 5

Date: JUNE 3, 2026
 Quotation No.: 26-219

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Input Connectors: XLR/TRS combo				
	Output Connectors: Binding post / Speakon-compatible				
	Protection Features:				
	Short circuit protection				
	Thermal protection				
	Overload protection				
	DC protection				
	Cooling: Forced-air cooling system				
	Indicators: Power, Signal, Clip Protect LEDs				
	Mounting: Standard 19-inch rack mountable (2U/3U)				
	Power Requirement: 220-240V AC, 60 Hz				
	3. PAGING MICROPHONE with Chime				
	Minimum Technical Specifications:				
	Type: Desktop paging microphone with pre-announcement				
	Microphone Type: Condenser or dynamic gooseneck				
	Frequency Response: 100 Hz - 15 kHz				
	Polar Pattern: Cardioid or supercardioid				
	Output: Balanced XLR or terminal output				
	Controls:				
	Push-to-talk (PTT) switch				
	Volume control				
	Chime Function: Built-in selectable chime tone				
	Power Supply: Phantom power or external adapter				
	Cable Length: Minimum 3 meters				

Released (BAC) _____
 Returned (Supplier) _____

Date _____ By _____

Printed Name/Signature

Tel. No./Cellphone No.

Date



REQUEST FOR QUOTATION

Date: JUNE 3, 2026
 Quotation No.: 26-219

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. MA RIZA T. MANALO
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	4. TRS CONNECTORS				
	Minimum Technical Specifications:				
	Type: 6.35 mm (1/4") TRS connectors				
	Configuration: Tip-Ring-Sleeve (balanced audio)				
	Contact Material: Nickel-plated or gold-plated contacts				
	Housing: Metal casing with strain relief				
	Compatibility: Standard audio equipment and patch panels				
	Durability: ≥ 1,000 mating cycles				
	5. XLR CONNECTORS				
	Minimum Technical Specifications:				
	Type: 3-pin XLR male and female connectors				
	Pin Configuration: Standard (Pin 1 ground, Pin 2 hot, Pin 3 cold)				
	Contact Material: Silver or gold-plated				
	Housing: Die-cast metal with locking mechanism				
	Cable Compatibility: 22-16 AWG				
	Durability: ≥ 1,000 mating cycles				
	6. AUDIO SIGNAL/ PATCH / NETWORK CONNECTORS				
	Minimum Technical Specifications:				
	Types:				
	RCA connectors				
	3.5mm stereo connectors				
	Patch panel ports (audio and/or Ethernet if applicable)				
	Category (for networked audio, if required):				
	at least Cat6 compliant				
	Shielding: Required for interference protection				

Released (BAC) _____
 Returned (Supplier) _____

Date _____ By _____

Printed Name/Signature _____

Tel. No./Cellphone No. _____

Date _____



REQUEST FOR QUOTATION

Date: JUNE 3, 2026
 Quotation No.: 26-219

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. MA RIZA T. MANALO
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Build: Industrial-grade connectors with strain relief				
	Compatibility: Must support integration with PA system and existing infrastructure				
	7. AUTOMATIC VOLTAGE REGULATOR (AVR) -				
	3kVA Servo Type				
	Minimum Technical Specifications:				
	(Capacity): 3 kVA (3000 VA) minimum				
	Type: Servo motor-controlled AVR				
	Input Voltage Range: 140V - 260V AC				
	Output Voltage: 220V ± 3%				
	Frequency: 60 Hz				
	Efficiency: ≥ 95%				
	Response Time: ≤ 1 second				
	Protection Features:				
	Overvoltage and undervoltage protection				
	Overload protection				
	Short circuit protection				
	Cooling: Air-cooled				
	Display: Analog or digital voltage display				
	Output: Universal sockets or terminal type				
	Application: suitable for audio systems and sensitive electronic				
	Inclusion:				
	Labor for Installation, Design and Set up				
	Includes troubleshooting of existing PA system,				

Released (BAC) _____ Date _____ By _____
 Returned (Supplier) _____

Printed Name/Signature

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Mobile Phone Number: (0920) 583 3046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Page 5 of 5

Date: JUNE 3, 2026
 Quotation No.: 26-219

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	testing of current status of existing speakers and wiring				
	General Requirements (Applicable to All items)				
	Must be brand new and unused				
	Must comply with IEC / ISO / CE or equivalent standards				
	Must include:				
	User Manual				
	Warranty (minimum 1 year)				
	Must be compatible with existing PA infrastructure				
	Supplier must provide:				
	Installation and testing				
	Basic user orientation				
	All equipment must be suitable for continuous operation in institutional environments.				
	TOTAL				
	***** Nothing Follows *****				
	TOTAL ABC = Php 201,400.00				
	PROCUREMENT OF VARIOUS SUPPLIES AND MATERIALS WITH INSTALLATION FOR THE PUBLIC ADDRESS AND BACKGROUND MUSIC (PABGM) - TALISAY CAMPUS/ A. TORRES (ICTU, Head)				
	PR# 26-387-0507 05-07-26				
	MDS 193-101-26-05 05-18-26				

Date _____ By _____
 Released (BAC) _____
 Returned (Supplier) _____

 Printed Name/Signature

 Tel. No./Cellphone No.

 Date