



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 13237516
Procuring Entity CARLOS HILADO MEMORIAL STATE UNIVERSITY
Title Procurement of Various Laboratory Equipment for the BSCE Program- Talisay Campus
Area of Delivery Negros Occidental

Solicitation Number:	RFQ 26-451	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 34)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	Laboratory Supplies and Equipment		
Approved Budget for the Contract:	PHP 167,981.25	Document Request List	0
Delivery Period:	60 Day/s		
Client Agency:		Date Published	11/09/2026
Contact Person:	Rowena De la Vida Prado Administrative Assistant II Mabini Street Talisay City Negros Occidental Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph	Last Updated / Time	10/09/2026 15:05 PM
		Closing Date / Time	18/09/2026 17:00 PM

Description

Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph
REQUEST FOR QUOTATION
Page 1 of 3
Date: SEPTEMBER 08, 2026
Quotation No. 26-451

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
 2. DELIVERY PERIOD WITHIN 60 CALENDAR DAYS
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
 4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
 5. G-EPG REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED
- ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE

NO. (Pls. indicate brand offered)

1 DIGITAL ELECTRONIC BALANCE, at least 4-kg capacity 1 set

Features and Specifications:

0.1 g resolution or better

Top loading electronic balance, with under-balance weighing facility supplied

Mains & rechargeable battery operated with rechargeable battery included 220 V, 60 Hz, 1P

Rectangular weighing pan with dimensions: max. 225mm x 300mm

Backlit LCD digital display showing the final mass

Tough, splash proof ABS housing

Preset tare function

With RS 232 serial port and connector

Adjustable slope feet and level indicator

Auto power-off

Maximum weight: 6 kgs.

Preferably Europe or US made

Standards: Conforms to ASTM D4753, and EN 932-5

Terms of Reference:

1. Five-year warranty period for defects of equipment

2. Free equipment demonstration and testing

3. Proof of conformity to standards

4. Delivery period: 60 days

TOTAL

2 WAX MELTING POT for Shrinkage Limit Test, 1 set at least 1-Liter capacity

Specifications:

Temperature range: 10°C to 120°C

Electrical: 220-240V/50-60Hz

Thermostatically controlled melting pot with lid(s) of microcrystalline wax

Standard: Conforms to ASTM D4943

Terms of Reference:

1. One (1) year warranty period for defects of equipment

2. Free equipment demonstration and testing

3. Proof of conformity to standards

4. Delivery period: 60 days

TOTAL

3 MONEL SHRINKAGE DISH 12 pc

Specifications:

Made of Monel metal

15 ml capacity

40 mm diam x 12 mm height

Standard: ASTM D4943

Terms of Reference:

1. Proof of conformity to standards

2. Delivery period: 60 days

TOTAL

4 MUNSELL SOIL COLOR CHART/BOOK 2 set

The book includes the following tabbed soil color charts:

- 5R soil chart for Australia and Southeast Asia

- 7.5R soil chart for tropical and semi-tropical soils

- 10R soil chart for Australia and Southeast Asia

- 2.5Y soil chart

- 2.5YR soil chart

- 5Y soil chart

- 7.5YR soil chart

- 10YR soil chart for Australia and Southeast Asia

- 10Y-5GY soil chart for glauconite soils

- GLEY 1 and GLEY 2 soil charts for soils submerged soils

covers weak chromas and neutrals of blue and green hues.

- WHITE soil chart includes half steps 8.5 to 9.5 in value with chromas of 0 or 1 and 2 for N, 7.5R, 10YR, and 2.5Y soil chart for

carbonate, silica, gypsum, and soluble salt precipitates and evaporites. Also used for very light-colored parent materials, such as diatomaceous earth and volcanic ash.

Opening between chips allow easy visual comparison with soil samples. Illustrations of soil grain structure, charts for estimating proportions of mottles and coarse fragments, color name diagrams, and instructions are included. Color chips are mounted on neutral gray, 7.25 x 4.25 in (184.2x108mm) water-resistant pages in an 8-in H x 6-in W loose-leaf binder.

Features:

Tabbed design for easy-to-find information

Allows easy visual comparison of soil colors

Water-resistant

Lightweight

TOTAL

*****Nothing Follows*****

ITEM #1 = Php 49,081.25

ITEM #2 = Php 49,900.00
 ITEM #3 = Php 26,400.00
 ITEM #4 = Php 42,600.00
 TOTAL ABC = Php 167,981.25
 PROCUREMENT OF VARIOUS EQUIPMENT FOR THE INSTRUCTIONAL USE OF BSCE PROGRAM - TALISAY CAMPUS - G.
 GERONA (Dean, COE)
 PR# 26-815-0814 08-17-26
 MDS 323-101-26-08 08-19-26

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	DIGITAL ELECTRONIC BALANCE	at least 4-kg capacity; 0.1 g resolution or better Top loading electronic balance, with under-balance weighing facility supplied; Mains & rechargeable battery operated with rechargeable battery included 220 V, 60 Hz, 1P; Rectangular weighing pan, etc	1	Set	49,081.25
2	WAX MELTING POT	for Shrinkage Limit Test, at least 1-Liter capacity; Temperature range: 10°C to 120°C; Electrical: 220-240V/50-60Hz; Thermostatically controlled melting pot with lid(s) of microcrystalline wax, etc.	1	Set	49,900.00
3	MONEL SHRINKAGE DISH	Made of Monel metal; 15 ml capacity; 40 mm diam x 12 mm height; Standard: ASTM D4943; Terms of Reference: (1) Proof of conformity to standards (2) Delivery Period:60 days	12	Piece	26,400.00
4	MUNSELL SOIL COLOR CHART/BOOK	The book includes the following tabbed soil color charts:5R soil chart for Australia and Southeast Asia; 7.5R soil chart for tropical and semi-tropical soils; 10R soil chart for Australia and Southeast Asia, etc.	2	Set	42,600.00

Created by Rowena De la Vida Prado
Date Created 10/09/2026


The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph
REQUEST FOR QUOTATION

Page 1 of 3
Date: SEPTEMBER 08, 2026
Quotation No. 26-451

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN 60 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPIS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
1	DIGITAL ELECTRONIC BALANCE , at least 4-kg capacity	1	set		
	Features and Specifications:				
	0.1 g resolution or better				
	Top loading electronic balance, with under-balance weighing facility supplied				
	Mains & rechargeable battery operated with rechargeable battery included 220 V, 60 Hz, 1P				
	Rectangular weighing pan with dimensions: max. 225mm x 300mm				
	Backlit LCD digital display showing the final mass				
	Tough, splash proof ABS housing				
	Preset tare function				
	With RS 232 serial port and connector				
	Adjustable slope feet and level indicator				
	Auto power-off				
	Maximum weight: 6 kgs.				
	Preferably Europe or US made				
	Standards: Conforms to ASTM D4753, and EN 932-5				
	Terms of Reference:				
	1. Five-year warranty period for defects of equipment				
	2. Free equipment demonstration and testing				
	3. Proof of conformity to standards				
	4. Delivery period: 60 days				
	TOTAL				
2	WAX MELTING POT for Shrinkage Limit Test, at least 1-Liter capacity	1	set		
	Specifications:				
	Temperature range: 10°C to 120°C				
	Electrical: 220-240V/50-60Hz				
	Thermostatically controlled melting pot with lid(s) of microcrystalline wax				
	Standard: Conforms to ASTM D4943				
	Terms of Reference:				

Date _____ By _____

Released (BAC) _____
Returned (Supplier) _____

Printed Name/Signature _____

Tel. No./Cellphone No. _____

Date _____




Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph
REQUEST FOR QUOTATION

Page 2 of 3

Date: SEPTEMBER 08, 2026

Quotation No. 26-451

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN 60 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	1. One (1) year warranty period for defects of equipment				
	2. Free equipment demonstration and testing				
	3. Proof of conformity to standards				
	4. Delivery period: 60 days				
	TOTAL				
3	MONEL SHRINKAGE DISH	12	pc		
	Specifications:				
	Made of monel metal				
	15 ml capacity				
	40 mm diam x 12 mm height				
	Standard: ASTM D4943				
	Terms of Reference:				
	1. Proof of conformity to standards				
	2. Delivery period: 60 days				
	TOTAL				
4	MUNSELL SOIL COLOR CHART/BOOK	2	set		
	The book includes the following tabbed soil color charts:				
	- 5R soil chart for Australia and Southeast Asia				
	- 7.5R soil chart for tropical and semi-tropical soils				
	- 10R soil chart for Australia and Southeast Asia				
	- 2.5Y soil chart				
	- 2.5YR soil chart				
	- 5Y soil chart				
	- 7.5YR soil chart				
	- 10YR soil chart for Australia and Southeast Asia				
	- 10Y-5GY soil chart for glauconite soils				
	- GLEY 1 and GLEY 2 soil charts for soils submerged soils				
	covers weak chromas and neutrals of blue and green hues.				
	- WHITE soil chart includes half steps 8.5 to 9.5 in value with				
	chromas of 0 or 1 and 2 for N, 7.5R, 10YR, and 2.5Y soil chart for				
	carbonate, silica, gypsum, and soluble salt precipitates and				

Date

By


Printed Name/Signature

Released (BAC)

Returned (Supplier)

Tel. No./Cellphone No.

Date



Page 3 of 3
Date: SEPTEMBER 08 , 2026
Quotation No. 26-451

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

~~DR. MA RIZA T. MANALO~~
~~BAC Chairman~~

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN 60 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

Date _____