Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Date: September 24, 2026
Quotation No. 26-484

_____

_____

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN __30__ CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
1	**STAINLESS STEEL SPUDGER PRY OPENING TOOL**	2	pcs		
	5in 1 Repair Tools Kit, Stainless Steel Spudger Pry Opening Tool.				
	TOTAL				
2	**AVR,** 500VA PSL-500D W 3X220V, 1X110V UNIVERSAL	6	pcs		
	CAPACITY: 500VA/300W, Input Voltage: 220/230/240Vac				
	Input Voltage Range: 220/230/240Vac: 172-276Vac				
	Input Frequency Range: 50 or 60 Hz				
	Output Steps of Regulation: 2 (1-step Boost & 1-step Buck)				
	Output Receptacles: Universal Nema*4pcs				
	Output Protection: Overload / short circuit: manual reset				
	circuit switch, Over-temperature: thermal switch				
	Indicators Regulating LED: Green				
	Environment Humidity: 0-95% (Non-condensing)				
	Noise Level: Less than 40dB at 1M				
	Dimension(W*H*D): 80*77*220MM				
	TOTAL				
3	**USB KEYBOARD AND MOUSE BLACK**	20	pcs		
	Keycaps: A-Shape, Round Edge, Hotkeys: 12 FN Multimedia				
	Hotkeys, Character: Laser Engraving, Adjustable Keyboard Legs: Yes				
	Rating: 5 V / 30 Ma, Dimension: 454 × 153 × 32 mm				
	Weight: 585 g, Cable Length: 150 cm, Port: USB, Mouse: OP-720				
	Report Rate: 125 Hz, Sensor: Optical, Resolution: 1000 DPI				
	Rating: 5 V / 100 mA, Buttons No.: 3,				
	Ergonomic Design: Symmetric, Size: Middle / Big Hands				
	Dimension: 119 × 62 × 37 mm, Weight: 86 g,				
	Cable Length: 150 cm, Port: USB				
	System Requirements: Windows XP/Vista/7/8/8.1/10/11				
	Features: FN Hot Keys, 5M Clicks Button Lifetime, 1000 DPI				
	Dust-resistant Wheel, Comfort Roundedge keycaps				
	Laser Inscribed keys, Adjustable keyboard height				
	TOTAL				

Date By

_____
Printed Name/Signature

Released (BAC) _____ _____
Returned (Supplier) _____ _____

_____
Tel. No./Cellphone No.

_____
Date

Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Date: September 24, 2026
Quotation No. 26-484

_____

_____

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN __30__ CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
4	**750 WATTS 80 PLUS BRONZE POWER SUPPLY**	2	pcs		
	PART NO.: CP-9020237, AC INPUT: 100-240V				
	INPUT CURRENT: 10A-5A, FREQUENCY: 47~63Hz				
	TOTAL POWER: 750W				
	TOTAL				
5	**EXTENSION CORD SET WITH UNIVERSAL OUTLET & SWITCI**	3	pcs		
	Outlets: 4 Total - typically 3 convenience outlets + 1				
	universal outlet (accepts various plug types)				
	Rated Power: 2,500 W maximum total load				
	Rated Current: 10 A, Rated Voltage: 250 V				
	Cord Length: 1.83 meters (approx. 6 feet)				
	Switch: Master switch - controls all outlets				
	Materials:				
	- Rigid brass internal strips				
	- Copper outlet contacts for good grip and conductivity				
	Safety Features:				
	- Real grounding system connection				
	- Built-in safety circuit breaker				
	- Built-in lightning protector (surge protection)				
	- Fire-retardant enclosure material				
	TOTAL				
6	**UPS,** 1000VA SINGLE PHASE 600W WITH AVR	5	pcs		
	General				
	Type: Line-Interactive UPS with AVR (Automatic Voltage				
	Regulation), Capacity: ~1000 VA / 600 W				
	Phase: Single-Phase AC				
	Form Factor: Tower style (upright design typical of				
	conventional UPS units)				
	Weight & Size: About ~5.8 kg and ~95 × 320 × 160 mm				
	Input / Output				
	Input Voltage: Designed for 220 / 230 / 240 V AC				

Date By

_____
Printed Name/Signature

Released (BAC) _____ _____

_____
Tel. No./Cellphone No.

Returned (Supplier) _____ _____

_____
Date

Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Date: September 24, 2026
Quotation No. 26-484

_____

_____

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN __30__ CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	(50 / 60 Hz) single-phase grid inputs				
	Output Voltage: Regulated 220 / 230 / 240 V AC via AVR				
	and battery backup as needed				
	Automatic Voltage Regulation (AVR): Boost and buck to				
	correct high or low input voltages before switching to				
	battery, Sockets: Usually 4 × universal outlets to accommodate				
	different plug types, Battery, Battery Type: Internal sealed lead-				
	acid (typical for this class)				
	Battery Configuration: 1 × 12 V/9 Ah (common spec on				
	equivalent AID1000 models)				
	Charging: Fast charging with auto-charge even in OFF				
	mode, Cold Start: Can power on directly from battery in absence				
	of utility power, Indicators & Controls				
	Front panel LED indicators for AC output (green), battery				
	status (yellow), and DC output (red)				
	Power On/Off button on front panel				
	Protection, Overload protection & short-circuit protection				
	Basic surge and undervoltage defense via AVR and in-built				
	control, Runtime, Offers several minutes of runtime depending				
	on connected, load (e.g., around 7-8 minutes with ~180 W load)				
	- actual, backup time varies by usage and battery condition.				
	TOTAL				
7	**10 PCS SCREWDRIVER AND PRECISION SCREWDRIVER SET**	2	set		
	Basic Screwdrivers (6 pieces)				
	Used for general household tasks like furniture assembly,				
	appliances, etc.				
	Slotted (Flathead) sizes - e.g., SL5×75mm, SL5×100mm,				
	SL6×150mm				
	Phillips sizes - e.g., PH1×75mm, PH1×100mm, PH2×150mm				
	Precision Screwdrivers (4 small pieces)				

Date By

_____
Printed Name/Signature

Released (BAC) _____ _____

Returned (Supplier) _____ _____

_____
Tel. No./Cellphone No.

_____
Date

Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Date: September 24, 2026
Quotation No. 26-484

_____

_____

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN __30__ CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Used for electronics, gadgets, eyeglasses, tiny screws.				
	Slotted - e.g., SL3 × 50 mm				
	Phillips - PH0 × 50 mm				
	Torx - T6 & T8 × 50 mm				
	Total: 10 pieces = 6 regular + 4 precision drivers.				
	TOTAL				
8	**HDD/SSD DOCKING STATION**	2	pcs		
	Compatibility: 2.5″ & 3.5″ SATA HDD/SSD (SATA I/II/III).				
	Interface: USB 3.0 / USB 3.2 Gen 1 (up to 5 Gbps) - fast				
	transfers.				
	Clone Function: Some docks can copy drives without a PC				
	connected.				
	Plug & Play: No drivers needed on most systems				
	(Windows, Mac, Linux).				
	Hot-Swappable: You can add/remove drives without				
	shutting down (varies by model).				
	TOTAL				
9	**VGA TO HDMI**	3	pcs		
	Direction: VGA input → HDMI output (unidirectional)				
	Video Support: Up to 1920×1080 (1080p) at 60 Hz on				
	most converters				
	Audio: Often includes a 3.5 mm stereo audio input to				
	embed audio into HDMI				
	Power: Many adapters are USB-powered if the VGA				
	source can't supply enough power for conversion				
	Compatibility: Works with older desktops/laptops with				
	VGA ports and HDTVs/Monitors with HDMI inputs				
	TOTAL				
10	**DOUBLE A BATTERY (AA)**	7	packs		
	Type: AA (Double-A)				

Date By

Printed Name/Signature

Released (BAC) _____ _____

Returned (Supplier) _____ _____

Tel. No./Cellphone No.

Date

Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Date: September 24, 2026
Quotation No. 26-484

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN __30__ CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Voltage: 1.5V (Alkaline) / 1.2V (Rechargeable)				
	Size: Approx. 50.5 mm length × 14.5 mm diameter				
	Capacity: Approx. 1,800–3,000 mAh (alkaline)				
	Chemical Type: Alkaline/Carbon Zinc/Ni-MH				
	(rechargeable)				
	Common Uses: Remote controls, toys, flashlights, radios,				
	wireless mouse & keyboard				
	TOTAL				
11	**TRIPLE A BATTERY (AAA)**	6	packs		
	Type: AAA (Triple-A)				
	Voltage: 1.5V (Alkaline) / 1.2V (Rechargeable)				
	Size: Approx. 44.5 mm length × 10.5 mm diameter				
	Capacity: Approx. 800–1,200 mAh (alkaline)				
	Chemical Type: Alkaline/Carbon Zinc/Ni-MH (rechargeable)				
	TOTAL				
12	**8GB DDR4 3200MHz RAM**	5	pcs		
	Module Type: 288 Pin Unbuffered DIMM Non ECC				
	Capacity: 8GB				
	Frequency: 3200				
	Data Transfer: 25,600 MB/s				
	Bandwidth: (PC4 25600)				
	Latency: CL22-22-22-52				
	Voltage: 1.2V				
	TOTAL				
13	**USB TYPE-C TO LAN ADAPTER**	3	pcs		
	Operating System: Windows 11/10/8.1/8/7/XP, Mac OS,				
	iPad OS, Chrome OS, Linux				
	Data transfer rate: 1000 Megabits Per Second				
	Hardware interface: USB 3.1 Type C				
	TOTAL				

Date By

Printed Name/Signature

Released (BAC) _____ _____

Returned (Supplier) _____ _____

Tel. No./Cellphone No.

Date

Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Date: September 24, 2026
Quotation No. 26-494

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN __30__ CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
14	**MALE USB C TO FEMALE USB A ADAPTER, 1M**	3	pcs		
	Male-to-female connector, USB A-to-USB C connector				
	Length of 1 m, Black sheath color				
	USB A type 3.0; USB C type 3.1				
	TOTAL				
15	**HDMI MALE TO MALE CABLE 10M**	5	pcs		
	Supports 4K, 1080P full HD, 3D, Ethernet Channel,				
	48-bit Deep Color and Audio Return Channel (ARC),				
	audio video sync, HDCP compliant.				
	Widely compatible with Blu-ray player, computer,				
	AV receiver, Roku, PS 3/4, Xbox One/360,				
	Nintendo Wii, TV, HDTV, monitor, or projector.				
	TOTAL				
16	**HDMI MALE-TO-MALE CABLE 5M**	6	pcs		
	Supports 4K, 1080P full HD, 3D, Ethernet Channel,				
	48-bit Deep Color and Audio Return Channel (ARC),				
	audio video sync, HDCP compliant.				
	Widely compatible with Blu-ray player, computer,				
	AV receiver, Roku, PS 3/4, Xbox One/360,				
	Nintendo Wii, TV, HDTV, monitor, or projector.				
	TOTAL				
17	**HDMI MALE-TO-MALE CABLE 15M**	10	pcs		
	Supports 4K, 1080P full HD, 3D, Ethernet Channel,				
	48-bit Deep Color and Audio Return Channel (ARC),				
	audio video sync, HDCP compliant.				
	Widely compatible with Blu-ray player, computer,				
	AV receiver, Roku, PS 3/4, Xbox One/360,				
	Nintendo Wii, TV, HDTV, monitor, or projector.				
	TOTAL				
18	**INTERPHONE TWO-WAY RADIO WALKIE TALKIE (BLACK)**	2	pcs		
	5W 16Ch 400-470MHz				

Date By

Printed Name/Signature

Released (BAC) _____ _____

Returned (Supplier) _____ _____

Tel. No./Cellphone No.

Date

Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Date: September 24, 2026
Quotation No. 26-484

_____

_____

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN __30__ CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Channel Capacity: 16, Channel Spacing: 25KHz				
	Operated Voltage: 3.7 V, Battery: 2800MAh Li-ion				
	Frequency Stability: 2.5ppm				
	Antenna Impedance: 50				
	Communication Range: In open				
	Minimum of 1 year warranty				
	TOTAL				
19	**M.2 NVME SSD DUAL BAY DUPLICATOR**	1	pcs		
	Dual Bay Duplicator Material: Aluminum Alloy,				
	Size: 82.2mm(L)*62mm(W)*13.8mm(H),				
	Controller Solution: ASM2362+ASM2806A (10Gbps),				
	Transfer Rate: USB3.1 10Gbps,				
	Supported System: Mac OS, Windows, Linux, Android				
	Minimum of 1 year warranty				
	TOTAL				
20	**RJ45 (8P8C)**	8	boxes		
	Number of Pins: 8				
	Cable Type: Twisted-pair copper (Cat5e / Cat6 / Cat6a),				
	10/100/1000 Mbps (up to 10Gbps with Cat6a),				
	Transmission Medium: Ethernet (LAN)				
	Standard: IEEE 802.3				
	Termination: Crimp type				
	Shielding: UTP / STP (model dependent)				
	TOTAL				
21	**CRIMPING TOOL PASS THROUGH**	4	pcs		
	Supports RJ45 (Cat5, Cat5e, Cat6, Cat6a, Cat7)				
	and RJ11/RJ12 pass-through or standard modular plugs				
	Replaceable blade for the "crimp & trim" function;				
	also includes a cable jacket stripper and wire cutter				
	Egonomic, non-slip grip.				
	TOTAL				

Date By

_____
Printed Name/Signature

Released (BAC) _____ _____

Returned (Supplier) _____ _____

_____
Tel. No./Cellphone No.

_____
Date

Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Date: September 24, 2026
Quotation No. 26-101

_____

_____

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN __30__ CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
22	**64GB USB FLASH DRIVE**	3	pcs		
	USB 3.2 Gen 1 (USB 3.0/USB 3.1 Gen 1 compatible)				
	Windows, macOS, Linux compatible				
	at least 5-year warranty				
	TOTAL				
23	**ALL-IN-ONE PC POWER ADAPTER 19V 65W 3.42A**	4	pcs		
	Compatible with Acer Aspire C24-1851				
	Connector size: 5.5mm x 1.7mm				
	TOTAL				
	************Nothing Follows************				
	ITEM # 1 = Php 500.00				
	ITEM # 2 = Php 3,600.00				
	ITEM # 3 = Php 15,000.00				
	ITEM # 4 = Php 8,400.00				
	ITEM # 5 = Php 900.00				
	ITEM # 6 = Php 27,000.00				
	ITEM # 7 = Php 1,200.00				
	ITEM # 8 = Php 2,400.00				
	ITEM # 9 = Php 2,160.00				
	ITEM # 10 = Php 1,188.04				
	ITEM # 11 = Php 960.00				
	ITEM # 12 = Php 24,000.00				
	ITEM # 13 = Php 2,700.00				
	ITEM # 14 = Php 1,260.00				
	ITEM # 15 = Php 4,800.00				
	ITEM # 16 = Php 3,240.00				
	ITEM # 17 = Php 13,200.00				
	ITEM # 18 = Php 3,600.00				
	ITEM # 19 = Php 4,800.00				
	ITEM # 20 = Php 6,720.00				
	ITEM # 21 = Php 3,120.00				

Date By

_____
Printed Name/Signature

Released (BAC) _____ _____

Returned (Supplier) _____ _____

_____
Tel. No./Cellphone No.

_____
Date

Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
Talisay City, Negros Occidental
Cell Phone #: 09205833046
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

Date: September 24, 2026
Quotation No. 26-484

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. MA RIZA T. MANALO
BAC Chairman

NOTE:

1. ALL ENTRIES MAY BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN
2. DELIVERY PERIOD WITHIN __30__ CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	ITEM # 22 = Php 2,880.00				
	ITEM # 23 = Php 3,360.00				
	TOTAL ABC = Php 136,988.04				
	PROCUREMENT OF ICT SUPPLIES AND EQUIPMENT ACROSS FOUR CAMPUSES - R. BUYCO(Information Systems Analyst 1) / A. TORRES(Head, ICTU)				
	PR# 26-461-0526 05-26-26				
	INCOME 248-164-26-05 05-28-26				

Date By

Printed Name/Signature

Tel. No./Cellphone No.

Date

Released (BAC) _____ _____
Returned (Supplier) _____ _____