



Central Portal for
Philippine Government
Procurement Opportunities

elp

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 10970953
Procuring Entity CARLOS HILADO MEMORIAL STATE UNIVERSITY
Title Procurement of Laboratory Supplies for the Instructional use of Science Laboratory of the College of Arts and Sciences - Talisay Campus
Area of Delivery Negros Occidental

Solicitation Number:	RFQ 24-291	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Laboratory Supplies and Equipment	Date Published	21/06/2024
Approved Budget for the Contract:	PHP 105,000.00	Last Updated / Time	20/06/2024 12:02 PM
Delivery Period:	30 Day/s	Closing Date / Time	28/06/2024 09:00 AM
Client Agency:			
Contact Person:	Rowena De la Vida Prado Administrative Assistant II Mabini Street Talisay City Negros Occidental Philippines 6115 63-34-7120005 Ext.142 63-939-9296624 bac.sec@chmsu.edu.ph		

Description

Republic of the Philippines
 CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Telephone: (0939) 929 6624
 bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION
 PAGE 1 OF 3
 Date: JUNE 20, 2024
 Quotation No. 24-291

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
 BAC Chairman

- NOTE:
1. ALL ENTRIES MUST BE TYPEWRITTEN
 2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
 3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY

4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
 5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
 6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM ITEM & DESCRIPTION QTY. UNIT UNIT PRICE TOTAL PRICE
 NO. (Pls. indicate brand offered)

ONE(1) LOT

1 HUMAN TORSO 1 pc

Product Dimensions: 33.46" x 14.56" x 7.48" Product Weight: 31 lbs.

This natural size Human Torso Model features detailed representations of the major organ systems.

These systems include the brain, the throat showing the thyroid and vascular structures, as well as the internal organs of the thorax and abdomen. Also included with this model are male and female genital inserts.

2 RESISTANCE BOARD 1 pc

This kit includes one set of resistance boards: Components include a Pencil Lead board, a Wire Resistance board, three kinds of pencil leads, eight clips, four pairs of binding posts, four gauges of nichrome wire, and printed cm-gauge labels for the boards. The Ohm's Law Kit includes a set of: four different of carbon resistors, AA and 2-AA battery holders, plastic canvas to mount resistors. Assembly required. Batteries and digital multimeters (two needed) are available from several vendors.

3 GLOBE, CELESTIAL 1 pc

The Celestial Globe is a demonstration device that shows the apparent positions of the stars visible from Earth. The globe consists of two concentric spheres mounted on a common axle and supported on a frame with a base. The frame is fixed to a round base so that the axle is held at an angle of 23.5° to the 1 lot vertical, representing the inclination of the Earth's spin axis to the axis of its orbit around the sun.

4 DISSECTING PAN 3 pcs

Aluminum Dissecting Pan with Wax and constructed of aluminum with tapered sides for easy stacking. Size : 11.25" x 7.5" x 1.5"

5 TUNNING FORK 1 set

This high-quality aluminum tuning forks are both rugged and economical. The set includes eight forks representing a full octave of frequencies, a soft protective case, and a rubber mulltet.

NOTE FREQUENCY

C 256 Hz

D 288 Hz

E 320 Hz

F 34.3 Hz

G 384 Hz

A 426.7 Hz

B 480 Hz

C 512 Hz

6 WATER BATH, ALUMINUM 5 pcs

Hemispherical, made of aluminium sheet with two handles and a set of concentric rings. Diameter 200mm

7 WATER ANALYZER 1 pc

Large LCD with multiple parameters display simultaneously.

"PH range/resolution : 2.00-12.00/ resolution:0.01 ; PH accuracy : +/-0.1

"

Condrange:0-199.9,0-1999us/cm,0-19.99,0-150.0mS/cm ;

Cond. accuracy : +/-1%F,s+/-1digit ; Cond resolution : 0.1uS/cm,

1uS/cm. 0. 01mS/cm. 0.1mS/cm ; TDS. Range ns : 0-1999°1,

0-1999.1ppm.0-19.99°0-150.0ppt ; TDS. Accuracy/res +/-1%FS+

/-1 digit; res: 0.1, 1ppm: 0.01, 0.1ppt ; TDS Factor : 0.30-1.00

Salinity range : 0-10.00ppt: 0-42,ppt(SEA WATER)

Salinity accuracy/res+/-1% F S+/-1 digit: res: 0.01 ppt. 0. 1ppt

D.O. range : 0.0-199.9%(0.0-30.0mg/L) ;

D O. Accuracylres : +/-3% of F.S. +1 digit res: 0.1 ;

Temp.range : -5~60,0°c ; Temp. Accuracy/res : +/-0.5c:0.1

Compatible probe : PH probe, EC probe and D.O probe

Could be all used on one meter at the same time ;

LCD size(mm) : 32.5(H)X54(W)

Operating temp. &RH% : 0-50°c Humldity <80%

Storage temp. &RH% : 0~60°c Humidity <90%

Dimension(mm):169(L)x78.3(W)x43.4(H)

Power:4PCS AAA Batteries (Not Including Package)

TOTAL

*****Nothing Follows*****

TOTAL ABC = Php 105,000.00

PROCUREMENT OF VARIOUS MATERIALS FOR THE INSTRUCTIONAL USE OF SCIENCE LABORATORY- TALISAY

CAMPUS/L. GORRICETA

PR# 24-311-0422 04-22-24

MDS 123-101-24-04 04-26-24

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	ONE (1) LOT	Laboratory Supplies	1	Lot	105,000.00

Created by Rowena De la Vida Prado

Date Created 20/06/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2024 DBM Procurement Service. All rights reserved.

[Help](#) | [Contact Us](#) | [Sitemap](#)



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Telephone: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 1 OF 3

Date: JUNE 20, 2024
 Quotation No. 24-291

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

DR. ANDREW EUSEBIO S.TAN
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	ONE(1) LOT				
1	HUMAN TORSO Product Dimensions: 33.46" x 14.56" x 7.48" Product Weight: 31 lbs. This natural size Human Torso Model features detailed representations of the major organ systems. These systems include the brain, the throat showing the thyroid and vascular structures, as well as the internal organs of the thorax and abdomen. Also included with this model are male and female genital inserts.	1	pc		
2	RESISTANCE BOARD This kit includes one set of resistance boards: Components include a Pencil Lead board, a Wire Resistance board, three kinds of pencil leads, eight clips, four pairs of binding posts, four gauges of nichrome wire, and printed cm-gauge labels for the boards. The Ohm's Law Kit includes a set of: four different of carbon resistors, AA and 2-AA battery holders, plastic canvas to mount resistors. Assembly required. Batteries and digital multimeters (two needed) are available from several vendors.	1	pc		
3	GLOBE, CELESTIAL The Celestial Globe is a demonstration device that shows the apparent positions of the stars visible from Earth. The globe consists of two concentric spheres mounted on a common axle and supported on a frame with a base. The frame is fixed to a	1	pc		

Date

By

Printed Name/Signature

Released (BAC) _____
 Returned (Supplier) _____

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Telephone: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 2 OF 3

Date: JUNE 20, 2024
 Quotation No. 24-291

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.


DR. ANDREW EUSEBIO S. TAN
 BAC Chairman

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN
2. DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
4. PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
5. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	round base so that the axle is held at an angle of 23.5° to the vertical, representing the inclination of the Earth's spin axis to the axis of its orbit around the sun.	1	lot		
4	DISSECTING PAN Aluminum Dissecting Pan with Wax and constructed of aluminum with tapered sides for easy stacking. Size : 11.25" x 7.5" x 1.5"	3	pcs		
5	TUNNING FORK This high-quality aluminum tuning forks are both rugged and economical. The set includes eighth forks representing a full octave of frequencies, a soft protective case, and a rubber mulltet.	1	set		
	<u>NOTE</u> <u>FREQUENCY</u>				
	C 256 Hz				
	D 288 Hz				
	E 320 Hz				
	F 34.3 Hz				
	G 384 Hz				
	A 426.7 Hz				
	B 480 Hz				
	C 512 Hz				
6	WATER BATH, ALUMINUM Hemispherical, made of aluminium sheet with two handles and a set of concentric rings. Diameter 200mm	5	pcs		
7	WATER ANALYZER Large LCD with multiple parameters display simultaneously.	1	pc		

Date

By

Printed Name/Signature

Released (BAC) _____

Returned (Supplier) _____

Tel. No./Cellphone No.

Date



Republic of the Philippines
CARLOS HILADO MEMORIAL STATE UNIVERSITY
 Talisay City, Negros Occidental
 Telephone: (0939) 929 6624
bac.sec@chmsu.edu.ph

REQUEST FOR QUOTATION

PAGE 3 OF 3

Date: JUNE 20, 2024
 Quotation No. 24-291

Please quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than _____ in the return envelope attached herewith.

[Signature]
DR. ANDREW EUSEBIO S.TAN
 BAC Chairman

- NOTE:
- ALL ENTRIES MUST BE TYPEWRITTEN
 - DELIVERY PERIOD WITHIN 30 CALENDAR DAYS
 - WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY
 - PRICE VALIDITY SHALL BE FOR A PERIOD OF _____ CALENDAR DAYS
 - G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION
 - BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED

ITEM NO.	ITEM & DESCRIPTION (Pls. indicate brand offered)	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	PH range/resolution : 2.00-12.00/ resolution:0.01 ; PH accuracy : +/-0.1				
	Condrange:0-199.9,0-1999us/cm,0-19.99,0-150.0mS/cm ;				
	Cond. accuracy : +/-1%F,s+/-1digit ; Cond resolution : 0.1uS/cm,				
	1uS/cm. 0. 01mS/cm. 0.1mS/cm ; TDS. Range ns : 0-1999°1,				
	0-1999·1ppm.0-19.99°0-150.0ppt ; TDS. Accuracy/res +/-1%FS+				
	/-1 digit; res: 0.1, 1ppm: 0.01, 0.1ppt ; TDS Factor : 0.30-1.00				
	Salinity range : 0-10.00ppt: 0-42,ppt(SEA WATER)				
	Salinity accuracy/res+/-1% F S+/-1 digit: res: 0.01 ppt. 0. 1ppt				
	D.O. range : 0.0-199.9%(0.0-30.0mg/L) ;				
	D O. Accuracylres : +/-3% of F.S. +1 digit res: 0.1 ;				
	Temp.range : -5~60,0°c ; Temp. Accuracy/res : +/-0.5c:0.1				
	Compatible probe : PH probe, EC probe and D.O probe				
	Could be all used on one meter at the same time ;				
	LCD size(mm) : 32.5(H)X54(W)				
	Operating temp. &RH% : 0-50°c Humidity <80%				
	Storage temp. &RH% : 0~60°c Humidity <90%				
	Dimension(mm):169(L)x78.3(W)x43.4(H)				
	Power:4PCS AAA Batteries (Not Including Package)				
	TOTAL				
	***** Nothing Follows *****				
	TOTAL ABC = Php 105,000.00				
	PROCUREMENT OF VARIOUS MATERIALS FOR THE INSTRUCTIONAL USE OF SCIENCE LABORATORY- TALISAY CAMPUS/L. GORRICETA				
	PR#	24-311-0422	04-22-24		
	MDS	123-101-24-04	04-26-24		

Date _____ By _____

Printed Name/Signature _____

Released (BAC) _____
 Returned (Supplier) _____

Tel. No./Cellphone No. _____

Date _____